OCT 2 2 1974 STATE ENGINEER SALEM, OREGON

## Permit No. G- G 6243

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Donald A. & Lucille M. Griesenauer (Name of applicant)
of5385 Tacoma St. N.E. Brooks, county ofMarion
state ofOregon, do hereby make application for a permit to appropriate t following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated Little Pudding River (Name of stream)
tributary of Pudding River
2. The amount of water which the applicant intends to apply to beneficial use is cub feet per second or450 gallons per minute.
3. The use to which the water is to be applied isIrrigation
4. The well or other source is located $\frac{1000}{1000}$ ft. South and $600$ ft. East from the NW.
corner of James Webb Donation Land Claim No. 56 in Township 6 South
Range 2 West of the Willamette Meridian, Marion County, Oregon (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the NWF NEF of Sec
W. M., in the county of Marian
5. The See item No. 4 to be mile (Canal or pipe line)
in length, terminating in the, Twp, Twp, Twp
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Well No. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of th supply when not in use must be described.
8. The development will consist of lawell having (Give number of wells, tunnels, etc.)
diameter of10 inches and an estimated depth of220 feet. It is estimated that220
feet of the well will requiresteelcasing. Depth to water table is estimated(Kind)  (Feet)

feet; depth of water	feet; ft. between capacity,
(b) At	feet; ft. between capacity,
feet; width on bottom feet; depth of water  rade feet fall per one thousand feet.  (c) Length of pipe, ft.; size at intake in.; in size at intake in.; in size at intake in.; size at place of use in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capa sec. ft.	feet; ft. between capacity,
rade	ft. between capacity,
(c) Length of pipe, ft.; size at intake in.; in size at om intake in.; size at place of use in.; difference in elevation betu take and place of use, ft. Is grade uniform? Estimated capa sec. ft.	between
om intake in.; size at place of use in.; difference in elevation betu take and place of use, ft. Is grade uniform? Estimated capa sec. ft.	between
take and place of use, Estimated capa sec. ft.	capacity,
sec. ft.	
·	
10. If pumps are to be used, give size and type30 Horsepower Turbine	
Give horsepower and type of motor or engine to be used30. Horsepower3. phas	hase
220_Vol.t	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile f	ila fram
natural stream or stream channel, give the distance to the nearest point on each of such channels	
e difference in elevation between the stream bed and the ground surface at the source of developn	lopment
12. Location of area to be irrigated, or place of use Complete Legal Description Fo	1 Foll
Range Township E. or W. of Number Acres	
Township E. or W. of Willamette Meridian Section Forty-acre Tract To Be Irrigated	
Township E. or W. of Willamette Meridian Section Forty-acre Tract To Be Irrigated	
Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.	Claim
Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  2.56 in Township 6 South, Range 2 West of the Willamette Meridian,	Claim
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  2. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  erion County, Oregon: thence South 80000 Fast, along the North line	Claim
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  2. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  erion County, Oregon: thence South 80000 Fast, along the North line	Claim
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  2. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  erion County, Oregon: thence South 80000 Fast, along the North line	Claim
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  2.13 Acres  2.13 Acres  2.13 Acres  2.14 Acres  2.15 Acres  2.15 Acres  2.16 In Township 6 South, Range 2 West of the Willamette Meridian, arion County, Oregon; thence South 89 00' East, along the North line aid Claim, 1135.40 feet to a point in the center of a drainage ditch set in said ditch 55.13 feet; thence South 18 41'50" West in said ditch 55.13 feet; thence South 18 41'50" West in said ditch	Claim an, line o itch; lo'; d ditc
Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  6. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  arion County, Oregon; thence South 89°00' East, along the North line aid Claim, 135.40 feet to a point in the center of a drainage ditch  thence South 5017! East intsaid ditch 86.49 feet; thence South 70 101  est in said ditch 55.13 feet; thence South 18°41'50" West in said di  1.17 feet to a point from which an iron rod bears 11.35 feet South	Claim an, line o itch; lo':1 d ditc
Township Range E. or W. of Willamette Meridian  7.13 Acres  Peginning at the Northwest corner of the James Webb Donation Land Cl.  1. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  1. arion County, Oregon; thence South 89°00' East, along the North line aid Claim, 1135.40 feet to a point in the center of a drainage ditch set in said ditch 55.13 feet; thence South 18°41'50" West in said dil.17 feet to a point from which an iron rod bears 11.35 feet South 4' East; thence South 0° 34' East 1540.64 feet to an iron rod on the	Claim an, line o itch; lo'; d ditc ith oo the
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  Reginning at the Northwest corner of the James Webb Donation Land Cl. of in Township 6 South, Range 2 West of the Willamette Meridian, arion County, Oregon; thence South 89°00' East, along the North line aid Claim, 1135.40 feet to a point in the center of a drainage ditchence South 5017' East intsaid ditch 86.49 feet; thence South 70°10' est in said ditch 55.13 feet; thence South 18°41'50" West in said dil.17 feet to a point from which an iron rod bears 11.35 feet South 4' East; thence South 0°34' East 1540.64 feet to an iron rod on the outh line of a tract of land conveyed to John Griesenauer by deed recorded in Volume 236, Page 154, Deed Records for said County and States	Claim  an, line o itch; lo'; d ditc ith oo the d re-
Township Range E or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  2.13 Acres  2.13 Acres  2.13 Acres  2.14 Acres  2.15 Acres  2.15 Acres  2.16 Acres  3.15 Acres  3.16 Acres  3.17 East intsaid ditch 86.49 feet; thence South 70 10 10 10 10 10 10 10 10 10 10 10 10 10	Claim  ch; line o itch; lo'; d ditc ith oo the d re-
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  2.13 Acres  2.13 Acres  2.13 Acres  2.2 West of the Willamette Meridian Acrion County, Oregon; thence South 89°00' East, along the North line and Claim, 1135.40 feet to a point in the center of a drainage ditch set in said ditch 55.13 feet; thence South 18°41'50" West in said ditch 55.13 feet; thence South 18°41'50" West in said dil.17 feet to a point from which an iron rod bears 11.35 feet South 4' East; thence South 0° 34' East 1540.64 feet to an iron rod on the outh line of a tract of land conveyed to John Griesenauer by deed recorded in Volume 236, Page 154, Deed Records for said County and Standard Griesenauer tract; thence North 0° 23' East 1884.30 feet to the	Claim  ch; line o itch; lo'; d ditc ith oo the d re-
Township Range Willamette Meridian Section Forty-acre Tract Number Acres To Be irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  o. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  arion County, Oregon; thence South 89 00 East, along the North line and Claim, 1135.40 feet to a point in the center of a drainage ditch tence South 5017! East intsaid ditch 86.49 feet; thence South 70 101 feet to a point from which an iron rod bears 11.35 feet South 11.17 feet to a point from which an iron rod bears 11.35 feet South 11.17 feet to a point from which an iron rod bears 11.35 feet South 11.18 feet; thence South 00 34' East 1540.64 feet to an iron rod on the outh line of a tract of land conveyed to John Griesenauer by deed represent the North 890 06' 50" West 1096.56 feet to the Southwest corner of aid Griesenauer tract; thence North 00 23' East 1884.30 feet to the coint of beginning.	Claim  ch; line o itch; lo'; d ditc ith oo the d re-
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  o. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  arion County, Oregon; thence South 89°00' East, along the North line aid Claim, 135.40 feet to a point in the center of a drainage ditch sent in said ditch 55.13 feet; thence South 18°41'50" West in said dill.17 feet to a point from which an iron rod bears 11.35 feet South 4' East; thence South 0°34' East 1540.64 feet to an iron rod on the both line of a tract of land conveyed to John Griesenauer by deed representation of the sent of the South 89°06' 50" West 1096.56 feet to the Southwest corner of aid Griesenauer tract; thence North 0°23' East 1884.30 feet to the southwest corner of aid Griesenauer tract; thence North 0°23' East 1884.30 feet to the southwest corner of the sent of beginning.	Claim  ch; line o itch; lo'; d ditc ith oo the d re-
Range Township E. or W. of Number Acres	Claim  ch; line o itch; lo!; d ditc ith oo the d re- ctate;
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  o. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  arion County, Oregon; thence South 89°00' East, along the North line aid Claim, 135.40 feet to a point in the center of a drainage ditch sent in said ditch 55.13 feet; thence South 18°41'50" West in said dill.17 feet to a point from which an iron rod bears 11.35 feet South 4' East; thence South 0°34' East 1540.64 feet to an iron rod on the outh line of a tract of land conveyed to John Griesenauer by deed representation of the sent of the south sent of the south sent sent sent sent sent sent sent sent	Claim  ch; line o itch; lo!; d ditc ith oo the d re- ctate;
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  7.13 Acres  eginning at the Northwest corner of the James Webb Donation Land Cl.  o. 56 in Township 6 South, Range 2 West of the Willamette Meridian,  arion County, Oregon; thence South 89°00' East, along the North line aid Claim, 135.40 feet to a point in the center of a drainage ditch sent in said ditch 55.13 feet; thence South 18°41'50" West in said dill.17 feet to a point from which an iron rod bears 11.35 feet South 4' East; thence South 0°34' East 1540.64 feet to an iron rod on the both line of a tract of land conveyed to John Griesenauer by deed representation of the sent of the South 89°06' 50" West 1096.56 feet to the Southwest corner of aid Griesenauer tract; thence North 0°23' East 1884.30 feet to the southwest corner of aid Griesenauer tract; thence North 0°23' East 1884.30 feet to the southwest corner of the sent of beginning.	Claim  ch; line o itch; lo!; d ditc ith oo the d re- ctate;

MUNICIPAL SUPPLY—		
13. To supply the city of		•••
in county, having a presen	nt population of	•••
and an estimated population ofin	19	
ANSWER QUESTIONS 14, 15, 16, 1	7 AND 18 IN ALL CASES	
14. Estimated cost of proposed works, \$1000		
	9.	
15. Construction work will begin on or before	September 10, 1974	
16. Construction work will be completed on or b	beforeApril 15, 1975	
17. The water will be completely applied to the p	proposed use on or before July 10, 1975	•••
18. If the ground water supply is supplemental cation for permit, permit, certificate or adjudicated		
applicant.		·
	Wille M (Signature of propriority and 2	•••
Remarks:		•••
Itom 12		
765 R2W See 2	SET SWT	
Sec 11	NET NWT	5
	NN & NE 2 26	¥
	SW + NE + 6	2
	NN TNET 26 SN TNET 6 SET NN T	Z
	4	7. <u>1</u>
	D.D. 700.29, 1979	·•• 2 1
		•••
***************************************		
STATE OF OREGON, )		
County of Marion, ss.		
		_
This is to certify that I have examined the foreg		g
maps and data, and return the same for correction	and completion	••
·		••
In order to retain its priority, this application mu	st be returned to the State Engineer, with correc	<b>:-</b>
tions on or before January 14 , 19.7	5	
WIZNESS my hand this 12th day of	November 19.74	
M S N S		
	CHEIS L. WHEEDER	
Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	STATE ENGINEER	
<b>5</b> By	Thomas E. Shook ASSISTANT	
	Shook	

STATE OF OREGON, County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT	T TO EXISTING	RIGHTS and the fo	ollowing limitat	ions and condi	tions:	
The	e right herein gra	nted is limited to the	he amount of w	ater which can	be applied to	beneficial use
and shall	not exceed	0.6 cubic feet	per second mea	sured at the poi	int of diversion	from the well
or source	of appropriation,	or its equivalent in	case of rotation	n with other w	ater users, from	m Well No. 1
The	use to which this	s water is to be app	lied is irri	gation		
If f	or irrigation, this	appropriation shall	be limited to	1/80th	of one cubic f	oot per second
or its equ	ivalent for each a	cre irrigated and sl	hall be further	limited to a div	ersion of not t	o exceed .22
acre feet 1	per acre for each	acre irrigated durin	g the irrigation	season of each	year;	
***************************************						
•••••						
						· · · · · · · · · · · · · · · · · · ·
************						·····
				•••••		••••••
and shall	be subject to such	reasonable rotation	n system as maj	y be ordered by	the proper sto	ate officer.
The line, adeq The	works constructe uate to determin permittee shall i	per capping and cored shall include an e water level eleventation and maintained of the amount of	air line and pre ation in the we n a weir, meter	essure gauge or ll at all times. r, or other suit	an access port	for measuring
The	priority date of t	his permit is0	ctober 22, 19	97.4		
Act	ual construction v	vork shall begin on	or before	January 1	2, 1977	and shall
hereafter	be prosecuted w	ith reasonable dili	gence and be c	ompleted on or	before Octobe	er 1, 19. <b>78</b>
Com	iplete application	of the water to the	proposed use si	hall be made on	ı or before Oct	ober 1, 19. <b>79</b>
WIT	INESS my hand t	his 12th day	of	January	19.7	6
			WATER B	ESOURCES DIR	ECTOR	STATE DIGINEER B
11		1 0 .s. t		· ·	ः च	
6698 6243	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22.001.	k M. M.	11	c 624	STATE ENGINEER  2. page 13.9
Application No. G-6698 Permit No. G- G 624	PERMIT OPRIATE THE ERS OF THE OF OREGON	tate Engine	19.74, at A.:00.0.0clock Returned to applicant:		Recorded in book No	Basin No.
Application Permit No.	PI TO APPROPR WATERS OF	This instrum office of the Sta on the 22.05	19.74, at Bi.00. o'cl Returned to applicant:	Approved:	Recorded i	Drainage Basin No.