

OCT 2 3 1974 STATE ENGINEER SALEM, OREGON

Permit No. G- G 6245

APPLICATION FOR A PERMIT

PETERLATE NO. 45794

To Appropriate the Ground Waters of the State of Oregon

I, Gresham Unio	(Name of amiliant)
of 393 N. W. 1st Stre	eet, Gresham, Oregon 97030 , county of Multnomah
/	(Postoffice Address)
	d waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a	corporation, give date and place of incorporation
•	arest stream to which the well, tunnel or other source of water development is Johnson Creek CHEEK
	(Name of stream)
	tributary of WILLAMSTIE RIVER
eet per second or!8.C	pater which the applicant intends to apply to beneficial use is
9 ///ha 4a	Lawn Irrigation the water is to be applied is
Athletic fiel	ld's
4. The well or other	r source is located .914.07ft.east and54.24 ftnorth from the S.W
corner of Tax Lot 22 1	n the N.W. 1 of the B.E. 1 of Section 7, T; 1 SR. 3 R.; W.M. (Section or subdivision)
	54'23" W. 1.542.88 feet from the East 1 Cor. of said Sec. 7. (If preferable, give distance and bearing to section corner)
being within the Located W.M W. M., in the county of	(If preferable, give distance and bearing to section corner) re is more than one well, each must be described. Use separate sheet if necessary) if at Centennial High School, at N. E. 1/470fp, Hamlin D.IR.C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well
oeing within the Located W.M W. M., in the county of	re is more than one well, each must be described. Use separate sheet if necessary) I at Centennial High School at N. E. 1/470f Hamlin D.IRC., Sec. 7 Between S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7.
oeing within the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) re is more than one well, each must be described. Use separate sheet if necessary) if at Centennial High School, Sec. N. E. 1/470f, Hamlin D.I. C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) N.W. 4 of the SE. 4 of Sec. 7, Twp. 1 S. (Smallest legal subdivision)
oeing within the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) re is more than one well, each must be described. Use separate sheet if necessary) if at Centennial High School, Sec. N. E. 1/470f, Hamlin D.I. C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) N.W. 4 of the SE. 4 of Sec. 7, Twp. 1 S. (Smallest legal subdivision)
To the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) re is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High School stc N. E. 1/4 of Hamlin D.I. C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) The N.W. 1 of the SE. 1 of Sec. 7 Twp. 1 S. (Smallest legal subdivision) proposed location being shown throughout on the accompanying map.
To the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) re is more than one well, each must be described. Use separate sheet if necessary) if at Centennial High School, Sec. N. E. 1/470f, Hamlin D.I. C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) N.W. 4 of the SE. 4 of Sec. 7, Twp. 1 S. (Smallest legal subdivision)
or the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) re is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High School stc N. E. 1/4 of Hamlin D.I. C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) The N.W. 1 of the SE. 1 of Sec. 7 Twp. 1 S. (Smallest legal subdivision) proposed location being shown throughout on the accompanying map.
theing within the Located W.M W. M., in the county of 5. The	re is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High Schools at N. E. 1/4 of Hamlin D.I.C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) The N.W. 1 of the SE. 1 of Sec. 7, Twp. 1 S. (Smallest legal subdivision) proposed location being shown throughout on the accompanying map. Well or other works is DESCRIPTION OF WORKS utilized is artesian, the works to be used for the control and conservation of the
obeing within the Located W.M W. M., in the county of	(If preferable, give distance and bearing to section corner) The is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High Schools at N. E. 1/4 70 Hamlin D.IR.C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) The N.W. 1 of the SE. 1 of Sec. 7 Twp. 1 S. (Smallest legal subdivision) proposed location being shown throughout on the accompanying map. well or other works is DESCRIPTION OF WORKS utilized is artesian, the works to be used for the control and conservation of the last be described.
obeing within the Located W.M W. M., in the county of	(If preferable, give distance and bearing to section corner) The is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High Schools at N. E. 1/4 70 Hamlin D.IR.C., Sec. 7 Betweenn S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well (Canal or pipe line) The N.W. 1 of the SE. 1 of Sec. 7 Twp. 1 S. (Smallest legal subdivision) proposed location being shown throughout on the accompanying map. well or other works is DESCRIPTION OF WORKS utilized is artesian, the works to be used for the control and conservation of the last be described.
theing within the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) The is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High School, St. N. E. 1/4705, Hamlin D.I _R C., Sec. 7 Between S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah in N.W. 1 of S.E. 1 of said Section 7. Well Well Canal or pipe line) The N.W. 1 of the SE. 1 (Smallest legal subdivision) proposed location being shown throughout on the accompanying map. Well or other works is DESCRIPTION OF WORKS Attilized is artesian, the works to be used for the control and conservation of the ust be described. One Well Well consist of Chromosoft works to be used for the hard and conservation of the having a
theing within the Located W.M W. M., in the county of 5. The	(If preferable, give distance and bearing to section corner) The is more than one well, each must be described. Use separate sheet if necessary) If at Centennial High Schools at No. E. 1/4 70 hamlin D.IRC., Sec. 7 Between S. E. 174th Ave. and S. E. 182nd Ave., North of Powell Multnomah 1n N.W. 1 of S.E. 1 of said Section 7. Well WELL (Canal or pipe line) to be

U	igute. Wiath on top	p (at water	line)	•••••••	,,
	feet; depth of w	ater	feet; grade	: 6	feet fall per c
ısand feet.			į	1	
(b) At	mil	es from hea	dgate: width on top (at	water li	ne)
	feet; width on b	ottom	feet; dept	h of wate	er fe
le	feet fall pe	er one thous	and feet.		
(c) Length	of pipe,	ft.;	size at intake	in.; ir	ı size at
n intake	in.; size	e at place of	fusein	.; differe	ence in elevation betwe
ke and place	of use,	ft.	Is grade uniform?		Estimated capaci
	sec. ft.		20 HP Sub	mersibl	l e
10. If pum	ps are to be used, g	ive size and	type 20 HP	SUB!	MERSIBUE
Give horse	power and type o	f motor or	engine to be used	Electri LECT	lc 20 HP - 3 phase
tural stream	or stream channel,	, give the di	istance to the nearest po bed and the ground sur	oint on e	han one-fourth mile from the source of developments and the source of developments.
tural stream difference in	or stream channel, elevation between	, give the di	istance to the nearest po	oint on e	ach of such channels a he source of developme
tural stream difference in o	or stream channel, elevation between on of area to be irrectant. Range E. or W. of	, give the di the stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	such of such channels a he source of developme School Number Acres
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	stance to the nearest pobed and the ground sur	s.E.L	School Number Acres To Be Irrigated
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
tural stream difference in a	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
tural stream difference in a	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
12. Location Township N. or S.	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres
tural stream difference in o	or stream channel, elevation between on of area to be irrectly and the stream of willamette Meridian	give the dithe stream	lace of use Centennie Forty-acre Tract part of N.W. 4 of	s.E.L	School Number Acres To Be Irrigated acres 5 acres

1.

STATE	OF	OREGON,))
Coun	ty o	f Marion,	}	SS.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJEC	CT TO	EXISTING F	RIGHT	'S and the	follou	ing limit	ations and cond	litions:	•
T	he right	t herein gran	ted is	limiteå to	the ar	nount of	water which co	ın be applied	to beneficial use
and shal	l not ex	ceed 0.2	5	cubic fe	et per s	econd me	asured at the p	oint of diversi	on from the well
							on with other i		
Th	ne use t	o which this	water	is to be a	oplied i	s irrig	ation		
If	for irri	gation, this a	pprop	riation sh	all be li	mited to	1/80th	of one cubic	foot per second
or its equ	uivalen	t for each act	re irri	gated and	shall b	e further	· limited to a di	version of not	to exceed 21
acre feet	per acı	re for each ac	re irr	igated dur	ring the	e i rrigatio	on season of eac	h year;	
******************			•••••			•••			
***************************************	•	•••••		•	•••••				•••••
		***************************************	••••••						
	:		••••••	***************************************	••••••	••••••		····	••••••
the works The line, adeq The shall keep The Act hereafter	s shall i e works quate to e permi o a com e priorit ual con be pro	nclude prope s constructed o determine ttee shall ins plete record by date of this struction wo osecuted with	er capper shall water stall a of the spermerk shall reases the way	oing and coinclude a level ele nd mainta e amount nit is	ontrolen air livation wation a word grown of grown or be ligence as proportional to the control of the control	valve to property and water the water than the water that the water than the water that water that water that water than the water that water the water that	prevent the was essure gauge or ell at all times. or other suing withdrawn. 74 January 1:	te of ground is an access por table measuring	t for measuring ng device, and and shall per 1, 19.78
							James E	As-	STATE ENGINEER C
						WAZER	iesources dif	LECTOR	
Application No. G. 6701 Permit No. G. G 6245	PERMIT	TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the $25cd$ day of $6.4bec$	1974, at 11:15. o'clock	Returned to applicant:	Approved:	Recorded in book No. Ground Water Permits on page G_6245	STATE ENGINEER Drainage Basin No