

Permit No. G-..... **G 6253**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Scravel Hill Water Co-op, Attn: John Grenz, Secretary
(Name of applicant)
of Route 2, Box 261, Albany, county of Linn
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

August 18, 1961, Albany, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Santiam River
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is domestic purposes

including irrigation of lawns & gardens.

4. The well or other source is located 850 ft. S and 140 ft. E from the 1/4 corner of on the north line of sec. 14, T 10S, R 3W, W.M.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the nw 1/4 NE 1/4 of Sec. 14, Twp. 10S, R. 3W, W. M., in the county of Linn

5. The to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 29 feet. It is estimated that 29 feet of the well will require steel casing. Depth to water table is estimated 15
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4200 ft.; size at intake 4 in.; in size at 4200 ft. from intake 2 in.; size at place of use 2 - 1 1/2 in.; difference in elevation between intake and place of use, 150 ft. Is grade uniform? no Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1-50 gpm shallow well and 1-45 gpm centrifugal

Give horsepower and type of motor or engine to be used 1-5 hp, 220 v, 3-phase
 1-3 hp, 220 v, 3-phase electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
 the well is located about 550' from the West edge of the Santiam River.
 Elevation difference of 25'.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T10S	3W	14	NW 1/4 NW 1/4	
10S	3W	14	SW 1/4 NW 1/4	
10S	3W	14	NW 1/4 SW 1/4	
10S	3W	14	NE 1/4 SW 1/4	
10S	3W	14	SW 1/4 SW 1/4	
10S	3W	14	SE 1/4 SW 1/4	
10S	3W	23	NW 1/4 NW 1/4	
10S	3W	23	NE 1/4 NW 1/4	
10S	3W	15	NE 1/4 NE 1/4	
10S	3W	15	SE 1/4 NE 1/4	
10S	3W	15	NE 1/4 SE 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of houses in the Scrael Hill area
in Linn county, having a present population of 125 homes
and an estimated population of in 19 74

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ \$22,000.00
- 15. Construction work will begin on or before June 1, 1975
- 16. Construction work will be completed on or before June 1, 1976
- 17. The water will be completely applied to the proposed use on or before October 1, 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

John J. Jones
(Signature of applicant)

Remarks: Application made for a permit to add 46 families to present system under permit G 2158. serving 77 families. JJJ

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is group domestic use, including the irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 5, 1974

Actual construction work shall begin on or before January 12, 1977 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Extended to Oct. 1 1981 Extended to Oct. 1, 1984 Extended to October 1, 1993, 10-1-93 Extended to Oct. 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

Extended to Oct. 1 1981 Extended to Oct. 1, 1984 Extended to October 1, 1993, 10-1-93

WITNESS my hand this 12th day of January, 1976.

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER FH A

Application No. G-6713
Permit No. G-6253

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 5th day of NOV
1974, at 4:10 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page G 6253

STATE ENGINEER
Drainage Basin No. 2 page 139
\$30.00

BC Extended to October 1, 1980