

RECEIVED

DEC 12 1974

STATE ENGINEER
SALEM, OREGON

Permit No. G- G 6279

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46264

To appropriate the Ground Waters of the State of Oregon

I, Valley Golf Club
(Name of applicant)
of Box 96 Hines, Ore. 97738, county of Harney
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silvies River
(Name of stream)

tributary of Malheur Lake

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Golf course irrigation

4. The well or other source is located 1850 ft. S and 770 ft. E from the N.W. corner of Section 24
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of NW 1/4 of Sec. 24, Twp. 23S, R. 30E, W. M., in the county of Harney

5. The PVC distributing pipe system to be a total of 2 miles
(Canal or pipe line)
in length, terminating in the being all in the NW 1/4 of Sec. 24, Twp. 23S, R. 30E, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Valley Golf Club irrigation system

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian.

8. The development will consist of One well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 250 feet. It is estimated that 50 feet of the well will require steel casing. Depth to water table is estimated 11
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) No Canal feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, See map ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, variable, not over 20' ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 30 hp 11 stage well turbine, 50' bowl setting, 300 gpm at 29.5'

Give horsepower and type of motor or engine to be used 30 induction

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

No stream near

12. Location of area to be irrigated, or place of use NW 1/4 section 24 T23S R30E

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
23S	30E	24	NW 1/4 NW 1/4	21.6
"	"	"	SW 1/4 "	14.5
"	"	"	NE 1/4 "	6.8
"	"	"	SE "	6.6
				49.50

(If more space required, attach separate sheet)

Character of soil Westerly part silty and sandy clay, easterly clay silt

Kind of crops raised Grass

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 18,000.....
- 15. Construction work will begin on or before May 1973.....
- 16. Construction work will be completed on or before July 1973.....
- 17. The water will be completely applied to the proposed use on or before July 1973.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. No previous permit.

Dwight D. Shuck
(Signature of applicant) *president*

Remarks: This is an old well drilled about 1943, and equipped with a centrifugal pump with about 180 gpm capacity. The pump and pipe distribution system shown on this application was placed due to insufficient capacity of the old system, and to deterioration of it.

Due to an oversight, no application was made for the improvement of the then existing system.

RECEIVED
FEB 7 1975
STATE ENGINEER
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 21, 19 75

WITNESS my hand this 21st day of January, 19 75.

CHRIS L. WHEELER

STATE ENGINEER

By

Thomas E. Shook

Thomas E. Shook

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.62 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Valley Golf Club Irrigation System Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 12, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January, 1976

James E. Spivey
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. G- 6759

Permit No. G- G 6279

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of December, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of

Ground Water Permits on page 6279

STATE ENGINEER

Drainage Basin No. 12 page 35