DEC 1 2 1974 STATE ENGINEER SALEM, OREGON

Permit No. G. G. 6280 "CERTIFICATE NO. 58652

APPLICATION FOR A PERMIT
CERTIFICATE NO.

To Appropriate the Ground Waters of the State of Oregon

feet of the well will require no	
8. The development will consist ofODE_well_(pump) (Give number of wells, tunnels, etc.) diameter of .45x400! instant and an estimated depth of19feet. It is estimate	having a
7. If the flow to be utilized is artesian, the works to be used for the control and con supply when not in use must be described.	servation of the
6. The name of the well or other works is Modoc Orchard Sump #2 DESCRIPTION OF WORKS	
R	, F
in length, terminating in the NEK NWK of Sec. 6, T	
5. Thepipeline to be 18,420 for the	
w. M., in the county of Jackson.	, RlW,
(If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary)	
4. The well or other source is located 1250 ft. No. and 250 ft. Wa for w.) Corner of Section 31 (Section or subdivision)	
3. The use to which the water is to be applied istemperature_con	
2. The amount of water which the applicant intends to apply to beneficial use is feet per second or gallons per minute.	
(Name of stream) tributary of Bear_Cre	
Give name of nearest stream to which the well, tunnel or other source of water situated Hansen Creek	_
N/A	,
If the applicant is a corporation, give date and place of incorporation	
state of <u>Oregon</u> 97501, do hereby make application for a permit t following described ground waters of the state of Oregon, SUBJECT TO EXISTING RI	o appropriate the
of Pa Oa Box 56, Medford , county of J	ackson
(Name of applicant)	

feet; depth of water feet; grade feet fall per usand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at 980 in.; size at place of use 1:14:12!2 in.; difference in elevation betw	tom one eet;
9. (a) Give dimensions at each point of canal where materially changed in size, stating miles f dgate. At headgate: width on top (at water line) feet; width on bot feet; depth of water feet; grade feet fall per usand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water f feet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at 980 n intake in.; size at place of use 1:14;14;14;2 in.; difference in elevation betw	tom one eet;
defeet; width on bottomfeet; depth of waterf	one eet;
wsand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water f de feet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at 980 n intake in.; size at place of use 1:11/4;11/2;2 in.; difference in elevation between	 eet; . ft.
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water f de feet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at 980 n intake in.; size at place of use 1:11/4;11/2;2 in.; difference in elevation betw	eet; . ft.
feet; width on bottom feet; depth of water f de feet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at 980 n intake in.; size at place of use 1:11/4;11/2;2 in.; difference in elevation betw	eet; . ft.
feet; width on bottom feet; depth of water f de feet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at 980 n intake in.; size at place of use 1:11/4;11/2;2 in.; difference in elevation betw	eet; . ft.
defeet fall per one thousand feet. (c) Length of pipe, 18,420 ft.; size at intake in.; in size at980 n intake in.; size at place of use 1:11/4;11/2;2 in.; difference in elevation betw	. ft.
n intake	•
n intake in.; size at place of use 1; 1½; 1½; 2 in.; difference in elevation betw	•
and the state of t	
	itu.
sec. ft.	,
10. If pumps are to be used, give size and type two - 5" x 4" centrifugal pumps	1 _
12. Location of area to be irrigated, or place of use	·····
Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	
	n. co
S. 1 W. 31 0% 33% SW% 19.3 acres tem	∨ ∨ مستيد
S. 1 W. 6 NE% NE% NW% 1.7 acres tem	
S. 1 W. 6 NE% NE% NW% 1.7 acres tem	
S. 1 W. 6 NE% NE% NW% 1.7 acres tem	
S. 1 W. 6 NE% NE% NW% 1.7 acres tem	
S. 1 W. 6 NE% NE% NW% 1.7 acres tem	
S. 1 W. 6 NE% NE% NW% 1.7 acres tem	
S. 1 W. 6 NEW NEW NWW 1.7 acres tem	
S. 1 W. 6 NEW NEW NWW 1.7 acres tem	
S. I W. 6 NEW NEW NWW 1.7 acres tem	

G (SES)

ASSISTANT

MUNICI	PAL SUPPLY—	<u>*</u>				
13.	To supply the city of	f	1877********	***********		**************
in		. county, having	g a present poj	pulation of	() () () () () () () () () ()	**************************************
•	stimated population of					
et-		$I_{\mathbf{i}}$		D 18 IN ALL CAS	ira	
r og Pr strati	Estimated cost of pr	1	- ,			
15.	Construction work u	th begin on or	before QRG	year from d	late of pr	iority.
16.	Construction work u	vill be complete	ed on or before	October 1	., 1977.	· · · · · · · · · · · · · · · · · · ·
17.	The water will be co	mpletely applie	d to the propos	sed use on or be	fore Octobe	r 1, 1978
	If the ground water					
	r permit, permit, cer					
applicant	• ••••••		***************************************			************

	3		mo	See Orelian	d Coi	
				Ben Ho		
Re	marks:				******************	************
*******						***********
##******		*******	•••••		***************************************	
***********			,			·*************************************
************	***************************************		,) maa x eee (
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					·····	
***********	***************************************	***************************************	************************			***********
		,				
***********		100000000000000000000000000000000000000			\	
************	***************************************		***************************************	*****************************	***************	,
	***************************************		***********		······	
		ı				
*****	······································		*******************	******************************	*******************	
*********		*********************		*************		
STATE (OF OREGON,					
Count	y of Marion,					
The	is is to certify that I I	hans annminad	the foregoing	annlication tode	ther snith the	recommanuine
	,					
naps and	data, and return the	same for		***************************************		*******************
**********	·	***************************************	•••••••••••••••••••••••••••••••••••••••	••••••	***************************************	•
In	order to retain its prio	rity, this applic	ation must be	returned to the	State E ngineer	, with correc
tions on o	r before		10		-	
.10713 071 0	7 DEJOTE	,	,, 1 <i>3</i>			
WI!	TNESS my hand this	day o)f		*************************	, 19
						TATE EXPERTMENT
					S	MERILLY IN CO.
			D.			

STATE	OF	OREGON,		
Coun	tu o	f Marion.	}	SS.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the we source of appropriation, or its equivalent in case of rotation with other water users, from Modoo chard Sump No. 2 The use to which this water is to be applied is Temperature Control If for irrigation, this appropriation shall be limited to of one cubic foot per secon : its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed refeet per acre for each acre irrigated during the irrigation season of each year; the permittee shall record and submit annually to the Water Resources Department 11 pertinent data pertaining to use of water for temperature control. On forms unmished. If the works shall include a proper capping and control value to prevent the waste of ground water. The works shall include an in time and prevent each ground water water level elevation in the well at all times. The permittee shall install and maintain a user, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The profittee shall install and maintain a user, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before — January 12, 1977 and sha ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79. WITNESS my hand this 12th. day of January 19.76. One of the proper server of the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th. day of January 19.76.	UBJECT TO EX	ISTING RIG	HTS and the	following	g limitatio	ns and condi	tions:	
source of appropriation, or its equivalent in case of rotation with other water users, from Modoc chard Sump No. 2 The use to which this water is to be applied is Temperature Control If for irrigation, this appropriation shall be limited to	The right he	erein granted	l is limited to	the amo	unt of wat	ter which can	be applied to	beneficial use
The use to which this water is to be applied is Temperature Control If for irrigation, this appropriation shall be limited to	nd shall not excee	d 3.0	cubic fee	t per sec	ond measu	red at the po	int of diversion	from the well
The use to which this water is to be applied is Temperature Control If for irrigation, this appropriation shall be limited to	r source of appro	oriation, or i	ts equivalent	in case of	rotation	with other w	ater users, from	n Modoc
If for irrigation, this appropriation shall be limited to	chard Sump No	. 2						
its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed the feet per acre for each acre irrigated during the irrigation season of each year; the permittee shall record and submit annually to the Mater Resources Department and shall be permitted to use of water for temperature control on forms turnished. In pertinent data pertaining to use of water for temperature control on forms turnished. In well shall be cased as necessary in accordance with good practice and if the flow is artesiate works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before	The use to u	hich this wo	iter is to be ap	plied is	Tempera	ture Contr	o 1	
the permittes shall record and submit annually to the Water Resources Department ll pertinent data pertaining to use of water for temperature control on forms burnished. In well shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesiate works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an cir line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an wall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.76.	If for irrigat	ion, this app	ropriation sha	ill be lim	ted to		of one cubic f	oot per second
the permittee shall record and submit annually to the Water Resources Department ll pertinent data pertaining to use of water for temperature dontrol on forms urnished. In pertinent data pertaining to use of water for temperature dontrol on forms urnished. In the well shall be cased as necessary in accordance with good practice and if the flow is artesia to works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an wall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before	· its equivalent fo	or each acre	irrigated and	shall be	further lir	nited to a div	version of not t	o exceed
the permittee shall record and submit annually to the Water Resources Department ll pertinent data pertaining to use of water for temperature dontrol on forms urnished. In pertinent data pertaining to use of water for temperature dontrol on forms urnished. In well shall be cased as necessary in accordance with good practice and if the flow is artesia e works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before	re feet per acre	for each ac re	irrigated dur	ing the i	rrigation s	eason of each	year;	
Il pertinent data pertaining to use of water for temperature control on forms urnished. In subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesia e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and sha ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.76.						•		
wrnished. In well shall be cased as necessary in accordance with good practice and if the flow is artesia to works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measurin ender to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and sha ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 1, 19.76.								
The well shall be cased as necessary in accordance with good practice and if the flow is artesia to works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measurin nee, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an sall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.75.								
The well shall be cased as necessary in accordance with good practice and if the flow is artesia to works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.76.								
The well shall be cased as necessary in accordance with good practice and if the flow is artesia works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measurin ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 1, 19.76.			•••••	42	*******		•••••	•••••••
The well shall be cased as necessary in accordance with good practice and if the flow is artesia works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.75.		.4	*************				••••••	······
The well shall be cased as necessary in accordance with good practice and if the flow is artesia to works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring the permittee to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977, and shall be reafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.75.				•••••••	•••••			•••••
The well shall be cased as necessary in accordance with good practice and if the flow is artesian to works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, an all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is December 12, 1974 Actual construction work shall begin on or before January 12, 1977, and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.75.	ıd shall be subjec	t to such red	sonable rotat	ion syster	n as may i	be ordered by	the proper sto	ite officer.
Actual construction work shall begin on or before	ne, adequate to The permitt all keep a comp	determine w ee shall inst lete record o	pater level ele all and maint of the amount	evation in ain a wei of groun	n the well ir, meter, nd water u	at all times. or other suivithdrawn.		
Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.76 WITNESS my hand this 12th day of January 19.76 WITNESS my hand this 2000 of January 20	The priority	date of this	permit isDe	cember	12, 1974	<u></u>	•••••	
Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 12th day of January 19.76. WITNESS my hand this 12th day of RESOURCES DIRECTOR STATE RESOURCES DIRECTOR 98.	Actual const	ruction worl	k shall begin o	m or befo	re	January 12	<u>, 1977</u>	and shall
WITNESS my hand this 12th day of Jamuary , 19.76 WATER RESOURCES DIRECTOR WATER RESOURCES DIRECTOR 13.76 19.76 W. Jamuary , 19.76 W. Jamuary , 19.76 19.76	ereafter be pros	ecuted with	reasonable di	ligence (ind be cor	npleted on or	r before Octob	er 1, 19.78
WITNESS my hand this 12th day of Jamuary , 19.76 W. W	Complete ap	plication of	the water to t	he propo:	ed use sho	ıll be made o	n or before Oct	ober 1, 1979
G 6280 G 6280 G 6280 G 6280 G 6280 G 6280								•
G GZSO		· •			9	renes Ex	han	
G 628				••	WATER RE	SOURCES DI	RECTOR	YATE-BNGMBBR
G 628			. 2 ° °	î l			;	g
PERMIT PERMIT PERMIT APPROPRIATE THE GROUN WATERS OF THE STATE OF OREGON instrument was first received the State Engineer at Salem, O 2th day of Aacmb, at SiQQ o'clock A M. at SiQQ o'clock A M. Ted in book No. rded in book No. water Permits on page G G water Besin No. LS. page L.		Đ Đ	in tl rego				Q Q	S
PERMIT PERMIT PERMIT APPROPRIATE THE GR WATERS OF THE STAY OF OREGON or State Engineer at Sale the State Engineer at Sale the State Engineer at Sale of to applicant: at & La C C colock at & La C C colock A to applicant: ed: rded in book No. water Permits on page G water Permits on page G state state nage Basin No. LS page	္က	OU EE	ived m, C	M.			9	
PERMIT PERMIT PERMIT APPROPRIATE THE WATERS OF THE OF OREGON or State Engineer at the State Engineer at the State Engineer at the State Engineer at the State Engineer at at & LA day of La at & LA day of La rded in book No. rded in book No. Water Permits on pag mage Basin No. LS	28	STA:	rece	Ø		i ik		sta page
PERN PPRICATION NO. G- Frmit No. G- APPROPRIATE WATERS OF T OF ORE OF CORE OF Any of At State Engine of to applicant: at & 200 o'cloc at & 2	3 6	THE SON	first er at				n pag	15
PE PE APPROPRI WATERS C OF C OF C OF A instrument the State En the State En at & 2000 o at & 2000 o at o applican d to applican rded in book Water Perm mage Basin I	B. G.	ATE OF T	was . Igine	cloc	ıt:		No.	Vo.
Pplicatic APPRO WATEI Instrum instrum the Stai CLA at & LA at & LA at app d to app rded in Water I	7 C C	PRIA SS C OF (ent i	î o	licar	l l	book	sin A
AP WI The the rade was was a sed.	it No	PRO VTEI	trum Stal	6:0	apr		d in ter I	e Ba
Pe of Po Pe of Po Po Pe of Po	lppli erm	H-	ins f the	at c	ed t	roved:	orde i Wa	inag