RECEIVED

FEB 4 1975 STATE ENGINEER SALEM. OREGON

Permit No. G- G 6310

APPLICATION FOR A PERMIT

CERTIFICATE NO. 45243

To Appropriate the Ground Waters of the State of Oregon

1, Glen Arneson
of 1445 S.E. Lat Ave Carby, Grage, county of Clackamus,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Mule 1/a River (Name of stream)
tributary of Willame Tte
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Irrigation
4. The well or other source is located 825 ft. S and 575 ft. W from the £4.6 corner of SEC. 7 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE45E4 of Sec. 7 Twp. 45, R. LE,
W. M., in the country of Clackamas
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of
feet of the well will require casing. Depth to water table is estimated (Feet)
10" casing to B1' 6' casing Gravel Filled From 127' to 150'

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water de feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at mintake in.; size at place of use in.; difference in elevation bet ake and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type ft. L	adgate. At he	adgate: width on top	p (at water li	ne)		feet; width on be
(b) At						
feet fall per one thousand feet.					4	
feet; width on bottom feet; depth of water feet; depth of water feet; depth of pipe, feet; depth of pipe, feet; size at intake in.; in size at minke in.; in size at finiske in.; in size at finiske in.; in size at minke in.; difference in elevation between dake and place of use, feet; depth of water feet and place of use, feet feet feet feet feet feet feet fe	(b) At	mil	es from head	gate: width on top (at water li	ne)
feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at mintake in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated cape sec. ft. 10. If pumps are to be used, give size and type fully in the first in the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channels, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream or stream channels. 12. Location of area to be irrigated, or place of use Township Reverse Treat Number Acres Township Reverse Treat 23.4					1	
(c) Length of pipe, ft.; size at intake in.; in size at intake in.;						•
mintake					in.: in	n size at
ake and place of use,						
Sec. ft. 10. If pumps are to be used, give size and type						
10. If pumps are to be used, give size and type			, jo. 1	s grade uniform		Doumatea capt
Give horsepower and type of motor or engine to be used		-			. 100	
12. Location of area to be irrigated, or place of use Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S I E 7 NE 4 SE 4 23.4	10. If pur	nps are to be used, g	ive size and t	ypeI WARDIN	. C (, / , 9a.	<u> </u>
11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation of surface at the source of development work is less than one-fourth mile atural stream or each of such channels difference in elevation of surface at the source of such channels difference in elevation of such channels difference in elevation of surface at the source of such channels dif						
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of the s	Give hors	sepower and type of	f motor or en	ngine to be used	/ O HP	electric m
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of the s						***************************************
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of the source of development of the source of the sourc	11 If the	location of the well	tunnel or of	her development mo	rk is loss t	han one-fourth mile
12. Location of area to be irrigated, or place of use Township Range Provided Williamette Meridian Section Forty-acre Tract To Be Irrigated 7 NE SEA 23.4	•	went of the west,				
12. Location of area to be irrigated, or place of use Township Range Range Red Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4. S	atural etroan	or stream channel	anno tho diel	ance to the nearest	<i>നവാന</i> നേ <i>ര</i>	each of such channels
12. Location of area to be irrigated, or place of use Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S I E 7 NE SE 23.4						
Township Range E ow W of N or S. Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S I E 7 NE						
Township Range E ow W of NIMmetic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S I E 7 NE		elevation between	the stream be	ed and the ground su	irface at t	
Township Range E ow W of NIMmetic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S I E 7 NE		elevation between	the stream be	ed and the ground su	irface at t	
Township Range E ow W of NIMmetic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S I E 7 NE		elevation between	the stream be	ed and the ground su	irface at t	
Township N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated 4 S		elevation between	the stream be	ed and the ground su	irface at t	
	e difference in	elevation between	the stream be	ed and the ground st	irface at t	he source of develop
	te difference in	ion of area to be irri	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	township	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	township	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	te difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	t difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	t difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	12. Locat	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	t difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	12. Locat	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	12. Locat	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	t difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	te difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
(If more space required, attach separate sheet)	te difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop
/	t difference in	ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place	ce of use	urface at t	he source of develop

13. To supply the city of	
	ing a present population of
and an estimated population of	
.1	14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works	
	· · ·
54.	or beforeCompleted
	eted on or before Completel
17. The water will be completely app	lied to the proposed use on or before. Completed
cation for permit, permit, certificate or ac	applemental to an existing water supply, identify any a djudicated right to appropriate water, made or held by
applicant. prmit H-162	<u>.</u>
	(Signature of applicant)
Remarks: This applicat	tion is to bring the present
water rights of 0.07	ensichant per second up to
the maximum allower	tion is to bring the present cubic footper secund up to
	,
•	
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examine	ed the foregoing application, together with the accompan
This is to certify that I have examine to the same for .com	npletion
Z O	
In order to retain its priority, this app	dication must be returned to the State Engineer, with cor
tions on or before April 28	
tions on or defore	, 19
WITNESS my hand this .25th da	y of .February, 19.75.
	CHRIS L. WHEELER
	STATE ENGIN
	By Wayne J. Overcash Assistr

STATE	OF	OREGON,)
Cove	{ ss.		

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJEC'.	T TO EXISTING R	RIGHTS and the following	ng limitati	ons and condi	tions:		
Th	e right herein gran	ted is limited to the am	ount of wo	iter which car	ı be applied to	beneficial use	:
and shall	not exceed 0.12	2cubic feet per se	cond meas	ured at the po	int of diversion	from the well	l
or source	of appropriation, o	r its equivalent in case	of rotation	with other w	ater users, fron	n a well	
The	e use to which this	water is to be applied is	supple	mental irri	gation		
If f	or irrigation, this a	ppropriation shall be lir	nited to	1/80th	of one cubic f	oot per second	!
or its equ	ivalent for each ac	re irrigated and shall be	e further li	mited to a div	persion of not to	o exceed2½	•
acre feet	per acre for each a	cre irrigated during the	i rrigation	season of each	year; provide	ed further	,
that the	e right allowed	herein shall be li	mited to	any deficie	ency in the a	available	
supply	of any prior ri	ght existing for th	e same la	and shal	ll not exceed	l the	
limitat:	ion allowed here	ein,					

***************************************					•		

and shall	be subject to such 1	easonable rotation syst	em as may	be ordered by	the proper sta	ite officer.	
the works The line, adeq The	shall include prope works constructed uate to determine permittee shall in	d as necessary in accorder capping and control of shall include an air lin water level elevation stall and maintain a well of the amount of grown	valve to pro ne and pres in the well eir, meter,	event the was sure gauge or at all times. or other suit	te of ground we an access port	ater. for measuring	
The	priority date of the	is permit is Februa r	y 4, 1975	<u> </u>			
Act	ual construction wo	ork shall begin on or be	fore	January 12,	1977	and shall	
hereafter	be prosecuted wit	h reasonable diligence	and be con	mpleted on or	before Octobe	er 1, 19 ⁷⁸	
Con	nplete application o	f the water to the propo	sed use sh	all be made on	ı or before Octo	ober 1, 19.79	
WIT	INESS my hand th	is12th day of	Jŧ	anuary	, 19.70	5	
			9	enast x	h	MACHINE WINESER	F.II.
		•	WATER RI	esources die	RECTOR	3	S
Application No. G-62265 Permit No. G- G 6310	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the AH. day of February.	turned to applicant:	proved:	Recorded in book No. of ound Water Permits on page G 6310	STATE ENGINEER Drainage Basin No. Z page	