

Permit No. G- G 6329

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ward Ledbetter

(Name of applicant)

of Rt. 2, Box 295 C Albany, county of Linn

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .1675 cubic feet per second or 75 gallons per minute.

3. The use to which the water is to be applied is irrigate crop land (grass and clover)

4. The well or other source is located 1590 ft. N and 2675 ft. E from the corner of SW corner of Matthew C Chambers Donation land Claim #40

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the SW 1/4 of Sec. 2, Twp. 11S, R. 3W, W. M., in the county of Linn

5. The main line to be 3/8 miles in length, terminating in the NW 1/4 of the SE 1/4 of Sec. 3, Twp. 11S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is East Well (I have only one)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not appropriate

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 191 feet. It is estimated that 42 feet of the well will require welded 10" casing. Depth to water table is estimated 134'

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE— Sprinkling System with not more than 3/8 mile of 4" main line and about 15 rainbird 5 gal sprinklers on 2" laterals

9. (a) Give dimensions at each point of canal where materialy changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Franklin Submersible 230 V 3 phase,

Model # 75S6B-8T4

Give horsepower and type of motor or engine to be used 7 1/2 HP Franklin Submersible

3 phase, 230 V Model # 75S6B-8T4

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Not Applicable

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<del>11 S</del>	<del>3 W</del>	<del>3</del>	<del>NE 1/4 of SE 1/2 Sec 3</del>	<del>6.3</del>
<del>11 S</del>	<del>3 W</del>	<del>3</del>	<del>NW 1/4 of SE 1/2 of Sec 3 &amp; NE 1/4 of SE 1/4 of Sec 3</del>	<del>13.7</del>
				<u>20.0</u>
11 S	3 W	3	NE 1/4 OF SE 1/2 SEC 3	11.8521
11 S	3 W	3	NW 1/4 OF SE 1/2 SEC 3	6.7272
11S	3 @W	3	SE 1/4 OF NE 1/4 SEC 3	.8987
11 S	3 @W	3	SW 1/4 OF NE 1/4 SEC 3	.031
11 S	3 W	2	SW 1/4 OF NW 1/4 SEC @2	.103
11 S	3 W	2	NW 1/4 OF SW 1/4 SEC 2	.388
				20.000

(If more space required, attach separate sheet)

Character of soil Clay and Gravel

Kind of crops raised Clover and Fescue

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 7264.16
- 15. Construction work will begin on or before September 1, 1974
- 16. Construction work will be completed on or before June 10, 1975
- 17. The water will be completely applied to the proposed use on or before June 15, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Not supplemental

*David Liebetter*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 2, 1975

WITNESS my hand this 31st day of March, 1975

CHRIS L. WHEELER  
STATE ENGINEER

By *Wayne J. Overcash*  
Wayne J. Overcash ASSISTANT

RECEIVED  
APR 7 1975  
STATE ENGINEER  
SALEM, OREGON

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 4, 1975

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January, 1976

*James E. [Signature]*  
STATE ENGINEER **FB**

WATER RESOURCES DIRECTOR

Application No. G-6236  
Permit No. G-G 6329

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 4th day of March,  
1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. \_\_\_\_\_ of  
Ground Water Permits on page G 6329

STATE ENGINEER

Drainage Basin No. 2 page 141