RECEIVED

JUN3 0 1975 STATE ENGINEER SALEM, OREGON CERTIFICATE NO. 51009

CERTIFICATE NO.

Permit No. G- G 6338

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, WILLIAM H. AND RUTH A. SPENCER. (Name of applicant)
of 4204 MESA UISTA DR., LA CANADA, county of LOS ANGELES
state of <u>CALIFORNIA</u> , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated MILLER CREEK (Name of stream)
tributary of APPLEGATE RIVER
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or180 gallons per minute.
3. The use to which the water is to be applied is SUPPLEMENTAL IRRIGATION
4. The well or other source is located 150 ft. N and 12 ft. W from the SE (N. or S.) Corner of NE/4 SW/4 SEC. 25 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE14 SW14 of Sec. 25, Twp. 375, R. 5W,
W. M., in the county of JOSEPHINE
5. The PIPELINE to be 1000 FT1 miles
in length, terminating in the SE 1/4 SW 1/4 of Sec. 25 , Twp. 37 S , (Smallest legal subdivision)
R. 5 w., W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is NONE
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
NOT ARTESIAN
8. The development will consist of DRILLED WELL having a (Give number of wells, tunnels, etc.)
diameter of
feet of the well will require 125" STEEL casing. Depth to water table is estimated (Feet)

C	Δ1	A TA	Τ.	SYSTEM	ΛP	DIDE	TINE	
Ų,	CL.	NA	L	SISIRM	UK.	PIPE	1.1 N F:	

misand feet. (b) At	(b) At	missand feet. (b) At	miles from headgate: width on top (at water line) feet; width on bottom	miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water (c) Length of pipe, 1000 ft feet at intake 3 in.; in size at intake in.; size at place of use 3 in.; difference in elevation be aske and place of use, 5 ft. Is grade uniform? 4ES Estimated caps sec. ft. 10. If pumps are to be used, give size and type ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile thural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range to Williametic Meridian Section Forty-acre Tract Number Acres to Be Irrigated 375 5W 25 NELY SWK 12.7 (3
feet; width on bottom feet; depth of water feet fall per one thousand feet (c) Length of pipe, 1000 fixere at intake 3 in.; in size at mintake in.; size at place of use 3 in.; difference in elevation be take and place of use, 6 ft. Is grade uniform? 4 so Estimated ca sec. ft. 10. If pumps are to be used, give size and type so Electrical Subject Subj	feet; width on bottom feet; depth of water feet fall per one thousand feet (c) Length of pipe, 1000 fitnesse at intake 3 in.; in size at n intake in.; size at place of use 3 in.; difference in elevation between the and place of use, 5 ft. Is grade uniform? 455 Estimated capa sec. ft. 10. If pumps are to be used, give size and type CLECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Rave of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12.7 (5)	feet; width on bottom	feet; width on bottom feet; depth of water feet; width on bottom feet fall per one thousand feet, for ho of pipe, 1000 fire at intake 3 in.; in size at intake 3 in.; in size at intake 6 in.; size at place of use 7 in.; size at place of use 8 in.; difference in elevation between sec. ft. Is grade uniform? 4 feet 8 Estimated capacity sec. ft. In property of the size and type feet 6 feet 7 feet 8 fee	feet; width on bottom feet; depth of water de feet fall per one thousand feet (c) Length of pipe, 1222 fire at intake 3 in.; in size at mintake in.; size at place of use 3 in.; difference in elevation be ske and place of use, 6 ft. Is grade uniform? 4.5 Estimated cap sec. ft. 10. If pumps are to be used, give size and type ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Number Acres Township Range of Range of Range of Use Section Range of Use
feet; width on bottom feet; depth of water feet fall per one thousand feet (c) Length of pipe, 1000 fixes at intake 3 in.; in size at mintake in.; size at place of use 3 in.; difference in elevation be take and place of use, 6 ft. Is grade uniform? 4 so Estimated ca sec. ft. 10. If pumps are to be used, give size and type so Electrical Subject Subje	feet; width on bottom feet; depth of water feet fall per one thousand feet (c) Length of pipe, 1000 fitnesse at intake 3 in.; in size at n intake in.; size at place of use 3 in.; difference in elevation between the and place of use, 5 ft. Is grade uniform? 455 Estimated capa sec. ft. 10. If pumps are to be used, give size and type CLECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Rave of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12.7 (5)	feet; width on bottom	feet; width on bottom feet; depth of water feet fall per one thousand feet th of pipe, 1000 firetee at intake 3 in.; in size at in.; size at place of use 3 in.; difference in elevation between the of use, 65 ft. Is grade uniform? 455 Estimated capacing sec. ft. mps are to be used, give size and type 666 CTRICAL SUBMERSIBLE sepower and type of motor or engine to be used 3 HP elocation of the well, tunnel, or other development work is less than one-fourth mile from or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of development ER CREEK tion of area to be irrigated, or place of use Range Number Acres To Be Irrigated	feet; width on bottom feet; depth of water de feet fall per one thousand feet (c) Length of pipe, 1222 fixes at instake 3 in.; in size at mintake in.; size at place of use 3 in.; difference in elevation be also and place of use, 65 ft. Is grade uniform? 4.55 Estimated cap sec. ft. 10. If pumps are to be used, give size and type ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range of Millemette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5 W 25 NE/4 SW/4 22.0 (S
defeet fall per one thousand feet (c) Length of pipe,	feet fall per one thousand feet (c) Length of pipe, 1000 jthere at intake 3 in.; in size at in intake in.; size at place of use 3 in.; difference in elevation between and place of use, 65 ft. Is grade uniform? 4ES Estimated capa sec. ft. 10. If pumps are to be used, give size and type ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range Williams Section Forty-scre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12.7 (S)	defeet fall per one thousand feet (c) Length of pipe,	th of pipe, 1000 fthere at instake 3 in.; in size at in.; size at place of use 3 in.; difference in elevation between the of use, 5 ft. Is grade uniform? 4.55 Estimated capacity sec. ft. mps are to be used, give size and type, ELECTRICAL SUBMERS/BLE sepower and type of motor or engine to be used 3 ft P e location of the well, tunnel, or other development work is less than one-fourth mile from or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK sion of area to be irrigated, or place of use Range Rang	feet fall per one thousand feet (c) Length of pipe, 12.2. (c) Length of pipe, 12.2. (c) Length of pipe, 12.2. (d) fixe see at instake 3 in.; in size at 12. in.; difference in elevation be 12. in.; difference in elevation be 13. in.; difference in elevation be 14. in.; difference in elevation be 15. in.; difference in elevation be 25. in.; difference in elevation be 15. in.; difference in
(c) Length of pipe, /QQQ fixers at intake 3 in.; in size at minimum intake in.; size at place of use 3 in.; difference in elevation be take and place of use, 65 ft. Is grade uniform? 45 Estimated ca sec. ft. 10. If pumps are to be used, give size and type 666 CCR/CAL SUBMERS/BLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance at the such channel give the distance at the such channel give the distance at	(c) Length of pipe, 1000 files at intake 3 in.; in size at intake in.; is size at intake in.; size at place of use 3 in.; difference in elevation between and place of use, 65 ft. Is grade uniform? 4.55 Estimated capa sec. ft. 10. If pumps are to be used, give size and type 6.66 CTP. CAL SUBMERS/BLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile framed stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range 2 or W. or Williamste Meridian Section Forty-acre Tract Number Acres To Be Irrigated 3.75 SW 25 NE/4 SW/4 12.7 (5)	(c) Length of pipe, 1000 ftrees at intake 3 in.; in size at minke in.; size at place of use 3 in.; difference in elevation like and place of use, 5 ft. Is grade uniform? 4 S Estimated see. ft. 10. If pumps are to be used, give size and type SLECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mutural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deve MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range Corrections Section Forty-acre Tract Number Acres To Be Irrigated	in.; size at place of use	(c) Length of pipe, 1000 its east intake 3 in.; in size at
in thack in the street of use	ke and place of use, 65 ft. Is grade uniform? 4ES Estimated capa sec. ft. 10. If pumps are to be used, give size and type 6LECTRICAL SUBMERS/BLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range Re or Wood Williamstite Meridian Section Forty-acre Tract Number Acres To Be Irrigated 3.75 5W 25 NE/4 SW/4 12.7 (S) 3.75 5W 25 SE/4 SW/4 22.00 (S)	the and place of use,	the of use, ft. Is grade uniform? YES Estimated capacity sec. ft. sec. ft. mps are to be used, give size and type ELECTRICAL SUBMERSIBLE sepower and type of motor or engine to be used 3 HP e location of the well, tunnel, or other development work is less than one-fourth mile from or stream channel, give the distance to the nearest point on each of such channels in elevation between the stream bed and the ground surface at the source of developm ER CREEK tion of area to be irrigated, or place of use Range Range	the and place of use,
sec. ft. 10. If pumps are to be used, give size and type ELECTRICAL SUB MERSIBLE Give horsepower and type of motor or engine to be used	sec. ft. 10. If pumps are to be used, give size and type	Sec. ft. 10. If pumps are to be used, give size and type, ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mutural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deverable MILLER CREEK 12. Location of area to be irrigated, or place of use Township E or W of N or S. Williametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated	the of use,	sec, ft. 10. If pumps are to be used, give size and type, ELECTRICAL SUBMERS/BLE Give horsepower and type of motor or engine to be used. 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile utural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile utural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile utural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile utural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile utural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile utural stream or stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation of such channel difference in elevation of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile utural stream or stre
10. If pumps are to be used, give size and type ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of	Sec. ft. 10. If pumps are to be used, give size and type	10. If pumps are to be used, give size and typeELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used	mps are to be used, give size and type, ELECTRICAL SUBMERS/B(E sepower and type of motor or engine to be used 3 HP e location of the well, tunnel, or other development work is less than one-fourth mile from or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK tion of area to be irrigated, or place of use Range Range Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated	10. If pumps are to be used, give size and type ELECTRICAL SUBMERSIBLE Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Coverable Williamstet Meridian Section Forty-acre Tract Number Acres To Be Irrigated 16. SW 25 NE/4 SW/4 12.7 (SW/4 12.7 (SW/
Give horsepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mutural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deve MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	sepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile stural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile stural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile turnel stream or stream or place of use and the ground surface at the source of development work is less than one-fourth mile turnel stream or stream or place of the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile turnel stream or place of use and the ground surface at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than one-fourth mile turnel stream or place of use at the source of development work is less than or place of use at the source of development work is less than or place of use at the source of the place of use at the source of development work is less than or place of use at the source of the place of use at the source of the place of use at the
Give horsepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth matural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deverable CREER 12. Location of area to be irrigated, or place of use Township Range E or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	sepower and type of motor or engine to be used 3 HP e location of the well, tunnel, or other development work is less than one-fourth mile fr m or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK stion of area to be irrigated, or place of use Range E or W of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Give horsepower and type of motor or engine to be used 3 HP 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stre
11. If the location of the well, tunnel, or other development work is less than one-fourth mile stural stream or stream channel, give the distance to the nearest point on each of such channe difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth mile attended to the stream bed and the ground surface at the source of development work is less than one-fourth m	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2.7 (S)	11. If the location of the well, tunnel, or other development work is less than one-fourth m stural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deverse MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	e location of the well, tunnel, or other development work is less than one-fourth mile from or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK Tion of area to be irrigated, or place of use Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	11. If the location of the well, tunnel, or other development work is less than one-fourth mile stural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile stream or stream or stream or such a surface at the source of development work is less than one-fourth mile stream or stream or such a surface at the source of development work is less than one-fourth mile stream or stream or such a surface at the source of development work is less than one-fourth mile stream or stream or such a surface at the source of development work is less than one-fourth mile stream or stream or such a surface at the source of development work is less than one-fourth mile stream or stream or such a surface at the source of development work is less than one-fourth mile stream or stream or such a surface at the source of development work is less than one-fourth mile stream or such a surface at the source of development work is less than one-fourth mile stream or such a surface at the source of development work is less than one-fourth mile stream or such a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than one-fourth mile stream or such as a surface at the source of development work is less than or such as a surface at the source of development
tural stream or stream channel, give the distance to the nearest point on each of such channe difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the stream bed and the ground surface at the stream bed and the ground surface of the stream bed and the ground surface at the stream bed and th	tural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W of William Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2,7 (S) 375 5W 25 SE/4 SW/F /2,7 (S)	tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deverse MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	n or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK Sion of area to be irrigated, or place of use Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2.7 (S
tural stream or stream channel, give the distance to the nearest point on each of such channe difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed and the ground surfac	tural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W of William Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2,7 (S) 375 5W 25 SE/4 SW/F /2,7 (S)	tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deverse MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	n or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK Sion of area to be irrigated, or place of use Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2.7 (S
tural stream or stream channel, give the distance to the nearest point on each of such channe difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the stream bed and the ground surface at the stream bed and the ground surface of the stream bed and the ground surface at the stream bed and th	tural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W of William Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2,7 (S) 375 5W 25 SE/4 SW/F /2,7 (S)	tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of deverse MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	n or stream channel, give the distance to the nearest point on each of such channels on elevation between the stream bed and the ground surface at the source of developm ER CREEK Sion of area to be irrigated, or place of use Range E or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	tural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2.7 (S
12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12.7 (S) 375 5W 25 SE/4 SW/4 22.0 (S)	12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	n elevation between the stream bed and the ground surface at the source of developm ER CREEK tion of area to be irrigated, or place of use Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/F /2,7 (S) 5 W 25 SE/4 SW/F 22.0 (S)	difference in elevation between the stream bed and the ground surface at the source of develop MILLER CREEK 12. Location of area to be irrigated, or place of use Township Range E or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 /2.7 (S
12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 /2.7 (S) 375 5W 25 SE/4 SW/4 22.0 (S)	12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/4 /2,7 (s) 5 W 25 SE/4 SW/4 22.0 (s)	12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 /2,7 (3) 375 5W 25 SE/4 SW/4 22.0 (3)
12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 /2.7 (S) 375 5W 25 SE/4 SW/4 22.0 (S)	12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/4 /2,7 (s) 5 W 25 SE/4 SW/4 22.0 (s)	12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 /2,7 (3) 375 5W 25 SE/4 SW/4 22.0 (3)
Township E. or W. of N. or S. Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Township Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12,7 (5) 375 5W 25 SE/4 SW/4 2Z.0 (S)	Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/F /2,7 (s) 5 W 25 SE/4 SW/4 22.0 (s)	Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2,7 (3) 375 5W 25 SE/4 SW/4 22.0 (3)
Township E. or W. of N. or S. Range E. or W. of Williamette Meridian Section Forty-acre Tract To Be Irrigated	Township Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12,7 (5) 375 5W 25 SE/4 SW/4 2Z.0 (S)	Township E. or W. of N. or S. Range E. or W. of Williamette Meridian Section Forty-acre Tract To Be Irrigated	Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/F /2,7 (s) 5 W 25 SE/4 SW/4 22.0 (s)	Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2,7 (3) 375 5W 25 SE/4 SW/4 22.0 (3)
Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Township Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12,7 (5) 375 5W 25 SE/4 SW/4 2Z.0 (S)	Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/4 /2,7 (s) 5 W 25 SE/4 SW/4 22.0 (s)	Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/F /2,7 (3) 375 5W 25 SE/4 SW/4 22.0 (3)
Township N. or S. E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Township N. or S. E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated NE/4 SW/F 12,7 (S) STANDARD SEL SEL SW/Y 22.0 (S)	Township N. or S. E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 5 W 25 NE/4 SW/F /2,7 (S) 5 W 25 SE/4 SW/4 22.0 (S)	Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 375 5W 25 NE/4 SW/4 12,7 (S
375 5W 25 NE/4 SW/K 12,7 ($\frac{375}{375}$ $\frac{5W}{5W}$ $\frac{25}{25}$ $\frac{NE/4}{4} \frac{SW/x}{5W/4}$ $\frac{12.7}{22.0}$		
		375 5W 25 SE14 SW14 22.0		
375 5W 25 SE14 SW14 22.0 (
34,2		34,2	3 11/	
		· · · · · · · · · · · · · · · · · · ·		
		1		

ASSISTANT

MUNICIPAL SUPPLY—	
13. To supply the city of	· · · · · · · · · · · · · · · · · · ·
in county, having a pre	esent population of
and an estimated population ofi	in 19
ANSWER QUESTIONS 14, 15, 16	3, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$	600,
15. Construction work will begin on or before	JULY 1, 1976
16. Construction work will be completed on o	r before JULY 1, 1977
17. The water will be completely applied to th	e proposed use on or before JULY 1, 1972
	tal to an existing water supply, identify any appli- d right to appropriate water, made or held by the
	App. 52379
	Wellsamy Spency Luth a. Spency
Remarks:	•
,	
······································	·
STATE OF OREGON, ss.	
County of Marion, ss.	
This is to certify that I have examined the for	regoing application, together with the accompanying
naps and data, and return the same for	
•	
In order to retain its priority, this application	must be returned to the State Engineer, with correc-
-	
ions on or before, 19	9
WITNESS my hand this day of	, 19
•	STATE ENGINEER
	By

STATE OF OREGON,)	-
County of Marion,	ss.	

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJEC	T TO EXISTING R	IGHTS and the follow	ing limitatio	ons and condi	itions:	
Th	e right herein gran	ted is limited to the an	nount of wa	ter which car	n be applied to	beneficial use
and shall	not exceed 0.4	cubic feet per se	econd measu	red at the po	int of diversion	from the well
or source	of appropriation, or	r its equivalent in case	of rotation	with other w	ater users, from	ma well
The	e use to which this t	water is to be applied is	supple	mental irr	igation	
If f	or irrigation, this a	ppropriation shall be li	mited to	1/80th	of one cubic f	oot per second
or its equ	ivalent for each acr	re irrigated and shall be	e further lir	nited to a div	version of not t	o exceed .2½
acre feet	per acre for each ac	re irrigated during the	irrigation s	eason of each	year; provi	ded further
that t	ne right allowed	l herein shall be]	limited to	any defic	iency in the	available
anbbja	of any prior ri	ight existing for 1	the same 1	and and sh	all not exce	ed
the li	mitation allowed	herein,		***************************************	•••••	
	•••••				••••••	
		•••••				
•				••••••		•
and shall	be subject to such r	easonable rotation syst	em as may l	be ordered by	, the proper sto	ite officer.
the works The line, adeq The	shall include prope works constructed uate to determine permittee shall in:	l as necessary in accorder capping and control of shall include an air limater level elevation stall and maintain a well of the amount of grown	valve to pre ne and press in the well eir, meter,	vent the was sure gauge or at all times. or other suit	te of ground we an access port	ater. for measuring
		, o, one uncome o, g.e.				
The	priority date of thi	s permit isJune ?	30, 1975			
Act	ual construction wo	rk shall begin on or be	fore Ja	nuary 12,	1977	and shall
thereafter	be prosecuted with	h reasonable diligence	and be con	npleted on or	before Octobe	er 1, 1978
Con	rplete application o	f the water to the prope	osed use sha	ll be made or	ı or before Octo	ober 1, 19.79
WIT	NESS my hand thi	is12th day of	J	anuary	19	<u>76.</u>
	1		9	me	Sen	PATE ENGINEER A
	*		WAKER RE	SOURCES DIE	RECTOR	
Application No. G-70-33	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the All day of All M.	Returned to applicant:	Approved:	Recorded in book No. Ground Water Permits on page	STATE ENGINEER Drainage Basin No