

Permit No. G- **G 6314**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, RIVER RAPIDS WATER COOPERATIVE c/o of Mr. Norman Strebin
(Name of applicant)
of P.O. Box 8, Rhododendron, county of Clackamas
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated un-named stream
(Name of stream)

tributary of Sandy River

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second or 90 gallons per minute.

3. The use to which the water is to be applied is domestic including the irrigation of lawn or noncommercial garden not exceeding 1/2 acre in area

4. The well or other source is located 124 ft. North and 415 ft. East from the S.W. corner of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 34
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 34, Twp. 2S, R. 7E, W. M., in the county of Clackamas

5. The pipe line to be 1.35 miles in length, traversing the NW $\frac{1}{4}$ SW $\frac{1}{4}$ & SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 34, Twp. 2S, R. 7E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

~~7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.~~

8. The development will consist of one well having a diameter of 6 inches and an estimated depth of 113 feet. It is estimated that 83 feet of the well will require 8" steel casing. Depth to water table is estimated 8 feet

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 7150 ft.; size at intake 6 in.; in size at - - ft. from intake - - in.; size at place of use - - in.; difference in elevation between intake and place of use, - - ft. Is grade uniform? - - Estimated capacity, - - sec. ft.

10. If pumps are to be used, give size and type 70 gallons per minute deep well turbine

Give horsepower and type of motor or engine to be used 3 horsepower submersible

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

30 feet horizontal and 5 feet above an un-named stream and 400 feet horizontal and 35 feet above the Sandy River

12. Location of area to be irrigated, or place of use None

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T2S	R7E	33	NE $\frac{1}{4}$ SE $\frac{1}{4}$	2.4 Ac.
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	8.6 Ac.
T2S	R7E	34	NW $\frac{1}{4}$ SW $\frac{1}{4}$	7.5 Ac.
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	18.0 Ac.

(If more space required, attach separate sheet)

Character of soil - -

Kind of crops raised - -

MUNICIPAL SUPPLY—

13. To supply the city of an unincorporated area
in Clackamas county, having a present population of 50 persons
and an estimated population of 300 in 1980.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 60,000.00
- 15. Construction work will begin on or before well drilled in December 1970
- 16. Construction work will be completed on or before August 1973
- 17. The water will be completely applied to the proposed use on or before 1980

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Serald L. Mill
(Signature of applicant)

Remarks: This application supersedes an application for permit that was filed in March of 1971, and given file No. G-5442.

The water system has a 6 inch loop with 3" and 4" distribution feeder lines.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~December 19~~ January 21, 1974

WITNESS my hand this ~~19th~~ 20th day of ~~October~~ November, 1973

RECEIVED
NOV 6 1972
STATE ENGINEER
SALEM, OREGON

RECEIVED
DEC 20 1973
STATE ENGINEER
SALEM, OREGON

Chris L. Wheeler
STATE ENGINEER
Thomas E. Shook
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is domestic use for River Rapids Water Cooperative, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 29, 1972

Actual construction work shall begin on or before January 28, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 28th day of January 1976.

James C. Larson
WATER RESOURCES DIRECTOR STATE ENGINEER FH B

Application No. G-5913
Permit No. G-6344

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of September, 1972, at 11:15 o'clock A. M.

Returned to applicant:

proved:

Recorded in book No. G 6344 of Ground Water Permits on page

STATE ENGINEER
Drainage Basin No. 3 page 32

528 22