APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, JOHN HOMELBERGER	(Name of applicant)
of 3815 Broadway, Baker,	, county of Baker,
state of Oragon	. do hereby make application for a permit to appropriate the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, giv	e date and place of incorporation
The applicant	is an individual.
1. Give name of nearest stream to	which the well, tunnel or other source of water development is
situated Powder River, 1	4 miles distant.
	tributary of Snake River.
2. The amount of water which th feet per second or 180 gallons pe	e applicant intends to apply to beneficial use is 0.4 cubic er minute.
3. The use to which the water is t	to be applied is Irrigation.
	ted 698 it. No and 1150 ft. No from the
corner of sections 17, 18, 19 and	20, T. 9 S., R. 40 E., W. M., (Section or subdivision)
(If prefera	ble, give distance and bearing to section corner)
If there is more than one	with continuent be described. Use separate sheet if necessary
being within the SEE of the SEE	of Sec. 18 Twp. 9 S., R. 40 E.,
W. M., in the county of Baker.	
5. The pipe	to be 700 ft.
in length, terminating in the	of Sec. 18, Twp. 98., -
R. 40 E., . W. M., the proposed locat	tion being shown throughout on the accompanying map.
6. The name of the well or other	works is Himmelberger Well.
	DESCRIPTION OF WORKS
7. If the flow to be utilized is art supply when not in use must be describ	esian, the works to be used for the control and conservation of the bed.
The well is not artesi	a n.
8. The development will consist	of one well Give number of we is tunnels etc.
size of 51 x 6 ft.xxxxx and a	
feet of the well will require wood	casing. Depth to water table is estimated 2 to 10
ft.	(Kind)

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from

headgate. At headgate: width on top (at water line)

test width on bottom

feet; depth of water

feet; grade

seet fall per one

thousand feet.

(b) At

miles from headgate: width on top (at water line)

feet; width on bottom

feet; depth of water

3"

feet:

grade

feet fall per one thousand feet.

(c) Length of pipe, 210 ft. of 3" A; size at intake.

from intake

in.; size at place of use

in.: difference in elevation between

Part of ground a few feet higher and part a few ft.lower.

ft. Is grade uniform?

Estimated capacity. intake and place of use. variable The pipe is portable and is supplying 13 sprinkler heads.

sec. ft. 0.4

10. If pumps are to be used, give size and type Gould 2" centrifugal pump. The pump is in 2" suction pipe extends down into well. well 8 ft. lower than ground surface. Draw down a bout 8 ft. in late summer.

Give horsepower and type of motor or engine to be used 5 H.P. Westinghouse electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, on the difference in elevation between the stream bed and the ground surface at the source of development

The well and pump is more than one-fourth mile from any stream.

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acte Tract		Nonder Acre To Be lpogated
9 S.	40 E.	18	SE į SE į	•	6.1
)		, ,	dy 10 de 10 de 31 - Mat de		
		1000 to 1000 1000 1000 1000 1000 1000 10			
		[13 901.01] 34 [31.5] 7] 13	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	• •	
	-				
				<u> </u>	
		-	•		
	↑	"			
				; ;	

(If more space required, attach separate sheet)

Character of soil

Fertile.

Kind of crops raised

Pa sture and garden.

I3. To supply the city of	
in county, having a pre-	sent population of
and an estimated population of	in 19
14. Estimated cost of proposed works, \$. 750.	.00 About.
15. Construction work will begin on or before	The well is complete.
16. Construction work will be completed on or	before Complete.
17. The water will be completely applied to th	e proposed use on or before. Completely applied.
	ital to an existing water supply, identify any applied right to appropriate water, made or held by the
applicant.	
	FU JEST CSIgnature of applicant)
Remarks:	
	• in the interest of the contract of the contr
	• • • • • • • • • • • • • • • • • • • •
	•
•	
· · · · · · · · · · · · · · · · · · ·	
	•
· · · · · · · · · · · · · · · · · · ·	
	<u></u>
·	
STATE OF OREGON. County of Marion, Ss.	
This is to certify that I have examined the fo	regoing application, together with the accompanying
maps and data, and return the same for	
· · · · · · · · · · · · · · · · · · ·	
In order to retain its priority, this application	n must be returned to the State Engineer, with correc-
tions on or before	9 .
WITNESS my hand this day of	19

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation	
If for irrigation, this appropriation shall be limited to 1/80 of one cubic f	oot per second
or its equivalent for each acre irrigated and shall be further limited to a diversion of nor to e	xceed 3
acre feet per acre for each acre irrigated during the irrigation season of each year;	
and shall be subject to such reasonable rotation system as may be ordered by the proper st	ate officer.
The well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground in	llow is artesian vater.
The works constructed shall include an air line and pressure gauge or an access por line, adequate to determine water level elevation in the well at all times.	t for measuring
The priority date of this permit is August 20, 1957	
Actual construction work shall begin on or before September 20, 1958	and shall
thereafter be prosecuted with reasonable diligence and be completed on or before Octob	ber 1, 19 59
	•
Complete application of the water to the proposed use shall be made on or before Oct The permittee shall install and maintain a weir, meter, or other suitab device, and shall keep a complete record of the amount of ground water to	Le measuring
WITNESS my hand this 20th day of September	7 .
WITNESS my hand this 20th day of September	STATE ENGINEER

first received in the office of the State Engineer at Salem, Oregon, APPROPRIATE THE GROUND WATERS OF THE STATE Σ Ground Water Permits on page OF OREGON PERN 9 Application No. TO APPROPRIATE This instrument was 19 , at o'cloo September 20, 199 Recorded in book No LEGIS A. STATLEY Returned to applicant: on the day of Permit No. G-

State Prints