## RECEIVED

RECEIVED RECEIVED

OCT 1 7 1974 STATE ENGINEER SALEM, OREGON OCT 2 8 1974 STATE ENGINEER SALEM, OREGON

STATE ENGINEER SALEM, OREGON

Permit No. G-....G...6350

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I SUN COUNTRY WATER, INC. P. O. Box 587 (Name of applicant)
of 1250 N. E. Third St., Suite B, Bend, Oregonounts of Deschutes
37701
state ofOregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
State of Oregon - June 26, 1972 - Bann, OAR
1. Give name of nearest stream to which the well, tunnel or other source of water development is
Situated(Name of stream)
Tumalo Creek tributary of Deschutes River
2. The amount of water which the applicant intends to apply to beneficial use is 168 cubic feet per second or 360 gallons per minute (150 gpm each well set)
3. The use to which the water is to be applied isDomestic consumption
4. The well or other source is located 151 ft. S and 111 ft. Ft. from the E
corner of Center 1/4 cor. Section 14, T 17S, R 11, E.W.M., Lot 1, Block 7, (Section or subdivision)
SADDLEBACK WEST and 861 ft. S. and 436 ft. W of Center & Corner, Section
(If preferable, give distance and bearing to section corner)  T 17S, Range 11, E.W.M., Lot 3, Block 5, SADDLEBACK WEST  (If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW1 SE1 & NE1 SW1 of Sec. 14 Twp. 17 R. 11
W. M., in the county of
5. The Pipe line to be 3 miles
in length, terminating in the see plat of Sec. 14 Twp. 17 (Smallest legal subdivision)
R
6. The name of the well or other works isSun_Country Water, Inc.
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Double well gravity flow water system. 60,000 gallons storage
8. The development will consist oftwo wells having a
diameter of8 inches and an estimated depth of765 feet. It is estimated thatnone
casing. Depth to water table is estimated730. feet

14,

headgate. At h	eadgate: width on to	p (at water line	·)	feet; width on bottor
	feet; depth of w	ater	feet; grade	feet; width on bottor
thousand feet.	•		4	, , ,
(b) At	mile	es from headga	te: width on top (at w	ater line)
				f water feet
	feet fall p			•
(c) Leng	th of pipe,15,00	00 ft.; si	ze at intake 6	in.; in size at3000 fi
from intake	4 in.; si	ze at place of u	se 6" & 4" in.;	difference in elevation between
intake and plac	e of use, 150	ft. Is	grade uniform?Ye	Estimated capacity
	sec. ft.			
10. If pu	mps are to be used, g	ive size and typ	e One 15 h.p. 3	3 phase deep well pum
(each well	)			
Give hors	sepower and type of	motor or engin	e to be used 15 h.r	. Starite 3 phase
11. If the a natural stream	e location of the well n or stream channel	, tunnel, or othe , give the distar	r development work is ace to the nearest poin	less than one-fourth mile fron t on each of such channels and
11. If the	e location of the well n or stream channel	, tunnel, or othe , give the distar	r development work is ace to the nearest poin	less than one-fourth mile from
11. If the a natural stream the difference i	e location of the well n or stream channel n elevation between	, tunnel, or othe , give the distar the stream bed	r development work is ace to the nearest poin and the ground surface	less than one-fourth mile fron t on each of such channels and
11. If the a natural stream the difference i	e location of the well n or stream channel n elevation between	, tunnel, or othe , give the distar the stream bed	r development work is ace to the nearest poin and the ground surface	less than one-fourth mile from t on each of such channels and e at the source of developmen
11. If the a natural stream the difference is th	e location of the well n or stream channel n elevation between tion of area to be irr	, tunnel, or othe , give the distar the stream bed 	r development work is ace to the nearest poin and the ground surface of use SADDLEBACK	less than one-fourth mile from t on each of such channels and e at the source of developmen
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian	tunnel, or othe , give the distar the stream bed igated, or place	r development work is ace to the nearest poin and the ground surface of use SADDLEBACK SUBDIV	less than one-fourth mile from t on each of such channels and e at the source of developmen  & SADDLEBACK WEST  To Be Irrigated
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian  R 11E	tunnel, or othe , give the distar the stream bed igated, or place	r development work is ace to the nearest poin and the ground surface of use SADDLEBACK SUBDIVE Forty-acre Tract	less than one-fourth mile from t on each of such channels and e at the source of developmen  E & SADDLEBACK WEST  CISIONS  Number Acres To Be Irrigated  40-
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian  R 11E  R 11E	tunnel, or othe give the distanthe stream bed is stream bed in the stream bed is stream bed in the stream be	r development work is nce to the nearest poin and the ground surface of use SADDLEBACK SUBDIV Forty-acre Tract NE¼, NW¼ SE¼, NW¼	less than one-fourth mile from t on each of such channels and e at the source of developmen  6. & SADDLEBACK WEST  VISIONS  Number Acres To Be Irrigated  40 +  40 +  40 +
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian  R. 11E  R. 11E  R. 11E	igated, or place  Section  14  14	of use SADDLEBACK SUBDIV  Forty-acre Tract  NE¼, NW¼  NE¼, SW¼	less than one-fourth mile from t on each of such channels and e at the source of developmen  E. & SADDLEBACK WEST  TSIONS  Number Acres To Be Irrigated  40+  40+  40+  40+
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian  R. 11E  R. 11E  R. 11E  R. 11E  R. 11E	tunnel, or other, give the distant the stream bed stream bed signated, or place section 14 14 14 14 14	r development work is ace to the nearest poin and the ground surface of use SADDLEBACK SUBDIVE Forty-acre Tract  NEL, NWL SEL, NWL NEL, SWL NWL, NEL	less than one-fourth mile from t on each of such channels and e at the source of developmen  E. & SADDLEBACK WEST  TISIONS  Number Acres To Be Irrigated  40+  40+  40+  40+  40+  40+  40+  40
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian  R 11E  R 11E  R 11E  R 11E  R 11E  R 11E	tunnel, or othe give the distanthe stream bed the stream bed section  14 14 14 14 14	r development work is not to the nearest poin and the ground surface of use SADDLEBACK SUBDIV Forty-acre Tract  NE¼, NW¼  NE¼, SW¼  NW¼, NE¼  SW¼, NE¼	less than one-fourth mile from t on each of such channels and e at the source of developmen  E & SADDLEBACK WEST  VISIONS  Number Acres To Be Irrigated  40 <sup>+</sup> 40 <sup>+</sup> 40 <sup>+</sup> 40 <sup>+</sup> 40 <sup>+</sup>
11. If the a natural stream the difference is th	tion of area to be irr  Range E. or W. of Willamette Meridian  R 11E	igated, or place  Section  14  14  14  14  14	of use SADDLEBACK SUBDIV  Forty-acre Tract  NE¼, NW¼  NE¼, SW¼  NW¼, NE¼  NW¼, NE¼  NW¼, NE¼  NW¼, NE¼	less than one-fourth mile from t on each of such channels and e at the source of developmen  E & SADDLEBACK WEST  VISIONS  Number Acres To Be Irrigated  40 <sup>+</sup>
11. If the a natural stream the difference is th	tion of area to be irr  Range E or W. of Willamette Meridian  R 11E  R 11E	igated, or place  Section  14  14  14  14  14  14	r development work is note to the nearest poin and the ground surface of use SADDLEBACK SUBDIV Forty-acre Tract  NE\(\frac{1}{2}\), NW\(\frac{1}{2}\)  NE\(\frac{1}{4}\), NE\(\frac{1}{4}\)  NW\(\frac{1}{4}\), NE\(\frac{1}{4}\)  NW\(\frac{1}{4}\), SE\(\frac{1}{4}\)  SW\(\frac{1}{4}\), SE\(\frac{1}{4}\)  SW\(\frac{1}{4}\), SE\(\frac{1}{4}\)	less than one-fourth mile from t on each of such channels and e at the source of developmen  E & SADDLEBACK WEST  VISIONS  Number Acres To Be Irrigated  40 <sup>+</sup>
11. If the a natural stream the difference is th	tion of area to be irr  Range E or W. of Willamette Meridian  R 11E  R 11E	igated, or place  Section  14  14  14  14  14  14	r development work is note to the nearest poin and the ground surface of use SADDLEBACK SUBDIV Forty-acre Tract  NE\(\frac{1}{2}\), NW\(\frac{1}{2}\)  NE\(\frac{1}{4}\), NE\(\frac{1}{4}\)  NW\(\frac{1}{4}\), NE\(\frac{1}{4}\)  NW\(\frac{1}{4}\), SE\(\frac{1}{4}\)  SW\(\frac{1}{4}\), SE\(\frac{1}{4}\)  SW\(\frac{1}{4}\), SE\(\frac{1}{4}\)	less than one-fourth mile from t on each of such channels and e at the source of developmen  E & SADDLEBACK WEST  VISIONS  Number Acres To Be Irrigated  40 <sup>+</sup>

Kind of crops raised .....

MUNICIPAL SUPPLY—
in Deschutes county having a present nonviction of 80
county, having a present population of
and an estimated population of 350 in 19.85
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$\frac{115,000}{}
15. Construction work will begin on or beforeCompleted 777
16. Construction work will be completed on or before Completed TED 13
17. The water will be completely applied to the proposed use on or beforewhen develop
18. If the ground water supply is supplemental to an existing water supply, identify any ap cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by
applicant.
SON COUNTRY WATER INC.
Secret
(Signature of applicant)  Remarks:
Sun Country Water, Inc. is a public purveyor of water. Rules,
rates and regulations are on file with the Public Utilities commiss
of the State of Oregon.
STATE OF OREGON,
County of Marion,   ss.
This is to certify that I have examined the foregoing application, together with the accompany
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with corr
tions on or before
19
WITNESS my hand this day of, 19
STATE ENGINEE)
By

STATE	OF	OREGON,	)
Coun	ty o	f Marion,	ss.

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,

The	right herein granted	is limited to the amou	int of wa	iter which can	be applied to	
		ts equivalent in case of				
	.33 c.f.s. from e		rotation	with other was	ier users, jrom	,
		ter is to be applied is .	group	domestic use		
		ropriation shall be limi			•	_
		rrigated and shall be f			•	
асте јеет р	er acre jor eacn acre	irrigated during the i	rrigation	season of each	year;	
			•			
			*****************			
***************************************						•••••••••••••••••••••••••••••••••••••••
	••••••		••••••	•••••		
*****	·····				•••••	••••••
and shall b	e subject to such reas	sonable rotation systen	n as may	be ordered by t	he proper state	officer.
the works the The line, adequ	shall include proper of works constructed sh late to determine wa permittee shall insta	s necessary in accorda capping and control vanall include an air line ter level elevation in a ll and maintain a weir the amount of groun	lve to pre and pres the well o . meter.	event the waste sure gauge or a at all times. or other suita	of ground wat n access port f	er. or measuring
The	priority date of this	permit is Novembe	r 1, 19	74		
Actu	al construction work	shall begin on or befo	re	January 28	<b>.</b> 1977	and shall
Extended Com Latended	to Oct. 1 1990 Extended to plete application of till to Oct. 1 1993 Extended to O		ed us <b>e</b> sh	all be made on	-	
	NESS my hand this . Extended to October 1, 1992	28th day of	January	eme -	1976	)
ان ر			WATER R	ESOURCES DIR	ECTOR STE	THE PHONESER C
Application No. G-671D.  Permit No. G- G 6350	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 154 at Bill o'clock A.M.	Returned to applicant:	Approved:	Recorded in book No. of round Water Permits on page G 6350	Drainage Basin No. 5. page 4B.

 $\beta_{\rm C}$  Extended to October 1, 1988