

RECEIVED

JAN 9 1975
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 52376

Permit No. G- G 6355

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, COMMON COUNCIL, CITY OF VENETA
(Name of applicant)
of CITY HALL, VENETA, county of LANE
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
City of Veneta, April 6, 1962, Lane County, by provision of ORS 221

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Long Tom River
(Name of stream)
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.67 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Municipal supplies
~~supply for the City of Veneta~~
Supply for the City of Veneta

4. The well or other source is located 475 ft. N and 1190 ft. E from the W 1/4 corner of Section 31, Township 17 South, Range 5 West, Willamette Meridian
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 NW 1/4 of Sec. 31, Twp. 17 S, R. 5 W, W. M., in the county of Lane

5. The Pipe Line to be 0.09 miles in length, terminating in the SW 1/4 NW 1/4 of Sec. 31, Twp. 17 S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Well No. 4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well having a diameter of 8 inches and an estimated depth of 165 feet. It is estimated that 165 feet of the well will require Steel casing. Depth to water table is estimated 95 feet.
(Give number of wells, tunnels, etc.)
(Kind)
(Feet)

41. Feb 24 1975

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Submersible capable of producing 300 gpm at a total head of 285 feet.

Give horsepower and type of motor or engine to be used 30 horsepower with a submersible electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	5 W	31	S½ NE¼	Municiple Service Area
17 S	5 W	31	W¼	" " "
17 S	5 W	31	N½ SE¼	" " "
17 S	5 W	32	S¼ NW¼	" " "
17 S	5 W	32	N¼ SW¼	" " "
17 S	6 W	36	NE¼ NE¼	" " "
17 S	6 W	36	S½ NE¼	" " "
17 S	6 W	36	E½ SW¼	" " "
17 S	6 W	36	SE¼	" " "
18 S	5 W	6	N½ NW¼	" " "
18 S	5 W	6	SW¼ NW¼	" " "
18 S	6 W	1	E½ NE¼	" " "

(If more space required, attach separate sheet)

18 S 6 W 1 N½ NW¼ " " "

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Veneta, Oregon
in Lane county, having a present population of 1885
and an estimated population of 2400 in 1980

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,600.00
- 15. Construction work will begin on or before July 1, 1974
- 16. Construction work will be completed on or before January 1, 1975
- 17. The water will be completely applied to the proposed use on or before August, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Mayor Richard Gutfman
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER
By ASSISTANT

6-11-74

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 4

The use to which this water is to be applied is municipal purposes

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 9, 1975

Actual construction work shall begin on or before January 28, 1977 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 28th day of January, 1976

James E. [Signature]
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. G-6723
Permit No. G-G 6355

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 9th day of January,
1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page G 6355

STATE ENGINEER
Drainage Basin No. 2 page 140
nos 3000