

Permit No. G- **G 6364**

APPLICATION FOR A PERMIT

CERTIFICATE NO. 48213

To Appropriate the Ground Waters of the State of Oregon

I, TRUMAN S. BENNETT  
(Name of applicant)  
of P.O. Box 752 Baker 97814, county of Baker  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N.A.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pine Creek  
(Name of stream)  
tributary of Powder River

2. The amount of water which the applicant intends to apply to beneficial use is 60 in. cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1445 ft. N. and 400 ft. W. from the E. 1/4 corner of section 30  
(N. or S.) (E. or W.) (Section or subdivision)  
*(Well located in NE 1/4 - NE 1/4 Sec 30 T. 39 R. 39 E.)*  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the of Sec. 30, Twp. 8 S., R. 39 E.,  
W. M., in the county of Baker

5. The Pipe line to be 1/2 miles  
(Canal or pipe line)  
in length, terminating in the N.W. 1/4 - N.E. 1/4 of Sec. 30, Twp. 8 S.,  
(Smallest legal subdivision)  
R. 39 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Bennett Sump

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N.A.

8. The development will consist of One Sump having a  
(Give number of wells, tunnels, etc.)  
diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated feet  
(Kind) (Feet)



MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 1000.00 *- 2500<sup>00</sup> with Pump*

15. Construction work will begin on or before April 28, 1972

16. Construction work will be completed on or before June 30, 1972 *June 30, 1973*

17. The water will be completely applied to the proposed use on or before June 30, 1972 *June 30, 1973*

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*24.5 acres in the NE 1/4 NE 1/4 as is recorded on page 33687 Volume 26 State Record of water Right certificates.*  
*x Thurman Bennett*  
(Signature of applicant)

Remarks:

~~Application G-5226 as per it will be supplemental to water rights made on page 29158 + 29805~~

*No G-5226 + B-205 have been cancelled so necessary changes have been made in this application so rights can be established out of Bennett pump.*  
*T Bennett*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction and completion \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 18, 1972.

WITNESS my hand this 18<sup>th</sup> day of July, 1972.

**RECEIVED**  
AUG 30 1972  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By *T. Shook*  
Thomas E. Shook ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.76 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a pump well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 30, 1972

Actual construction work shall begin on or before February 13, 1977 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 13th day of February, 1976

James E. [Signature] WATER RESOURCES DIRECTOR STATE ENGINEER FH B

Application No. G-5810 Permit No. G-6364

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of May, 1972, at 9:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of Ground Water Permits on page G 6364

STATE ENGINEER Drainage Basin No. 2 page 47

12465