

Permit No. G. G 6376

CTR OFICATE NO. 47917

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, 7-C Ranch, Inc. (Name of applicant)
of P. O. Box 347, Bly , county of Klamath
state of Oregon 97622 , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
February 16, 1968 in Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Paradise Creek (Name of stream)
tributary of Sprague River
2. The amount of water which the applicant intends to apply to beneficial use is5.85 cubic feet per second or2625 gallons per minute.
3. The use to which the water is to be applied is Supplemental Irrigation
4. The well or other source is located
(Section or subdivision)
T. 37 S., R. 14 E., W.M. (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SEZ-NEZ of Sec. 1 , Twp. 37 S., R. 14 E.,
W. M., in the county ofKlamath
5. The See Remarks to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Well # 2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
N.A.
8 The development will consist of One Well having a
16" to 190 ft. (Give number of wells, tunnels, etc.)
8. The development will consist of One Well having a 16" to 190 ft. (Give number of wells, tunnels, etc.) diameter of 12½" to 700 nches and an estimated depth of 905 feet. It is estimated that 126½
16" to 190 ft. (Give number of wells, tunnels, etc.) diameter of 122" to 700 nches and an estimated depth of 905 feet. It is estimated that 126½ 7-7/8" to 905 ft. feet of the well will require 16" 0.D. x .250 casing. Depth to water table is estimated

7				
	feet; depth of we	ater	feet; grade	feet fall per
ousand feet.				
(b) At				iter line)
	feet; width on b	ottom	feet; depth o	f water
	feet fall pe			
(c) Lengt	h of pipe,	ft.; size	at intake	in.; in size at
om intake	in.; size	e at place of us	e in.; d	lifference in elevation betu
ake and place	of use,	ft. Is	grade uniform?	Estimated capa
-	sec. ft.			
10. If pun	nps are to be used, gr	ive size and typ	e 10"-12" deep	well turbine

Give hors	epower and type of	f motor or eng	ine to be used 100 I	HP direct connected
	1	4	u danalammant manle ia	less than one-fourth mile f
natural stream e difference in		the stream bed	and the ground surface	ton each of such channels to at the source of developmention = 7.0 feet.
natural stream e difference in 500 feet	elevation between	the stream bed	erence in eleva	tion = 7.0 feet.
natural stream e difference in 500 feet	to Paradise C	the stream bed	erence in eleva	e at the source of developn
natural stream e difference in 500 feet	elevation between	the stream bed	erence in eleva	tion = 7.0 feet.
natural stream e difference in 500 feet 12. Locati	to Paradise C ion of area to be irri	the stream bed reek; diff	and the ground surface erence in elevations of use	Number Acres To Be Irrigated 20.3 Acres
natural stream e difference in 500 feet 12. Locate Township N. or S.	to Paradise C to Paradise C ion of area to be irre Range E. or W. of Willamette Meridian	the stream bed reek; diff igated, or place	and the ground surface erence in elevate of use	Number Acres
atural streams difference in 500 feet 12. Locate Township N. or S.	to Paradise C to Paradise C ion of area to be irre Range E. or W. of Willamette Meridian	the stream bed reek; diff igated, or place	of use Forty-acre Tract SW1-NE1 SW2-NW2 NE2-SW2 NW4-SW2	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7
atural streams difference in 500 feet 12. Locate Township N. or S.	to Paradise C to Paradise C ion of area to be irre Range E. or W. of Willamette Meridian	the stream bed reek; diff igated, or place	of use Forty-acre Tract SW\(\frac{1}{2} - NE\(\frac{1}{2}\) NE\(\frac{1}{2} - SW\(\frac{1}{2}\) SW\(\frac{1}{2} - SW\(\frac{1}{2}\) SE\(\frac{1}{2} - SW\(\frac{1}{2}\) SE\(\frac{1}{2} - SW\(\frac{1}{2}\) SE\(\frac{1}{2} - SW\(\frac{1}{2}\)	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0
natural stream e difference in 500 feet 12. Locate Township N. or S.	to Paradise C to Paradise C ion of area to be irre Range E. or W. of Willamette Meridian	the stream bed reek; diff igated, or place	of use Forty-acre Tract SW\(\frac{1}{2}\) - NE\(\frac{1}{2}\) SW\(\frac{1}{2}\) - SW\(\frac{1}{2}\) SW\(\frac{1}{2}\) - SW\(\frac{1}{2}\) SE\(\frac{1}{2}\) - SE\(\frac{1}{2}\) NW\(\frac{1}{2}\) - SE\(\frac{1}{2}\) NW\(\frac{1}{2}\) - SE\(\frac{1}{2}\)	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0
atural streams difference in 500 feet 12. Locate Township N. or S.	to Paradise C to Paradise C ion of area to be irre Range E. or W. of Willamette Meridian	the stream bed reek; diff igated, or place	of use Forty-acre Tract SW\forty-NE\forta SW\forty-SW\forta NW\forty-SW\forta NW\forty-SW\forta SW\forta-SW\forta NW\forta-SW\forta SW\forta-SW\forta SW\forta-SW\forta SE\forta-SW\forta NE\forta-SE\forta	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0
atural streams difference in 500 feet 12. Locate Township N. or S.	to Paradise C to Paradise C ion of area to be irre Range E. or W. of Willamette Meridian	the stream bed reek; diff igated, or place	of use Forty-acre Tract SW\(\frac{1}{2}\)-NE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-NW\(\frac{1}{2}\) NW\(\frac{1}{2}\)-SW\(\frac{1}{2}\) NW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SW\(\frac{1}{2}\)	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0 40.0
atural streams difference in 500 feet 12. Locate Township N. or S. 36 S.	to Paradise C ion of area to be irri Range E or W of Willamette Meridian 14 E.	the stream bed reek; diff	and the ground surface erence in elevate of use Forty-acre Tract SW\(\frac{1}{2}\) NW\(\frac{1}{2}\) NW\(\frac{1}{2}\) NW\(\frac{1}{2}\) SW\(\frac{1}{2}\) SW\(\frac{1}{2}\) SW\(\frac{1}{2}\) SU\(\frac{1}{2}\) SE\(\frac{1}{2}\) SE\(\frac{1}2\) SE	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0 40.0 40.0 24.5 0.7
atural streams difference in 500 feet 12. Locati Township N. or S. 36 S.	to Paradise C ion of area to be irri Range E or W of Willamette Meridian 14 E. 15 E.	the stream bed reek; diff	and the ground surface erence in elevate of use Forty-acre Tract SW\(\frac{1}{2}\)-NE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-NW\(\frac{1}{2}\) NW\(\frac{1}{2}\)-SW\(\frac{1}{2}\) SE\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) SW\(\frac{1}{2}\)-SE\(\frac{1}{2}\) NW\(\frac{1}{2}\)-NE\(\frac{1}{2}\) NW\(\frac{1}{2}\)-NE\(\frac{1}{2}\) NW\(\frac{1}{2}\)-NE\(\frac{1}{2}\)	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0 40.0 40.0 40.0 24.5 0.7 35.3 21.0
atural stream e difference in 500 feet 12. Locate Township N. or S. 36 S. 37 S.	to Paradise C ion of area to be irrivate to Willamette Meridian 14 E. 15 E. 14 E.	the stream bed reek; diff	and the ground surface erence in elevate forty-acre Tract SW\$\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SW}\frac{1}{	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0 40.0 40.0 40.0 40.0 24.5 0.7 35.3 21.0 7.4
atural stream e difference in 500 feet 12. Locate Township N. or S. 36 S.	to Paradise C ion of area to be irri Range E or W of Willamette Meridian 14 E. 15 E.	the stream bed reek; diff	and the ground surface erence in elevate forty-acre Tract SW\$\frac{1}{2} \text{NE}\frac{1}{2} \text{SW}\frac{1}{2} \text{NW}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SW}\frac{1}{	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0 40.0 40.0 24.5 0.7 35.3 21.0 7.4
atural stream e difference in 500 feet 12. Locate Township N. or S. 36 S. 37 S.	to Paradise C ion of area to be irrivate to Willamette Meridian 14 E. 15 E. 14 E.	the stream bed reek; diff	and the ground surface erence in elevate forty-acre Tract SW\$\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SE}\frac{1}{2} \text{SW}\frac{1}{2} \text{SW}\frac{1}{	Number Acres To Be Irrigated 20.3 Acres 37.3 40.0 39.7 39.3 40.0 23.0 40.0 40.0 40.0 40.0 40.0 24.5 0.7 35.3 21.0 7.4

MUNICIPAL SUPPLY—	
13. To supply the city of	
in co	ounty, having a present population of
and an estimated population of	in 19
ANSWE Q	UESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of propo	osed works, \$ 15,000
***	begin on or before October 1, 1974
	be completed on or before October 1, 1976
17. The water will be comp	letely applied to the proposed use on or beforeQctober1,1977
	ipply is supplemental to an existing water supply, identify any appli- icate or adjudicated right to appropriate water, made or held by the
applicant. Supplemental	to Sprague River Adjudication and water right
application No. G-436	7.
	7-C Ranch, Inc.
Remarks:	(Signature of applicant) By*
	diverted under this application will use the
same irrigation system	n as is presently being used for diversion
under the Sprague Rive	er Adjudication and Application No. G-4367.
······································	
•••••••••••••••••••••••••••••••••••••••	
	······
••••••	-
•	1
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I hav	e examined the foregoing application, together with the accompanying
maps and data, and return the sam	ne for
•	
In order to retain its priority	y, this application must be returned to the State Engineer, with correc-
tions on or before	19
di	
WITNESS my hand this	day of, 19,
Transming region of the	
	STATE ENGINEER
	Bu

STATE OF OREGON,) -
County of Marion	ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

Th	e right	herein grant	ed is limited to	the amo	unt of u	vater which can	be applied to	beneficial use
						\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		n from the well mo. 2
Th	e use to	which this u	vater is to be ap	plied is	supple	mental irrig	ation	
If f	or irria	ation this an	poropriation sha	ll be lim	ited to	1/80th	of one cubic t	oot per second
		_	e irrigated and					_
		-	re irrigated dur					
			he rei n shall					
supply o	of any	prior rig	ht existing	for the	same]	and and shal	1 not excee	d the
limitat	ion al	lowed here	in, and shal	l be fu	rther]	imited to ap	propriation	of water
only to	the ex	ctent that	it does not	impair	or sub	stantially i	nterfere wi	th existing
surface	water	rights of	others.		, 			
The the works The line, adeq The shall keep The Act thereafter	e well sis shall in eworks quate to e permit o a compermit qual considerate and considerate an	nall be cased nelude prope constructed determine tee shall insplete record y date of this struction worksecuted with pplication of	easonable rotation of the amount of reasonable differences and the water to the second of the water to the wa	n accorded to the control version in a wei of groun November or before the propos	ince with alve to per and present water and water and be conserted with the conserted water and be conserted water	h good practice revent the wastessure gauge or ll at all times. or other suit withdrawn. 973 March 4,	e and if the fle of ground wan access portable measuring 1977. before October or before October or before October 1977.	ow is artesian ater. for measuring g device, and and shall er 1, 1978.
Application No. G- la 358 Permit No. G- G 6376	PERMIT	TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of November	1973, at 8:00 o'clock A M. Filed 30 NOV 1873 8:55 AM	Returned to applicant:	Approved:	Recorded in book No. Ground Water Permits on page G 637	STATE ENGINEER Drainage Basin No. 14. page 39.