## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, I Hom	AS K. FR	YER		
of 4825 SWEG	LE ROAD, SA	LEM	, county of	AKIDI!
state of OREGOLI following described grow	stoffice Address)	, do hereby make	application for a per	rmit to appropriate the
If the applicant is	a corporation, give da	te and place of inc	orporation	
	······································			
1. Give name of	nearest stream to wh	ich the well, tunn	el or other source of	water development is
situated Puddi	ng River			
2. The amount of feet per second or	f water which the ap	plicant intends to		se iscubic
3. The use to wh	ich the water is to be	e applied is R	CIGATION CE	5 4 <b>cc</b> ==
4. The well or ot	her source is located	520 ft. N	and 100 ft.	E from the 5 W
corner of bot #12	2 Mc Nary's	Fruit & Ga	rden Tracts.	
	(If preferable, gi	ve distance and bearing to	section corner)	
	If there is more than one we''.		<del>-</del>	
being within the	SW/4 NW	of Sec	. <b>20</b> . Twp. 7	5.,R.ZW,
W. M., in the county of	MARION			
5. <b>T</b> he	Portable F	pe line	to be	miles
in length, terminating i	n the	allest legal subdivision)	of Sec.	. <i>Twp</i>
R. , W. M., th	ne proposed location l	being shown throu	ghout on the accomp	anying map.
6. The name of t	the well or other work	ks is		
	DESC	CRIPTION OF W	ORKS	
7. If the flow to supply when not in use	be utilized is artesian			and conservation of the
			•	
8. The developm	nent will consist of	ر مرکب از ا Give nui	mber of wells, tunnels, etc.)	having a
diameter of	inches and an esti	mated depth of	69 feet. It is	estimated that
feet of the well will re	quire Steel	casing. D	epth to water table i	s estimated /~.

~	•	N' A T	Cromma.	ΩD	TOTAL:	T TATES
L	n	NAL	SYSTEM	UK	-1'11'F.	LINE

	ll per o
(b) At miles from headgate: width on top (at water line)	
(b) At miles from headgate: width on top (at water line)	
feet; width on bottom feet; depth of water	fee
de	
(c) Length of pipe, ft.; size at intake. in.; in size at	
m intake in.; size at place of use in.; difference in elevatio	n betwe
ake and place of use, ft. Is grade uniform? Estimated	l capaci
sec. ft.	
10. If pumps are to be used, give size and type Unknown at Present.	• •
Give horsenower and type of motor or engine to be used Same	
Give horsepower and type of motor or engine to be used Same	nile fron
11. If the location of the well, tunnel, or other development work is less than one-fourth returns turned or stream channel, give the distance to the nearest point on each of such ch	annels a rvelopmi
11. If the location of the well, tunnel, or other development work is less than one-fourth returns the stream or stream channel, give the distance to the nearest point on each of such ch	annels a
11. If the location of the well, tunnel, or other development work is less than one-fourth natural stream or stream channel, give the distance to the nearest point on each of such characteristic difference in elevation between the stream bed and the ground surface at the source of decomposition.	rtelopme
11. If the location of the well, tunnel, or other development work is less than one-fourth a tural stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth a tural stream or stream or stream or stream or stream or such as the source of development work is less than one-fourth a tural stream or stream or stream or such as the source of development work is less than one-fourth a tural stream or stre	rtelopme
11. If the location of the well, tunnel, or other development work is less than one-fourth a tural stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth a tural stream or stream or stream or stream or stream or surface at the source of development work is less than one-fourth a tural stream or stream or stream or stream or surface at the source of development work is less than one-fourth a tural stream or stream o	rtelopme
11. If the location of the well, tunnel, or other development work is less than one-fourth retural stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of deciding the surface at the surface at the source of deciding the surface at the	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of dealers of dealers of dealers of the source of dealers of the source of deal	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of dealers of dealers of dealers of the source of dealers of the source of deal	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of dealers of dealers of dealers of the source of dealers of the source of deal	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return turnel stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of deciding the stream of the stream bed and the ground surface at the source of deciding the stream of the stream of the stream of the stream of the ground surface at the source of deciding the stream of	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return turnel stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of deciding the stream of the stream bed and the ground surface at the source of deciding the stream of the stream of the stream of the stream of the ground surface at the source of deciding the stream of	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return turnel stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of deciding the stream of the stream bed and the ground surface at the source of deciding the stream of the stream of the stream of the stream of the ground surface at the source of deciding the stream of	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth return turnel stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of deciding the stream of the stream bed and the ground surface at the source of deciding the stream of the stream of the stream of the stream of the ground surface at the source of deciding the stream of	eres ated
11. If the location of the well, tunnel, or other development work is less than one-fourth rivial stream or stream channel, give the distance to the nearest point on each of such che difference in elevation between the stream bed and the ground surface at the source of decidence in elevation of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Township  N. or S.  Range  Z or W of  Williametre Meridian  Gection  Forty-acre Tract  Number A  To Be Irrig  7.5  2.0  NW/14. NW/14  0.62  SW/14. NW/14  4.35	eres ated

MUNICIPAL SUPPLY—  13. To supply the city of
n county, having a present population of
and an estimated population of in 19 in
14. Estimated cost of proposed works, \$ 1000
15. Construction work will begin on or before Upon reciept of permit.
16. Construction work will be completed on or before Summer of '58
17. The water will be completely applied to the proposed use on or before FAIL of 58
18. If the ground water supply is supplemental to an existing water supply, identify any appleation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. Nove
, Thomas R. Fryer (Signature of applicant)
L. D. Lot 12 of Mc Nary's Fruit & Garden Tracts.
· .
• 
STATE OF OREGON.
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanyi
maps and data, and return the same for
· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
In order to retain its priority, this application must be returned to the State Engineer, with corre
tions on or before, 19,
WITNESS my hand this day of ,19 .

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 22 acre feet per acre for each acre irrigated during the irrigation season of each year: provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

September 10, 1957 The priority date of this permit is

Actual construction work shall begin on or before September 12, 1958

and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 19 60

.19 57 September WITNESS my hand this 12th day of

LEWIS A. STANLEY

STATE ENGINEER

Max F. Rogers Deputy September 12, 195 Recorded in book N Ground Water Permits Drainage Basin No. Approved:

Application No. Permit No. G- PERN TO APPROPRIATE

THE STATE

CON

WATERS OF 1 OF ORE

This instrument was

office of the Statc Engin 19.57, at 1,380 oclo on the 12 day of

Returned to applicant:

LEVIS A. STATIET

State Print

\*\* ()