

Permit No. G. G. 6417

APPLICATION FOR A PERMIT

CERTIFICATE NO. 49562

To Appropriate the Ground Waters of the State of Oregon

I, OREGON STATE	HICHWAY DIVISION (Name of applicant)
P. O. Bex 850 LaGrande, Oregon 97850	D UNION, county of UNION
(Postoffice Address)	hereby make application for a permit to appropriate
ollowing described ground waters of the state of	Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date a	nd place of incorporation
1. Give name of nearest stream to which the	he well, tunnel or other source of water developmen
	(Name of stream)
	tributary of CATHERINE OREEK_
2. The amount of water which the applicant per second or gallons per minut	nt intends to apply to beneficial use iscu
3. The use to which the water is to be app	olied is Rest area use - Grant water
supply and landscape irrigation-	-45 GPM
4. The well or other source is located 1892	2. ft. S. and 134/ ft. E. from the W. (R. or W.)
(Section	on or subdivision)
(If preferable, give distan	ce and bearing to section corner)
(18 thans to more than are well each will	st be described. Use separate sheet if necessary)
	of Sec. 12 Twp. 48 R. 38E
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
. M., in the county of UNION	<u> </u>
5. The	to be mil
(Canal or pipe line)	
tength, terminating in the	ubdivision) of Sec, Twp.
, W. M., the proposed location being	shown throughout on the accompanying map.
6. The name of the well or other works is	has. H. Reynolds Safety Rest Area
DESCRIPTI	ION OF WORKS
7. If the flow to be utilized is artesian, the wapply when not in use must be described.	orks to be used for the control and conservation of the
Not applicable	
· · · · · · · · · · · · · · · · · · ·	
8. The development will consist of	ene vell having (Give number of wells, tunnels, etc.)
8. The development will consist of	
8. The development will consist of	ene vell having (Give number of wells, tunnels, etc.)

NAL SYSTE	M OR PIPE LINE	E		
9. (a) Giv	e dimensions at e	ach point of c	anal where materially change	ed in size, stating miles from
adgate. At hea	dgate: width on to	op (at water l	ine)	feet; width on bottom
-	feet; depth of v	vater 📜 🖚	feet; grade	feet fall per one
ousand feet.				
(b) At		iles from head	gate: width on top (at water	line)
	feet; width on	bottom	feet; depth of wo	ater feet;
de=	feet fall 1	per one thousa	and feet.	
(c) Length	of pipe,	ft.; s	ize at intakein.;	in size at ft.
m intake	= in.; si	ze at place of	use in.; diffe	erence in elevation between
ake and place	of use,	ft. 1	Is grade uniform?	Estimated capacity,
Maria de la composition della	sec. ft.		• •	
10. If pum	ps are to be used.	give size and t	ype Submersible 60 -	- 90 GPM
			#1 m	
Give horse	epower and type	of motor or e	ngine to be used7 H	
			• •	
atural stream difference in	or stream channe elevation between	l, give the dis a the stream b	ther development work is less tance to the nearest point on ed and the ground surface at	each of such channels and the source of development
atural stream difference in	or stream channe	l, give the dis a the stream b	tance to the nearest point on	each of such channels and the source of development
atural stream difference in 450 * eas well	or stream channe elevation between terly to Ladd	el, give the dis n the stream b Creek	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1	each of such channels and the source of development Lower than ground at
atural stream difference in 450 * eas well	or stream channe elevation between terly to Ladd	el, give the dis n the stream b Creek	tance to the nearest point on ed and the ground surface at	each of such channels and the source of development Lower than ground at
atural stream difference in 450 1 eas well 12. Locatio	or stream channe elevation between terly to Ladd on of area to be ir Range E. or W. of	el, give the dis n the stream b Creek rigated, or pla	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 ce of use Chas. H. Reynold	de Sefety Rest Area
atural stream difference in 450 1 eas well 12. Locatio	or stream channe elevation between terly to Ladd on of area to be ir Range E. or W. of	el, give the dis n the stream b Creek rigated, or pla	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 ce of use Chas. H. Reynold	de Sefety Rest Area
atural stream difference in 450 1 eas well 12. Location Township N. or S.	or stream channe elevation between terly to Ladd on of area to be ir Range E. or W. of Willamette Meridian	el, give the dis n the stream b Creek rigated, or pla	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 ce of use Chas. H. Reynol. Forty-acre Tract	de seach of such channels and the source of development Lower than ground at de Sefety Rest Area Number Acres To Be Irrigated
atural stream difference in 450	or stream channe elevation between terly to Ladd on of area to be in Range E. or W. of Willamette Meridian 38E	el, give the dis n the stream b Creek rigated, or pla Section	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract	de seach of such channels and the source of development Lower than ground at de Sefety Rest Area Number Acres To Be Irrigated
atural stream difference in 450 1 ess well 12. Location Township N. or S. 45 45	or stream channe elevation between terly to Ladd on of area to be in Range E. or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla Section	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet] the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4	de seach of such channels and the source of development Lower than ground at de Sefety Rest Area Number Acres To Be Irrigated
atural stream difference in 450 1 eas well 12. Location Township N. or S. 45 45 45 45	or stream channe elevation between terly to Ladd on of area to be in Range E or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla section 12 // // //2	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4 NW/4 NW/4	de Safety Rest Area Number Acres To Be Irrigated 1.43 4 Rest Rest Rest Rest Rest Rest Rest Rest
atural stream difference in 450 1 eas well 12. Location Township N. or S. 45 45 45 45	or stream channe elevation between terly to Ladd on of area to be in Range E or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla section 12 // // //2	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4 NW/4 NW/4	de Safety Rest Area Number Acres To Be Irrigated 1.43 4 Rest Rest Rest Rest Rest Rest Rest Rest
atural stream difference in 450 1 eas well 12. Location Township N. or S. 45 45 45 45	or stream channe elevation between terly to Ladd on of area to be in Range E or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla section 12 // // //2	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4 NW/4 NW/4	each of such channels and the source of development lower than ground at ds Safety Rest Area Number Acres To Be Irrigated 7.5 /
tatural stream difference in 450	or stream channe elevation between terly to Ladd on of area to be in Range E or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla Section 12 // // //2 //2	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4 NW/4 NW/4	each of such channels and the source of development lower than ground at ds Safety Rest Area Number Acres To Be Irrigated 7.5 /
tatural stream difference in 450	or stream channe elevation between terly to Ladd on of area to be in Range E or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla Section 12 // // //2 //2	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4 NW/4 NW/4	each of such channels and the source of development lower than ground at ds Safety Rest Area Number Acres To Be Irrigated 7.5 /
tatural stream a difference in 450	or stream channe elevation between terly to Ladd on of area to be in Range E or W. of Willamette Meridian 38E 38E 38E	el, give the dis n the stream b Creek rigated, or pla Section 12 // // //2 //2	tance to the nearest point on ed and the ground surface at stream bed is 2.2 feet 1 the ce of use Chas. H. Reynold Forty-acre Tract NE/4 NE/4 SE/4 NE/4 NW/4 NW/4	each of such channels and the source of development lower than ground at ds Safety Rest Area Number Acres To Be Irrigated 7.5 /

Character of soil alluvium covered with topseil

Kind of crops raised landscape - lawn, shrubs, & trees

13. To supply the c	city ofNot_applicable	
·	county, having a present popul	lation of
nd an estimated populati	ion of in 19	
	swer questions 14, 15, 16, 17 and 1	8 IN ALL CASES
14. Estimated cost	of proposed works, \$5,620 (well	enly)
15. Construction we	ork zoobboganemaskajaga began	11/30/73 B & A Pump Service - La
16. Construction we	ork will be completed on or before	11/30/76 (Rest Area)
	be completely applied to the proposed	
		existing water supply, identify any appl
tion for permit, permit	t, certificate or adjudicated right to	appropriate water, made or held by th
plicant. Not appli	cable	· · · · · · · · · · · · · · · · · · ·
	× La	WW Cen
Remarks:	Dale D.	(Signature of applicant) Allen Region Construction Eng.
		and discussed the necessity of a
		r is to be used - with Mr. Carrer
Jones. Mr. Jo	mes indicated that a legal des	cription in this particular in-
stance was not	Recessary. 347	

		,
:		
	, , , , , , , , , , , , , , , , , , ,	
TATE OF OREGON, \		
TATE OF OREGON, \	88.	
FATE OF OREGON, County of Marion,	58.	
FATE OF OREGON, County of Marion, This is to certify th	ss. act I have examined the foregoing app	plication, together with the accompanyin
TATE OF OREGON, County of Marion, This is to certify th	58.	plication, together with the accompanyin
TATE OF OREGON, County of Marion, This is to certify th	ss. act I have examined the foregoing app	plication, together with the accompanyin
TATE OF OREGON, County of Marion, This is to certify th aps and data, and return	ss. at I have examined the foregoing apply the same for	plication, together with the accompanying
FATE OF OREGON, County of Marion, This is to certify th aps and data, and return In order to retain its	ss. at I have examined the foregoing apply the same for	plication, together with the accompanying
TATE OF OREGON, County of Marion, This is to certify th aps and data, and return In order to retain its	ss. at I have examined the foregoing apparathe same for	plication, together with the accompanying
TATE OF OREGON, County of Marion, This is to certify th aps and data, and return In order to retain its ons on or before	ss. at I have examined the foregoing apply the same for	plication, together with the accompanying turned to the State Engineer, with correc
TATE OF OREGON, County of Marion, This is to certify th aps and data, and return In order to retain its ons on or before	ss. at I have examined the foregoing apply the same for	plication, together with the accompanying
TATE OF OREGON, County of Marion, This is to certify th aps and data, and return In order to retain its ons on or before	ss. at I have examined the foregoing apply the same for	plication, together with the accompanying turned to the State Engineer, with correc

STATE	OF	OREGON,		
Coun	tu o	f Marion	Ì	SS.

PERMIT

•		(j , :	ng limitations ar	ne-si		
and shall not exce	ierein granted	is limited to the am	ount of water w	hich can be ap	oplied to beneficial use	:
	eed 0.33	cubic feet per se	cond measured a	t the point of c	liversion from the well	Į.
or source of appro	opriation, or its	equivalent in case	of rotation with	other water us	sers, from Charles H.	
Reynolds Safe	ty Rest Ares	Well		•••••		•
The use to	which this wat	er is to be applied is	irrigation	and rest ar	ea use, being	
If for irrigo	ition, this appro	opriation shall be lin	nited to 1/80t	h of one	e cubic foot per second	!
or its equivalent	for each acre ir	rigated and shall be	: further limited	to a diversion	of not to exceed 3	•
* · *						
***************************************					·	
					• · · · · · · · · · · · · · · · · · · ·	
•••••						
<i>F</i>	See .	onable rotation syste			roper state officer. if the flow is artesian	
the works shall in The works line, adequate to	clude proper co constructed sho determine wa tee shall instal	apping and control t all include an air lit ter level elevation l and maintain a we	valve to prevent ne and pressure g in the well at all eir, meter, or of	the waste of g auge or an acc times. her suitable i		
# #		the ameant of gree	ina water witha	-	. · · · · · · · · · · · · · · · · · · ·	
	A STATE OF THE STA			-	· · · · · · · · · · · · · · · · · · ·	
The priority	y date of this pe	ermit is April 8	, 1975			
The priority Actual cons	y date of this pe	ermit isApril 8 shall begin on or be	, 1975 foreMarch 24	1977	and shall	
The priority Actual cons thereafter be pros	y date of this pe truction work : secuted with re	ermit isApri.1 8 shall begin on or be easonable diligence	, 1975 fore March 24 and be complete	• 1977 ed on or befor	e October 1, 19.77	
The priority Actual cons thereafter be pro-	y date of this per truction work a secuted with re oplication of th	ermit is April 8 shall begin on or be easonable diligence be water to the propo	, 1975 fore	• 1977 ed on or befor	and shall e October 1, 19.77 fore October 1, 1978.	
The priority Actual cons thereafter be pro-	y date of this per truction work a secuted with re oplication of th	ermit isApri.1 8 shall begin on or be easonable diligence	, 1975 fore	• 1977 ed on or befor	e October 1, 19.77	
The priority Actual cons thereafter be pro-	y date of this per truction work a secuted with re oplication of th	ermit is April 8 shall begin on or be easonable diligence be water to the propo	, 1975 fore	1977 ed on or befor made on or be	and shall e October 1, 19.77 fore October 1, 1978.	