

RECEIVED
APR 16 1975
STATE ENGINEER
SALEM, OREGON

Permit No. G-6426

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Landrith, George J (Name of applicant)
of 1013 Simon St N Salem Ore 97303 county of Marion (Postoffice Address),
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Clear Lake (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is .75 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 4748 feet N. 41° 55' West from East 1/4 section corner of section 15 in T6S R3W (N. or S.) (E. or W.) (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 of SW 1/4 of Sec. 10, Twp. 6S, R. 3W, W. M., in the county of Marion

5. The Pipe line (Canal or pipe line) to be .31 miles in length, terminating in the SE 1/4 of SW 1/4 of Sec. 10, Twp. 6S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Landrith #1 #4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well (Give number of wells, tunnels, etc.) having a diameter of 12" inches and an estimated depth of 100 feet. It is estimated that feet of the well will require 100 casing. Depth to water table is estimated 16' (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1650 ft.; size at intake 6" in.; in size at ft. from intake in.; size at place of use 6" in.; difference in elevation between intake and place of use, None ft. Is grade uniform? Yes Estimated capacity, 75 sec. ft.

10. If pumps are to be used, give size and type Worthington Centrifugal
6" Suction 6" Discharge

Give horsepower and type of motor or engine to be used 3 Phase Electric
Motor GE Model 5K6248XH4A 50HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	3W	10	NE $\frac{1}{4}$ SW $\frac{1}{4}$	20 ⁰
6S	3W	10	S $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$	30 ⁰
6S	3W	10	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40 ⁰
6S	3W	10	SW $\frac{1}{4}$ SE $\frac{1}{4}$	60 ⁰
				60 ⁰

(If more space required, attach separate sheet)

Character of soil loam
Kind of crops raised Row Crops

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4000.00
- 15. Construction work will begin on or before Complete
- 16. Construction work will be completed on or before Complete
- 17. The water will be completely applied to the proposed use on or before Sept 1, 1977

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. George J Landrith by

Floyd L. Surmond
(Signature of applicant)

Remarks: Will authorize cancellation of that portion of GR 3037 Cert 2843

- 30⁰ Ac in SE 1/4 of SW 1/4 of Sec 10 T6S R20W
- x 10⁰ Ac in SW 1/4 of SW 1/4 " " " " "
- 37⁰ Ac in SW 1/4 of SE 1/4 " " " " "
- 198⁰ Ac in NE 1/4 of SW 1/4 " " " " "
- x 0⁰ Ac in NW 1/4 of SW 1/4 " " " " "
- 3⁰ Ac in NW 1/4 of SE 1/4 " " " " "

Well drilled 1971-1972

x Erroneously described on GR-2843, should be within the NE 1/4 SW 1/4 and SE 1/4 SW 1/4 of Section 10 T6S R20W. May 15, 1975

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Landrith Well No. 4

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 16, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 24th day of March, 1976.

James C. [Signature]
WATER RESOURCES DIRECTOR

Application No. G-6897
Permit No. G-6426

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of April, 1975, at 2:37 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6426
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 142