

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 8" well: 4" submers. w/4" centr. booster
10" well: 6" deep well turbine and 6" centrifugal booster

Give horsepower and type of motor or engine to be used 8" well: 40 HP submersible
w/20 HP booster, 10" well: 75 HP w/40 HP booster

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

8" well 30' from stream. Ground 30 ft. above
stream bed. 10" well is more than 1/4 mi. from stream

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S.	1E.	16	N.E. 1/4, N.W. 1/4	26.7
3S	1E	16	S.W. 1/4, N.W. 1/4	32.3
3S	1E	16	S.E. 1/4, N.W. 1/4	30.2
3S	1E	16	N.W. 1/4, S.W. 1/4	18.1
3S	1E	16	N.W. 1/4, S.W. 1/4	23.4
			Total	130.7

JK 4-25-75

(If more space required, attach separate sheet)

Character of soil loam

Kind of crops raised grass

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 37,000.....
- 15. Construction work will begin on or before already constructed.....
- 16. Construction work will be completed on or before " ".....
- 17. The water will be completely applied to the proposed use on or before already applied.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. none.....

William Kaiser, President

William Kaiser
(Signature of applicant)

Remarks:

Application is for an existing golf course irrigation system.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.64 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells, being 0.82 c.f.s. from each well

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 25, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 24th day of March, 1976.

James E. ...
WATER RESOURCES DIRECTOR

Application No. G-6909
Permit No. G-6433

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of April, 1975, at 11:28 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. G 6433 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 142