

RECEIVED

APR 28 1975
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 52378

Permit No. G- G 6437

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, LANE COUNTY SCHOOL DISTRICT #52
(Name of applicant)
of 4640 BARGER AVE. EUGENE, county of LANE,
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMETTE RIVER
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION OF FOOTBALL AND BASEBALL FIELDS

4. The well or other source is located 1655.51 ft. S and 617.33 ft. E from the NW corner of Section 22
(Section or subdivision)

N. 25° 52' 02" W. 1873.05 TO NW COR SEC 22 T. 17 S R. 4 W. W. M.
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the boundary SW 1/4 NW 1/4 of Sec. 22, Twp. 17 S, R. 4 W, W. M., in the county of Lane

5. The not applicable (Canal or pipe line) to be miles in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is WILLAMETTE

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 having a diameter of 8" inches and an estimated depth of 90 feet. It is estimated that 90 feet of the well will require Steel 250 gauge casing. Depth to water table is estimated 6 ft below land surface. STATIC LEVEL 12/2/74

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type submersible 3" discharge
4" motor

Give horsepower and type of motor or engine to be used 20 hp 220V 3 phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

not applicable

12. Location of area to be irrigated, or place of use ATHLETIC WILLAMETTE HIGH SCHOOL FIELDS 1201 ECHO HOLLOW ROAD EUGENE.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17S	4W	22	60 acres	14.2 21.49
			NW NW	6.19
			SW NW	15.30
				<u>21.49</u>

(If more space required, attach separate sheet)

Character of soil Brown sandy clay - 6' Brown sand and gravel open 35'-56'
Light clay + gravel 6' to 35' 6" Brown sand and gravel with
Kind of crops raised Grass for ATHLETIC FIELDS brown clay filler 56' to 90'

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5460
- 15. Construction work will begin on or before Nov 25, 1974 *(Gus Stokes Logging Co GARLAND COX, DRILLER)*
- 16. Construction work will be completed on or before Feb 28, 1975 *(well drilled complete Actual date 12-3-74)*
- 17. The water will be completely applied to the proposed use on or before MAY 1, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Harvey County School District #52
by Ray Johnson
(Signature of applicant)

Remarks:

Water will report sent in by Gus Stokes Logging on Feb 3, 1975
To STATE ENGINEER'S OFFICE

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~July 20~~ 1975..
September 7 75

WITNESS my hand this 17th day of July, 1975

CHRIS L. WHEELER
STATE ENGINEER
Thomas E. Shook
By Thomas E. Shook ASSISTANT

RECEIVED
JUL 2 4 1975
WATER RESOURCES DEPT.
SALEM, OREGON
JUN 16 1975
STATE ENGINEER
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Willamette Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 28, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 24th day of March, 1976.

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER FH C

Application No. G- 6915
Permit No. G- G 6437

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 28th day of April,
1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Ground Water Permits on page **G 6437**.

STATE ENGINEER

Drainage Basin No. 2 page 1#2