

Permit No. G. G 6438

CERTIFICATE NO. 47152

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

Leave M. Cuttan & Allino C. Cuttan	
I, Lena M. Grimm & All yne Ca Grimm	
of 5735 SE 117th Part Land, county of Mult.	
state of <u>Oxegon</u> 97266, do hereby make application for a permit to following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIC	HTS:
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water	development is
situated Milk Creek (Name of stream)	
	0.
tributary of Malalla	KIYEX
2. The amount of water which the applicant intends to apply to beneficial use is feet per second or gallons per minute.	0.19 cubic
3. The use to which the water is to be applied is	
o. The ale to writer the water to to be approarie	
4. The well or other source is located 800 ft. N and 515 ft. E fr. (N. or S.) corner of Government Lot 3 said Section of Section corner)	om the Allywin
(If preserable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	
being within the NEX SW/4 of Sec. 3.5, Twp. 4.5	, R
W. M., in the county of	i
5. The Portable Tyrsterm to be (Canal or pipe line)	miles
in length, terminating in the, Transcription (Smallest legal subdivision)	vp,
R, W. M., the proposed location being shown throughout on the accompanying	
6. The name of the well or other works is	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and consupply when not in use must be described.	servation of the
	-4
그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	
8. The development will consist of	
diameter of inches and an estimated depth of Z.C feet. It is estimate	ed that
feet of the well will require <u>Stee</u> casing. Depth to water table is estimate	(Feet)
mell completed 1972	
en de la companya de	

\$P*7082

feet; depth of water for the headgate: width on top (at water line) sand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, feet; size at intake in; in size at ft intake in; size at place of use and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used Give horsepower and type of motor or engine to be used J. H. Andr. Alex. function of the well, tunnel, or other development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and gifterence in elevation between the stream bed and the ground surface at the source of development DOR feet floors Mills Creek 30 to 50 feet of Afference in elevation 12. Location of area to be irrigated, or place of use Typingham were an elevated with the stream bed and the ground surface at the source of development DOR feet floors Mills Creek 30 to 50 feet of Afference in elevation Typingham were surfaced as a section for the surface of the	gate. At head	lgate: width on t	top (at water l	ine)	feet; width on botton
the stand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; width on bottom feet; width on bottom feet; depth of water feet, feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at ft. intake in.; in size at fit. intake in.; in size at place of use in.; difference in elevation between e and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used J. H.R. Andr. Alt. Language Give horsepower and type of motor or engine to be used J. H.R. Andr. Alt. Language 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and lifterence in elevation between the stream bed and the ground surface at the source of development LOCAL feet for between the stream bed and the ground surface at the source of development LOCAL feet for between the stream bed and the ground surface at the source of development LOCAL feet for section 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use LOCAL feet for section LOCAL fee			ř.		-
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; width on bottom feet; width on bottom feet; depth of water feet, feet, feet; width on bottom feet; depth of water feet, feet, feet; width on bottom feet; depth of water feet, feet, feet, feet; depth of water feet, feet		, ,			, , , , ,
feet; width on bottom feet; depth of water feet; [c) Length of pipe, fit; size at intake in.; in size at fit intake in.; in size at fit intake in.; is size at place of use in.; difference in elevation between the and place of use, ft. Is grade uniform? Estimated capacity, see. It. [10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 3. H.P. Inh. Miles and fifteened and type of motor or engine to the used 3. H.P. Inh. Miles and fifteened and ifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and ifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and ifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from ural stream. [20. Location of area to be irrigated, or place of use	F.	m	iles from head	laate: width on ton (at water	line)
e feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at ft. (c) Length of pipe, ft.; size at intake in.; in size at ft. (c) Length of pipe, ft.; size at intake in.; in size at ft. (c) Length of pipe, ft.; size at intake in.; in size at ft. (d) If pumps are to be use, ft. Is grade uniform? Estimated capacity. (e) Sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used for the horsest point on each of such channels and inference in elevation between the stream bed and the ground surface at the source of development inference in elevation between the stream bed and the ground surface at the source of development inference in elevation between the stream bed and the ground surface at the source of development inference in elevation between the stream bed and the ground surface at the source of development inference in elevation in each of such channels and inference in elevation in each of such channels and inference in elevation in each of such channels and the ground surface at the source of development in each of such channels and in					
(c) Length of pipe, ft.; size at intake in.; in size at ft. intake in.; size at place of use in.; difference in elevation between the and place of use, ft. Is grade uniform? Estimated capacity. sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 3 H.P. Inha alexandra. Give horsepower and type of motor or engine to be used 3 H.P. Inha alexandra. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tural stream or stream channel, give the distance to the nearest point on each of such channels and ifference in elevation between the stream bed and the ground surface at the source of development 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. The stream of the well of the West half of Location 35 T to 14. Supply lack 25. The stream of the s			1		, jeet
intake in; size at place of use in; difference in elevation between se and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used J. H.P. Ind. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16			-		in sine at
sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 3. H.P. 2nh. 2/e.s. and Give horsepower and type of motor or engine to be used 3. H.P. 2nh. 2/e.s. and II. If the location of the well, tunnel, or other development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and lifference in elevation between the stream bed and the ground surface at the source of development 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Sast Act of the East Act of the Whith had of location 35 to the province of the location of area to be irrigated for place of use 15. Other of poulocurrent fact of lack Degenning at 6. 16. Other of poulocurrent fact of lack Degenning at 6. 17. Other of poulocurrent fact of lack Degenning at 6. 18. Other of location line 1200 feet more or low to cape Sof the Guarles Station line there were not location of the cape of line to a paint Northerly, received along the results of line to a paint Northerly, received along there were loss than the Northerly of location of the state of the line of parallel to the line of parallel to the line of parallel to the line of the	•				
3. Les of the East help of the Whithhelp of Les of the Williamere Meridian Bection of the Williamere Meridian Bection of the Williamere Arthur Deleter of the Lester of th					
Give horsepower and type of motor or engine to be used 3. H.P. Inh. 1/2.c. pump. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and lifference in elevation between the stream bed and the ground surface at the source of development 1000 feet fraces. Milk. Leek. 30 to 50 feet of flacence. in elexant 11. If the location of area to be irrigated, or place of use. 12. Location of area to be irrigated, or place of use. 13. Location of area to be irrigated, or place of use. 14. Surface Williamste Meridian Bection Processore Treat of Section 35 to be first and flat of the Williamste Meridian Bection Processore Treat of Section 35 to be for the Section 1 to 100 feet man or land be supported by the General Section 1 to 100 feet man or land be supported by the General Section 1 to 100 feet man or land be supported by the General Section 1 to 100 feet man or land be supported by the General Section 1 to 100 feet man or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or land by the section 1 to 100 feet more or			Jt. 1	is grade unijorm?	Estimatea capacity
Give horsepower and type of motor or engine to be used 3. H.P. 2016. 2/2 ca. pump 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and ifference in elevation between the stream bed and the ground surface at the source of development 1200 feet from Milk. Creek - 30 to 50 feet of flexance in elexance 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Suffy 15. Connect of Williamster Maridian 16. Suffy 17. Suffy 18. Connect of Control of the West Kall of Stockers 35 to 40 18. Connect of Control of Control of the West Kall of Stockers 35 to 40 18. Connect of Control of Control of the Stockers Stocker			1		
Give horsepower and type of motor or engine to be used 3. H.P. And Alexan pump. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from ural stream or stream channel, give the distance to the nearest point on each of such channels and lifference in elevation between the stream bed and the ground surface at the source of development 1000 feet. She can Milk Creek - 30 to 50 feet of flexance in elexanter of the summitted burieties beriefless. 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. She will be served to be irrigated as a section of the served of the section of will be served to the will be served of the section of will be served on the section of the	10. If pump	os are to be used,	give size and t	ype	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development IRRA fleet fleet. 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Section Williams for the What had a following the section of the williams for the irrigated of the What had a following the section of the williams of the williams for the williams of					_
inval stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development 1000 feet frame. Milks Creek - 30 to 50 feet difference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Nor 8. Township Nor 8. Range Township Nor 9. Range Township Nor 12. Range Nor 12. R	Give horse	power and type	of motor or e	ngine to be used 3. H.F.	Jub eleca pum
inval stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development 1000 feet frame. Milks Creek - 30 to 50 feet difference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Nor 8. Township Nor 8. Range Township Nor 9. Range Township Nor 12. Range Nor 12. R					
12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township No. 2. Range Township Township No. 2. Range Township Township No. 2. Range Township No. 2. Ran					
12. Location of area to be irrigated, or place of use Township North of the East helf of the What half of Societies 35 to the Wash Section As 2E 35- Respectively of the What half of Societies 35 to the What Sestion line 1270 feet more or law to aport of the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport the Genetic Section line 1270 feet more or law to aport lin	tural stream	or stream channe	el, give the dis	tance to the nearest point on	each of such channels and
12. Location of area to be irrigated, or place of use Township N. or S. Range of Williamste Maridian Section Fortygere Tract A 5 2 E 35 - Range of Williamste Maridian Range of Williamste Maridian Section Fortygere Tract A 5 2 E 35 - Range of Williamste Maridian Range of Williamste Maridian Section Fortygere Tract A 5 2 E 35 - Range of Williamster Acres Fortygere Tract A 5 2 E 35 - Range Range of Williamster Acres Fortygere Tract A 5 2 E 35 - Range Range of Williamster Acres Fortygere Tract A 5 2 E 35 - Range Range of Williamster Acres Fortygere Tract A 5 2 E 35 - Range Range of Williamster Acres Range of Range Range of Williamster Acres Range of Range Range of Ran		,			
Township Range E. or W. of Willamette Meridian Section Protegree Tract To Be Irrigated 45 2 = 35	1000 fee	t from	Milk Cree	k - 30 to 50 feet	difference in elexa
Township Range E. or W. of Willamette Meridian Section Protegree Tract To Be Irrigated 45 2 = 35					
Township Range E. or W. of Willamette Meridian Section Protegree Tract To Be Irrigated 45 2 = 35	ATTACA BELIEVA TO CONTRACTOR OF THE STATE OF	ester or statistical orbitocommunication			
Township Range E. or W. of Willamette Meridian Section Protegree Tract To Be Irrigated 45 2 = 35	ering to a committee or an angerna per externing and a state of the st	odice i en dilligit i i i i i i i i i i i i i i i i i i	•		
Township Williamette Meridian Section Portypers Tract To Be Irrianced 45 2E 35 The What Kall of Jobbson 35 The State What Kall of Jobbson 35 The State W. M. described as follows Reginning at 60. (E of the W. M. described as follows Reginning at 60. (Corner of) Government Lat 3 Said Lection 35. There is the General Section Line 1270 Lect more or lan waps of the General Section Line things to 50° E 6765 to the edition of Market Road No! thense Not the section of the road line to a point Northerly, recessing along their south line was the Notes of Daid Lovern B. thense West Parallel Total News of Daid Lovern B. Land N line 35° There e. 30° To Raid Character of soil.	Chief de la complete a se la constante de la c	an in ang ang ang ang ang ang ang ang ang an			
Part of the East helf of the What half of Loalion 35 to 4 (E of the W. M. described as follows Beginning at 6 1). Corner of pouroliment Lot 3 land tealion 35; there are 1/4 the Section line 1270 feet more or law to apo Sty the gentles Section line; thence 6: 20; thence N the gentles Section line; thence N50° E 6765 to the e of Market Road NO! thence Southbackerly in De ter road line to a point Northerly, received alore Center line 270 from the N line of Daid Lovern 3 thence West parallel Total 15 across h Daid N line 35 2; There 2, 23 30 E 270 70 Rais Character of soil	12. Locatio	n of area to be in	rrigated, or pla	ice of use	
Act of the East helf of the What half of Section 35 to 8. E of the W. M. described as follows beginning at 6. (E of the W. M. described as follows beginning at 6. (Corner of pouloerment hat 3 Said feelion 35: there on 1/16 the Section line 1270 feet more or law to apartice Section line; thense N. 50° E 676 5 to the eff Market Road No! thense Southeasterly in Deler road line to a point Northerly, recessing along the road line to a point Northerly, recessing along there we want parallel Total 15 ocross h. Land N line 350 to Parallel Total 15 ocross the Land N line 35° 2; There e S. 23° 30° E 270° to Raid Character of soil	Township	Range E. or W. of	,	ce of use	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty, acre Tract	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty, acre Tract	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty, are Tract	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty, acre Tract AND SMA	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Porty, acre Tract Party, Surfy West Kaly of	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Porty sere Tract Party Surfy West Kall of A fact 3 food \$1.	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Portugere Tract NET SWA What kal of that 3 Soud to 1270 Leet more	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	West kel of 1270 feet more	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	West kel of 1270 feet more line thence \$1500	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Portugere Tract NEL SWAY West kal of el as follows in 1270 feet more line thence is thence N50° thence Souther	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Portugere Tract NELL SWIN West kalf of es as follows in 1270 feet more line thence & 500 hence Swither	
Character of soil	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty cre Tract NELL SWIN What kalf of el as follows in 1270 feet more line there & 500 hence Swither Motherly, and the Notherly, and the Notherly, and the Northerly, and the No	
	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty or Tract of Start of Sta	12 Ac 12 Ac 10 bleden 35 to Reginning at to Relian 35; there or law to apo 20; theree N E 6765 to the exterly in D research alon 215 ares
et Journment Lot 3; theree Won said lot line to ut of beginning. Intuate in the County of Class It of beginning. Intuate in the County of Class	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract What kall of el as follows in 1270 feet more line theree & thense Souther Motherly, and Mot	12 Ac 12 Ac 10 bleden 35 to Reginning at to Relian 35; there or law to apo 20; theree N E 6765 to the exterly in D research alon 215 ares
et Lovernment Lot 3; Theree Wonsaid lot line to ut of beginning. Situate in the County of Class	Township N. or S. 4 5 Part of the RE of the N. Corner on 1/16 I Say the the Rue the Rue Lee ros Lee	Range E. or W. of Willamette Meridian 2 E 6 East h 1 W. M 1 N O Gov the Sesting 2 Line Sect N line S N line S	Section	Forty, acre Tract Party What kale of El as follows in 1270 feet more ling thence & so thence Souther Motherly, and the Northerly, and the N line of ling the N line of ling the S. 23 30	12 Ac 12 Ac 10 bleden 35 to Reginning at to Relian 35; there or law to apo 20; theree N E 6765 to the exterly in D research alon 215 ares
it of beginning. Ituate in the County of Class	Township N. or S. 4 5 Part of the RE of the W. Corner on 1/16 I Say the the Rece ne of 77 Lee ros Lee ros Lee ros Character of	Range E. or W. of Willamette Meridian 2 E 6 East h 1 W. M 1 Nov the Sesting 2 Line Sect Nov Nov Nov Nov Nov Nov Nov No	Section 35 Clother line Scatters A Holi paralle signore species 52; The	What kel of the soul for the soul of the Northerly, and the Northerly, and the superate sheets 300 meets 233 30	Joblian 35 to Raise November 20 to Raise Sovered alor
State of crego	Township N. or S. 4 5 Part of the D. Corne Son 116 Sof the the Rue the Rue the Rue the Rue the Rue Character of	Range E. or W. of Willamette Meridian 2 E 6 East h 1 W. M 1 Nov the Sesting 2 Line Sect Nov Nov Nov Nov Nov Nov Nov No	Section 35 Clother line Scatters A Holi paralle signore species 52; The	What kel of the soul for the soul of the Northerly, and the Northerly, and the superate sheets 300 meets 233 30	Joblian 35 to Raise November 20 to Raise Sovered alor
	Township N. or S. 4 5 Part of the RE of the N. Corner on 1/16 Sof the the Rue the Rue the Rue the Rue the Rue Character of	Range E. or W. of Willamette Meridian 2 E 6 East h 1 W. M 1 Nov the Sesting 2 Line Sect Nov Nov Nov Nov Nov Nov Nov No	Section 35 Clother line Scatters A Holi paralle signore species 52; The	What kel of the soul for the soul of the Northerly, and the Northerly, and the superate sheets 300 meets 233 30	Joblian 35 to Raise November 20 to Raise Sovered alor

13. To supply the city of	
in county, havi	ing a present population of
and an estimated population of	
***	14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works	
15. Construction work will begin on o	or before completed
	eted on or before
	lied to the proposed use on or before Caraga lextra
cation for permit, permit, certificate or ad	applemental to an existing water supply, identify any djudicated right to appropriate water, made or held
applicant.	
of production of the state of t	_
	D 0
	Jelna M. Minner allyne (Signature of applicant)
Remarks:	allipe C Dumine
P. Committee of the com	
	· · · · · · · · · · · · · · · · · · ·
	······································
STATE OF OREGON \	
STATE OF OREGON, County of Marion ss.	
County of Marion, ss.	
County of Marion, ss.	ed the foregoing application, together with the accomp
County of Marion, ss.	ed the foregoing application, together with the accompa
County of Marion, This is to certify that I have examine waps and data, and return the same for	ed the foregoing application, together with the accompa
County of Marion, This is to certify that I have examine waps and data, and return the same for	•
County of Marion, This is to certify that I have examine was and data, and return the same for	•
County of Marion, This is to certify that I have examine waps and data, and return the same for	•
County of Marion, This is to certify that I have examine was and data, and return the same for	lication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examine was and data, and return the same for	olication must be returned to the State Engineer, with a state and the state and the state are state and the state are state as a state and the state are state as a state are state are state as a state are state are state as a state are state as a state are state as a state are state are state as a state are state are state are state as a state are state are state as a state are stat
County of Marion, This is to certify that I have examine was and data, and return the same for	olication must be returned to the State Engineer, with a state and the s
County of Marion, This is to certify that I have examine war and data, and return the same for	olication must be returned to the State Engineer, with common of the state and the sta
County of Marion, This is to certify that I have examine war and data, and return the same for	olication must be returned to the State Engineer, with common of the state and the sta
County of Marion, This is to certify that I have examine was and data, and return the same for	y of
County of Marion, This is to certify that I have examine war and data, and return the same for	olication must be returned to the State Engineer, with common of the state Engineer, with the state Engineer, with common of the state Engineer, with the state Engineer, w

STATE OF OREGON, County of Marion,)
County of Marion,	} ss.
This is to certify	
SUBJECT TO EXISTIN	G RI
/TI 1 4 1	

PERMIT

I have examined the foregoing application and do hereby grant the same, GHTS and the following limitations and conditions: The right herein granted is limiter to the amount of water which can be applied to beneficial use and shall not exceedQ.19...... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well..... The use to which this water is to be applied is <u>irrigation</u> If for irrigation, this appropriation shall be limited to1/80th.......... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...2\frac{1}{2}... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is April 28, 1975 Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19................ Extended to Oct. 1 1980 Complete application of the water to the proposed use shall be made on or before October 1, 19...78. WITNESS my hand this24th day of WAZER RESOURCES DIRECTOR in the office of the State Engineer at Salem, Oregon, APPROPRIATE THE GROUND Drainage Basin No. 2... page 142 This instrument was first received X WATERS OF THE STATE Application No. G-6216. Ground Water Permits on page OF OREGON 3:27 o'clock Recorded in book No. to applicant: the ... 28 24 day of Permit No. G-.

Returned

|pproved

at

1975,

2