

RECEIVED

RECEIVED

APR 24 1975

JUN 3 1975

STATE ENGINEER
SALEM, OREGON

STATE ENGINEER
SALEM, OREGON

Permit No. G-6478

APPLICATION FOR A PERMIT CERTIFICATE NO. 48293

To Appropriate the Ground Waters of the State of Oregon

I, IVAN SIBIRZEW

(Name of applicant)

of Rt. 1 Box 194, Mt. Angel 97362, county of MARION

(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River

(Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 130 gallons per minute.

3. The use to which the water is to be applied is FARMING

4. The well or other source is located 328 ft. S and 629 ft. E from the N 1/4 corner of section 3

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.W 1/4 N.E. 1/4 of Sec. 3, Twp. 6S, R. 1W, W. M., in the county of MARION

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 305 feet. It is estimated that 302 feet of the well will require 250 gage steel casing. Depth to water table is estimated 22 drilled Sept. 6, 1974 by John W. Beck

(Give number of wells, tunnels, etc.)

(Kia)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type subm-pump

Give horsepower and type of motor or engine to be used 10 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 6 S	R 1 W	3	NE 1/4 NW 1/4	75 1/2 1 1/2
T 6 S	R 1 W		NW 1/4 NE 1/4	15 1/2
				17 ^e

Letter dated 7-20-75 JEB

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised berries

MUNICIPAL SUPPLY—

13. To supply the city of
 in county, having a present population of
 and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6000⁰⁰
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before completed
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Dusan Sibirzew
 (Signature of Applicant)

Remarks: LEGAL DESCRIPTION OF PROPERTY: Beginning at a stone in the quarter section corner of the north side of Section 3, in Township 6 South, Range 1 West of the Willamette Meridian in Marion County, Oregon thence East 18.397 chains to an iron rod in the center line of the County Road; then South 23°43' West, along the center line of said Road, a distance of 6.35 chains to a steel bar; thence South 17°31' West, 14.502 chains along the center line of said Road to an iron pipe in the North line of the Nickolas G. Mickel's land; thence South 89°45' West, a distance of 31.445 chains to an iron pipe; thence North 10' West, 19.829 chains to an iron bar in the Northwest corner of the northeast quarter of the northwest quarter of the said Section 3; thence South 89°26' East, 20.115 chains to the place of beginning being Lot 3 and part of Lot 2 in Section 3, Township 6, South, Range 1 West of the Willamette Meridian in Marion County, Oregon. EXCEPT from the above described tract that portion deeded to Frank Kloft, by deed given by G.D. Ebner and Veronica Ebner, his wife and J.M Ebner and Rose Ebner, his wife, to Frank Kloft, dated January 16, 1919, recorded in Volume 148, Page 446, Deed Records for Marion County, Oregon. SAVE AND EXCEPT that portion conveyed to the State of Oregon by and through its State Highway Commission, by deed dated April 3, 1952, recorded April 4, 1952, in Volume 438, Page 409, Deed Records for Marion County, Oregon AND Beginning at a stone in the quarter section corner on the north side of Section 3, Township 6 South, Range 1 West of the Willamette Meridian in Marion Co., Oregon; thence South 89°26' East along the center of Dominic Road 6.368 feet to the true point of beginning of the parcel to be described; thence S17°32' West 683 feet more or less to the north line of that parcel conveyed to Frank Kloft by instrument recorded in Volume 148 page 446, Deed Records, Marion Co.; thence South 89°45' West 1081.706 feet more or less along said north line to the west line of that parcel conveyed to H.L. and A.J. Norton by instrument recorded in Vol. 692 page 299 Deed Records for Marion Co., Oregon; thence N. 10' W. 650 feet more or less along said west line to the center line of Dominic road also being the north line of said section 3; thence S89°

STATE OF OREGON, } 26' East 1,334 more or less to the point of beginning.
 } ss.
 County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 15, 1975....., 19 75..

RECEIVED
 OCT 14 1975
 WATER RESOURCES DEPT
 SALEM, OREGON

WITNESS my hand this 14th day of August, 19 75..

By Thomas E. Shook
 Thomas E. Shook ASSISTANT

JAMES E. SEXSON
 Director

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground-water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 3, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March, 1976

James B. [Signature] WATER RESOURCES DIRECTOR

FH C

Application No. G-6967

Permit No. G-6478

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of June, 1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. G 6478 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 145

175