RECEIVED

JUN4 1975 STATE ENGINEER SALEM. OREGON

ASSIGNED, See	Miso.	Rec.,	Vol. 6	Page	<u> </u>
---------------	-------	-------	--------	------	----------

"CERTIFICATE NO. 60418

Permit No. G- G 6479

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Bill George Willia	m E Loca	ors E		*******
of 11259 Lower River Road	(Name	e of tuplicant)	y of .Josephine.	
state of Oregon following described ground waters of	, do hereb the state of Oreg	y make application, SUBJECT	ition for a permit t TO EXISTING RI	to appropriate the
If the applicant is a corporation,	give date and pl	ace of incorpo	ration	
no :		•	<i>i</i>	
1. Give name of nearest stream	to which the we	ell, tunnel or o	ther source of wate	er development is
situated Rogue River	(Name o	f stream)	······································	
			of Pacific Oce	an
 The amount of water which feet per second orXXXXX gallon The use to which the water 	s per minute.	ng .75 from	edrilled well	and ,33. The
4. The well or other source is lo	sump I	N 12 ⁰ 59'07'E N 15 ⁰ 37'622'E	2203.79 ft:7416.62	from the S.W.
corner of D.L.C. No.39, In the		.358.,R.7W.,		
(If prefe	rable, give distance and	bearing to section cor	ner)	
being within the NW /4	s well, each must be de			, R7W,
W. M., in the county of Josephine		······		
5. The Pipeline (Canal or p	ipe line)		to be 2000 feet	XXXXX
in length, terminating in the SW4-NEW	(Smallest legal subdivisi	of	Sec. 36, 7	Twp. 358,
R?W, W. M., the proposed loc	ation being show	n throughout c	n the accompanyin	ng map.
6. The name of the well or other	works is (Well) Source 1	(sump) Source	2
	DESCRIPTION	of works		
7. If the flow to be utilized is art supply when not in use must be descri		to be used for	the control and co	nservation of the
j				
(d)	1 sump	3	•	
8. The development will consist 340 feet	of .l.drilled	(Give with per State)	s, tunnels, etc.)	having a
diameter of inches and an	estimated depth	of 50	feet. It is estima	ted that
feet of the well will require25stes	casi	ng. Depth to w	ater table is estim	ated 16 (Feet)

()	ve dimensions at eac	ch point of	canal where materially chang	ed in size, stating miles fro
adgate. At he	adgate: width on top	o (at water	line)	feet; width on botto
••••	feet; depth of we	ater	feet; grade	feet fall per o
ousand feet.				
(b) At	mile	es from hea	udgate: width on top (at wate	r line)
	feet; width on be	ottom	feet; depth of u	vater fe
ıde	feet fall pe	er one thous	sand feet.	
(c) Lengt	h of pipe, 2000	ft.;	size at intake 4½ in	; in size at 80
m intake4	½ in.; size	e at place o	f use4 in.; diff	ference in elevation betwe
ake and place	e of use,80	ft.	. Is grade uniform?yes	Estimated capaci
	•	r	Electric -in- Li	me torbine
10. If pun	nps are to be used, g	ive size and	type Electric Centrical	direct connected
Rto 1 2 -br)		Io H	P. Electric Ctop
. Give hors	sepower and type of	f motor or	engine to be used	4P. Electric Conti
atural stream	n or stream channel,	, give the d the stream	other development work is le istance to the nearest point o bed and the ground surface of	n each of such channels a at the source of developme
natural stream	n or stream channel, n elevation between	, give the d the stream	istance to the nearest point o	n each of such channels a at the source of developme
natural stream	n or stream channel, n elevation between	, give the d the stream	istance to the nearest point of bed and the ground surface of	n each of such channels a at the source of developme
12. Locat	n or stream channel, n elevation between ion of area to be irra Range E. or W. of	, give the d the stream	listance to the nearest point of bed and the ground surface of lace of use	n each of such channels a at the source of developme
12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irrection. Range E. or W. of Willamette Meridian	give the d the stream igated, or p	listance to the nearest point of bed and the ground surface of lace of use	Number Acres
12. Locat Township N. or S.	n or stream channel, n elevation between ion of area to be irre Range E. or W. of Willamette Meridian 7 W	igated, or p	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract	Number Acres To Be Irrigated
12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irrectant to be irrectant to the irrectant to th	give the d the stream igated, or p section 36	istance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SW1/4-NW1/4 SE1/4-NW1/4	Number Acres To Be Irrigated 12.08
12. Locat Township N. or S.	n or stream channel, n elevation between ion of area to be irrectant and willamette Meridian 7 W	give the d the stream igated, or p section 11	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SWY-NWY SEY-NWY SWY-NEY	Number Acres To Be Irrigated 12.08 2.46
12. Locat Township N. or S.	n or stream channel, n elevation between ion of area to be irra Range E. or W. of Willamette Meridian 7 W 11 11	igated, or p Section	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SWM-NWM SEM-NWM SWM-NEM NWM-SWM	Number Acres To Be Irrigated 12.08 2.46 14.83
12. Locat Township N. or S.	n or stream channel, n elevation between ion of area to be irra Range E. or W. of Willamette Meridian 7 W 11 11 11	igated, or p Section 11	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SWM-NWM SEM-NWM SWM-NEM NWM-SWM NEM-SWM	Number Acres To Be Irrigated 12.08 2.46 14.83
12. Locat Township N. or S. 11	n or stream channel, n elevation between ion of area to be irre Range E or W. of Willamette Meridian 7 W 11 11 11 11 11 11 11	give the d the stream igated, or p Section 11 11 11	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SW14-NW14 SE14-NW14 SW14-NE14 NW14-SW14 NW14-SW14 NW14-SW14	Number Acres To Be Irrigated 12.08 2.46 14.83 38.12 7.38
12. Locat Township N. or S. 11	n or stream channel, n elevation between ion of area to be irre Range E or W. of Willamette Meridian 7 W 11 11 11 11 11 11 11	give the d the stream igated, or p Section 11 11 11	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SW14-NW14 SE14-NW14 SW14-NE14 NW14-SW14 NW14-SW14 NW14-SW14	Number Acres To Be Irrigated 12.08 2.46 14.83 38.12 7.38 6.42
12. Locat Township N. or S. 11	n or stream channel, n elevation between ion of area to be irre Range E or W. of Willamette Meridian 7 W 11 11 11 11 11 11 11	give the d the stream igated, or p Section 11 11 11	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SW14-NW14 SE14-NW14 SW14-NE14 NW14-SW14 NW14-SW14 NW14-SW14	Number Acres To Be Irrigated 12.08 2.46 14.83 38.12 7.38 6.42
12. Locat Township N. or S. 11	n or stream channel, n elevation between ion of area to be irre Range E or W. of Willamette Meridian 7 W 11 11 11 11 11 11 11	give the d the stream igated, or p Section 11 11 11	istance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SW14-NW14 SE14-NW14 SW14-NE14 NW14-SW14 NW14-SW14 NW14-SW14	Number Acres To Be Irrigated 12.08 2.46 14.83 38.12 7.38 6.42

Kind of crops raised pasture-bulbs-seed stock - Hop- a 15A 15A Cener 1 gP + 12

			•	
<i>n</i>	county, having	a present population	of	***************************************
and an estimated popul	ition of	in 19	*	
A	NSWER QUESTIONS 14	, 15, 16, 17 AND 18 IN	ALL CASES	
14. Estimated cos	st of proposed works,	6175		. sest
15. Construction	work will begin on or	before May 10, 1975	5	
		ed on or before May		yn is ∳
		d to the proposed use		1 Jan
	l water supply is supp	olemental to an existin	ng water suppl	y, identify any ap
pplicant		••••••		
		x Talle	in E	Heorge
The The	et portion of D.T.	C. No. 39, Sec. 36	(Signature of appli	cant)
	•			'
cultivation lying	West of Lower Riv	ver Road as shown	on the map	

	·			}
, was in the contract of the c			•	
			••••••	
			••••••	
		***************************************		· !
STATE OF OREGON,	ss.			
County of Marion,)			
This is to certify	that I have examined	the foregoing applicat	ion, together w	ith the accompany
naps and data, and retu	rn the same for	correction and	completion	
naps and data, and reca				
In order to retain		cation must be returne		
		10 75		
ions on or before	October 18	134.1	•	
ions on or before	October 38			

RECEIVED

SEP1 2 1975
WATER RESOURCES DEPT.
SALEM, OREGON

Thomas E. Shook

Assistant

STATE	OF	ORI	GON,)
				SS.
Cour	MIN	f Ma	rion)

PERMIT

	is is to certify that T TO EXISTING R	t I have examined the IGHTS and the follow	e foregoing ap ving limitation	plication ar s and condi	nd do hereby g itions:	rant the same,	
Th	e right herein gran	ted is limited to the ar	mount of wate	r which car	n be applied to	beneficial use	
and shall	not exceed1.1	cubic feet per s	econd measure	ed at the po	int of diversion	ı from the well	
or source	of appropriation, o	r its equivalent in case	of rotation w	ith other w	ater users, fro	n a sump	
and a w	vell, being 0.75	c.f.s, from well	and 0.35 c.	f.s. from	sump.		
The	e use to which this t	water is to be applied i	is irrigat	ion.			
If f	for irrigation, this a	ppropriation shall be li	imited to1/	'80th		oot per second	
		re irrigated and shall b	``			•	
acre feet	per acre for each ac	re irrigated during the	e irrigation sec	ason of each	year;	•••••	
			••••				
·*************************************		4 		•••••	•		
	•••••			•••••	•••••		
				•••••			
				••••••	•••••		
***********			····				
and shall	be subject to such r	easonable rotation sys	tem as may be	ordered by	the proper sto	ite officer.	
the works The line, adeq The	s shall include prope works constructed uate to determine permittee shall in	d as necessary in accorder capping and control shall include an air lewater level elevation stall and maintain a use of the amount of groups	valve to preve ine and pressu in the well a veir, meter, or	ent the wast re gauge or t all times. r other suit	te of ground we an access port	ater. for measuring	
The	priority date of thi	s permit isJune_4,	. 1975	******			
Act	ual construction wo	rk shall begin on or be	efore March	24, 1977		and shall	
thereafter	be prosecuted wit	h reasonable diligence	and be comp	leted on or	before Octobe	er 1, 19.77	
Com	rplete application o	f the water to the prop	osed use shall	be made or	n or before Oct	ober 1, 1978.	
WIT	NESS my hand the	is24th. day of	Ma	rch	19	.76	
			Den Disco	OURCES DIR	DOMOR .	F#	
			WATER RESU	ORCES DIR	ECTOR	\mathcal{D}	
		received in the Salem, Oregon,			5	H H H H H H H H H H H H H H H H H H H	

Applicat