JUN5 1975 STATE ENGINEER SALEM, OREGON "CERTIFICATE NO. 55849

MISSIGNED, See Misc. Red., Vol. 6 Hage 1493

Permit No. G. G 6481

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

| I, Chester W. Hooper (Name of applicant) |
|---|
| of 577 Covered Bridge Road, Rogue River, county of Jackson, |
| state of |
| If the applicant is a corporation, give date and place of incorporation |
| N/A |
| 1. Give name of nearest stream to which the well, tunnel or other source of water development is |
| |
| situated Evans Creek (Name of stream) |
| tributary of Rogue River. |
| 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute. |
| 3. The use to which the water is to be applied isirigation. |
| |
| 4. The well or other source is located 300. ft. No. and 530. ft. W. from the SE. |
| corner of Section 10 (Section or subdivision) |
| |
| (If preferable, give distance and bearing to section corner) |
| (If there is more than one well, each must be described. Use separate sheet if necessary) |
| being within the SE% SE% of Sec. 10, Twp. 35 S., R. 4 W., |
| W. M., in the county of |
| 5. Thepipeline to be900 feet |
| in length, terminating in the SEX SEX of Sec. 10 , Twp. 35 S. , (Smallest legal subdivision) |
| R4. W. M., the proposed location being shown throughout on the accompanying map. |
| 6. The name of the well or other works is Hooper Sump |
| DESCRIPTION OF WORKS |
| |
| 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. |
| |
| |
| 8. The development will consist of one well (sump) having a (Give number of wells, tunnels, etc.) |
| diameter of 50!x100! inches and an estimated depth of 12 feet. It is estimated that 100 |
| feet of the well will require |

.

| jate. At hea | agate: wiath on t | op (at water | · line) | |
|--|---|---|---|---|
| | feet; depth of | water | feet; grade | feet fall per one |
| and feet. | | . | | |
| (b) At | m | iles from he | adgate: width on top (at wa | ter line) |
| | feet; width on | bottom | feet; depth o | f water feet |
| | feet fall | per one thou | sand feet. | |
| (c) Length | of pipe, |).O.O ft.; | size at intake11/2 | in.; in size at600 ft |
| intake | l.0 in.; si | ze at place o | of use | lifference in elevation between |
| and place | of use,+ | :10 ft | . Is grade uniform?Y.6 | Estimated capacity |
| d. | . sec. ft. | ſ | | |
| 10. If pum | ps are to be used, | give size and | l type 112" contri | lugal pump. |
| | | | | |
| Give horse | power and type | of motor or | engine to be used | H electric motor. |
| | | | ······ | |
| | | 71 4 | other development work is | 1 41 formal 1 formal |
| 11 If the 1 | location of the me | u tunnei or | | less than one-tourth thile trom |
| • | - | | - | less than one-fourth mile from on each of such channels and |
| ural stream | or stream channe | el, give the d | listance to the nearest point | • |
| ural stream ifference in | or stream channe elevation between | el, give the d n the stream | listance to the nearest point bed and the ground surface | on each of such channels and at the source of development |
| ural stream ifference in | or stream channe elevation between | el, give the d n the stream | listance to the nearest point bed and the ground surface | on each of such channels and |
| ural stream ifference in | or stream channe elevation between | el, give the d n the stream ximately | listance to the nearest point bed and the ground surface | on each of such channels and at the source of development |
| ural stream ifference in | or stream channe elevation between native approx | el, give the d n the stream ximately | listance to the nearest point bed and the ground surface | on each of such channels and at the source of development |
| ural stream ifference in | or stream channe elevation between native approx | el, give the d n the stream ximately | listance to the nearest point bed and the ground surface | on each of such channels and at the source of development |
| ural stream fference in https://www.iac.ic. | or stream channe elevation between native approx on of +22 fe | el, give the d n the stream kimately | listance to the nearest point bed and the ground surface | on each of such channels and e at the source of development ans Greek with a diff |
| iral stream fference in https://www.ice. | or stream channe elevation between native approx on of +22 fe | el, give the d n the stream kimately | listance to the nearest point bed and the ground surface 650 feet SE of Eve | on each of such channels and e at the source of development ans Greek with a diff |
| ural stream fference in http://doi.org/10.10000/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/10.100 | or stream channel elevation between the half approximation of +22 feet to or of area to be in Range E. or W. of | el, give the d n the stream kimately eet. | listance to the nearest point bed and the ground surface 650 feet S. of Eve | on each of such channels and e at the source of development ans Greek with a diff |
| ral stream fference in clayatic 12. Locatic Township N. or S. | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in clayatic 12. Locatic Township N. or S. | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in Levelic 12. Locatio | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in allevation 12. Location Township N. or S. | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in allevation 12. Location Township N. or S. | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in Levelic 12. Locatio | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in allevation 12. Location Township N. or S. | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in Levelic 12. Locatio | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in Levelic 12. Locatio | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in Levelic 12. Locatio | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |
| ral stream fference in clayatic 12. Locatic Township N. or S. | or stream channel elevation between the Land approximation of the Land approximation of the Land area to be in Range E. or W. of Williamette Meridian | el, give the den the stream kimately et. rigated, or p | listance to the nearest point bed and the ground surface 650 foot San of hys place of use Forty-acre Tract | on each of such channels and e at the source of development and Greek with a diff |

G GIMI

| *************************************** | | | |
|---|---|--|---|
| ng a present popula | tion of | | |
| in 19 | | ; | |
| 14, 15, 16, 17 AND 18 | IN ALL CASES | | |
| £ 400,00, | | | |
| | | of nri | ority. |
| | | night. | |
| | | A CONTRACTOR OF THE CONTRACTOR | |
| lied to the proposed | use on or before | Octobe | r 1, 19 |
| applemental to an ex | cisting water supply | y, identi | fy any ap |
| | | made of | nela by |
| | | | ••••• |
| | | | |
| She | ture 7 for | nu | |
| | | eant) | |
| | | | |
| | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| | | | |
| | | | |
| *************** | | | |
| | | | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| | | | |
| | | | |
| | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| | · | | |
| | | | |
| | | | |
| , | | | |
| | | | *************************************** |
| | | | |
| | | | |
| ed the foregoing app | lication, togeth er w | ith the a | ccompany |
| | | | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | •••••• | |
| | | •••••• | |
| lication must be ret | urned to the State E | ngineer | , with corr |
| , 19 | | , 5 | |
| | | | |
| | | | 10 |
| 11 OT | | | |
| y of | | ••••• | , 10 |
| y of | | | , 10 |
| y of | | | , 10 |
| | ing a present popula in 19 14, 15, 16, 17 AND 18 1, \$ 400.00. The before One Yes eted on or before upplemental to an eadjudicated right to a Sheet Sheet All on the proposed of the p | ing a present population of | ing a present population of in 19 |

STATE OF OREGON, County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

| | nted is limited to the a | | | | |
|--|---|--|--|---|-----------------------------------|
| and shall not exceedΩ or source of appropriation, | ¥ i | | | | |
| | water is to be applied | | | | |
| If for irrigation, this of or its equivalent for each accepted per acre for each afurther limited to app | cre irrigated during th | e further li | imited to a di season of eacl | version of not t | to exceed2½ |
| impair or substantiall | y interfere with ex | cisting su | rface wate | r rights of | others. |
| The works constructed line, adequate to determine | reasonable rotation system d as necessary in accorder capping and control d shall include an air li water level elevation estall and maintain a w | dance with valve to present the well eir, meter. | be ordered by good practice event the was sure gauge or at all times. or other sui | y the proper sto e and if the flo te of ground we an access port | ow is artesian ater. |
| The priority date of th | is permit isJune | 5, 1975 | | | |
| Actual construction we | ork shall begin on or be | fore Ma | rch 24, 197 | 77 | and shall |
| thereafter be prosecuted wit | h reasonable diligence | and be con | npleted on or | before Octobe | r 1, 19.77 |
| Complete application o | f the water to the prope | sed use sha | ll be made on | or before Octo | ber 1, 19 <u>78</u> |
| WITNESS my hand th | is24th day of | M | arch | , 197 | 6. |
| | | | mest | Show | F# |
| | | WATER RESC | OURCES DIRE | CTOR | |
| Application No. G-6972, Permit No. G- G 6481 PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON | This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 54h day of And. 19.75, at 8:00 o'clock OM. | Returned to applicant: | Approved: | Recorded in book No. of Ground Water Permits on page 6481 | STATE ENGINEER Drainage Basin No |