

RECEIVED

CERTIFICATE NO. 55263

JUN 5 1975
STATE ENGINEER
SALEM, OREGON

Permit No. G- G 6482

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Evan H. and/or Sarah B. Owens
(Name of applicant)
of 12230 Highway 238, Jacksonville, county of Jackson
(Postoffice Address)
state of Oregon 97530, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Applegate River
(Name of stream)

tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic
feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation.
(with Well #2 making up any deficiency from Well #1)

4. The well/or other source is located 430 ft. S. and 690 ft. W. from the NW
corner of Section 25
(N. or S.) (E. or W.)
(Section or subdivision)

Well #2 is located 650 ft. S. and 465 ft. W. from the NW corner of
Section 25, (both)
(If preferable, give distance and bearing to section corner)

being within the NE1/4 NW1/4 of Sec. 25, Twp. 38 S., R. 4 W.,
W. M., in the county of Jackson.

5. The pipeline to be 600 feet miles
(Canal or pipe line)
in length, terminating in the NE1/4 NW1/4 of Sec. 25, Twp. 38 S.,
(Smallest legal subdivision)
R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Owens Wells #1 and #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of two wells having a
diameter of #1 - 6" inches and an estimated depth of 27 ft.
#2 - 4" 0.250 feet. It is estimated that none
feet of the well will require none - rock casing. Depth to water table is estimated 15 ft.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake 1 1/4 in.; in size at ft. from intake in.; size at place of use 1 1/4 in.; difference in elevation between intake and place of use, +20 to -20 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Well #1 - 1 1/4" sub. and Well #2 - 1.5 inch centrifugal pump.

Give horsepower and type of motor or engine to be used 1 1/4 H.P. electric motor on each pump.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well #1 is 600 ft. North of Applegate River with a +40 feet difference in elevation.

Well #2 is 300 ft. North of Applegate River with a +25 ft. difference in elevation.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S.	4 W.	25	NE 1/4 NW 1/4	4 acres

(If more space required, attach separate sheet)

Character of soil Kind of crops raised pasture.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1600.00.....
- 15. Construction work will begin on or before one year from date of priority.
- 16. Construction work will be completed on or before October 1, 1977.
- 17. The water will be completely applied to the proposed use on or before October 1, 1978.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none.....

x *Evan H Owens*
 x *Sarah B. Owens*
 (Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By ASSISTANT

6/18/78

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Owens Wells No. 1 and No. 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others; and further limited to the appropriation of water from Well No. 2 with any deficiency in the available supply from Well No. 2 to be made up by appropriation from Well No. 1 providing that the total quantity diverted from both sources shall not exceed 0.05 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 5, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March, 1976

James E. [Signature]
WATER RESOURCES DIRECTOR STATE ENGINEER FH A

Application No. G-6973
Permit No. G-6482

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of June, 1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6482 Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 15 page 105