RECEIVED

JUN6 1975 STATE ENGINEER SALEM, OREGON

Permit No. G. G 6486

CERTIFICATE NO. 4852

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, WAITER AND LOI	5 Robinson			
of RT BOX 227 HALFWAY	county of BAKER			
of RT. Bex 227 HAIFWAY , county of BAKER , state of OR 9 and , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation				
·	ch the well, tunnel or other source of water development is			
situated Pine CR	Reek (Name of stream)			
	tributary of SNAKe River			
	licant intends to apply to beneficial use is			
3. The use to which the water is to be	applied is Flood IRRIGATION.			
A LETT				
	15 ft. S and 1,080 ft. W from the N.E			
corner of NI $\sigma F \neq SF \downarrow$	OF SEC. 8 = TWO 8 5 - R. 46 E, W. N.			
(If preferable, give	e distance and bearing to section corner)			
	sch must be described. Use separate sheet if necessary)			
being within the NINE & SE 4	of Sec			
W. M., in the county of BAKER				
5. The	to be miles			
(Canal or pipe line)	legal subdivision) of Sec			
A				
, ,	eing shown throughout on the accompanying map.			
6. The name of the well or other works	is			
DESCF	RIPTION OF WORKS			
supply when not in use must be described.	the works to be used for the control and conservation of the			
8. The development will consist of	ONE SUMP HOLE having a (Give number of wells, tunnels, etc.)			
diameter of	ated depth of feet. It is estimated that			
	casing. Depth to water table is estimated!?(Feet)			
	· · · · · · · · · · · · · · · · · · ·			

		4	line)	
feet; depth of water		feet; grade	feet fall per or	
usand feet.				
(b) At	mile	es from hea	dgate: width on top (at water	line)
feet; width on bottom			feet; depth of w	ater fee
de	feet fall pe	er one thous	sand feet.	
(c) Lengti	h of pipe,	ft.;	size at intake in.,	; in size at
			f use in.; diffe	
			Is grade uniform?	Estimated capacit
	sec. ft.	f ,me		
10. If pun	ips are to be used, g	ive size and	type 3 in PARMA	WATER LIFTER
		4		
Give hors	epower and type of	f motor or	engine to be used Fither.	Md TFD Wis,
6 H.p.	OR EWHP	Elect	ric.	
•				
11 If the	location of the avell	tunnel or	other development work is les	s than one-tourth mue tro
atural stream	or stream channel,	, give the d	other development work is les istance to the nearest point or	n each of such channels ar
atural stream difference in	or stream channel, elevation between	, give the d the stream	istance to the nearest point or bed and the ground surface a	n each of such channels ar t the source of developmen
atural stream difference in	or stream channel, elevation between	, give the d the stream	istance to the nearest point or	n each of such channels ar t the source of developmen
atural stream difference in	or stream channel, elevation between	, give the d the stream	istance to the nearest point or bed and the ground surface a	n each of such channels ar t the source of developmen
atural stream difference in	or stream channel, elevation between	, give the d the stream	istance to the nearest point or bed and the ground surface a	n each of such channels ar t the source of developmen
atural stream difference in /00 FT.	or stream channel, elevation between FREM E. B.	, give the d the stream A.N.K	istance to the nearest point on bed and the ground surface a	t the source of development
atural stream difference in	or stream channel, elevation between FREM E. B.	, give the d the stream A.N.K	istance to the nearest point or bed and the ground surface a	t the source of development
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly and the stream of the str	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in 600 FT. C FT E	or stream channel, elevation between FREM E B. // LATICEM on of area to be irre Range E or W. of	, give the d the stream A.N.K	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N' ME 4	n each of such channels are the source of development the source of de
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly and the stream of the str	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly and the stream of the str	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly and the stream of the str	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly and the stream of the str	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly and the stream of the str	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly a considered by the B Range E or W of Willamette Meridian	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly a considered by the B Range E or W of Willamette Meridian	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly a considered by the B Range E or W of Willamette Meridian	give the d the stream ANK	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly a considered by the B Range E or W of Willamette Meridian	give the d the stream A.N.K	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly a considered by the B Range E or W of Willamette Meridian	give the d the stream A.N.K	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t
atural stream difference in OO FT. C FT E 12. Locati Township N. or S.	or stream channel, elevation between FRAME E B On of area to be irrectly a considered by the B Range E or W of Willamette Meridian	give the d the stream A.N.K	istance to the nearest point on bed and the ground surface a Pine Creek. lace of use N 1/2 N E 4	reach of such channels are the source of development the source of t

·	resent population of
and an estimated population of	16, 17 AND 18 IN ALL CASES
	· •
14. Estimated cost of proposed works, \$	78.
	re June 15.7. 1975
	or before July 157, 1975
	the proposed use on or before Seen As permit.
 If the ground water supply is supplementation for permit, permit, certificate or adjudication 	ental to an existing water supply, identify any appli- ited right to appropriate water, made or held by the
ipplicant. Dermit No. 30549 Ag	ep. No. 40966 See Enclosed 157
	W. Rollings of And Line D. Polices
Remarks: = Fx 1471/4 PSR Mit /	(Signature of applicant)
	9.0 11.00 6.80.40.4 11.11.2.8 15.2.8.11
	assy ascisia na possible ou men
Dermir Since our diech	Mank of
1	
an a cos com si ancra masa	
<u></u>	There FARE WE HAVENT
been able to Apply was	
	x a promoty day species , we
	Last of maintains
	te The CORRECTIONS ASK FOR SO
THAT ONE SOURCE OF WATER U	
See question 18 Above - Signed	1; Wellobinson - Lois I Pel
STATE OF OREGON,) ss.	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
	-1.4
inaps and data, and return the same forcorre	ction and completion
	ction and completion
	<u> </u>
In order to retain its priority, this application	n must be returned to the State Engineer, with correc-
In order to retain its priority, this application on or before	n must be returned to the State Engineer, with correc-
December 22	n must be returned to the State Engineer, with correc- , 19 75 75
No. 20 No	n must be returned to the State Engineer, with correc- , 19 75 75
In order to retain its priority, this application on or before	n must be returned to the State Engineer, with correc- , 19 75 75

PERMIT

SS.	
County of Marion,)	in and de house, grant the same
This is to certify that I have examined the foregoing applicate SUBJECT TO EXISTING RIGHTS and the following limitations and	conditions:
The right herein granted is limited to the amount of water whi	ich can be applied to beneficial use
and shall not exceed 0.3 cubid feet per second measured at	the point of diversion from the well
or source of appropriation, or its equivalent in case of rotation with or	
The use to which this water is to be applied is supplemental i	
If for irrigation, this appropriation shall be limited to1/80t	h of one cubic foot per second
or its equivalent for each acre irrigated and shall be further limited t	o a diversion of not to exceed3
acre feet per acre for each acre irrigated during the irrigation season	
further limited to appropriation of water only to the e	
or substantially interfere with existing surface water	rights of others; provided
further that the right allowed herein shall be limited	to any deficiency in the
available supply of any prior right existing for the sa	ame land and shall not exceed
the limitation allowed herein,	
and shall be subject to such reasonable rotation system as may be ord	,
The well shall be cased as necessary in accordance with good	
the energy shall include proper capping and control valve to prevent t	the waste of grouna water.
The works constructed shall include an air line and pressure gline, adequate to determine water level elevation in the well at all	times.
The permittee shall install and maintain a weir, meter, or other shall keep a complete record of the amount of ground water withdr	awn.
and the second of the second o	
The priority date of this permit is	4.4000
Actual construction work shall begin on or before March 2	
thereafter be prosecuted with reasonable diligence and be complete	
Complete application of the water to the proposed use shall be	made on or before October 1, 19.78
WITNESS my hand this24th day ofMarch	<u> </u>
	CES DIRECTOR
WATER RESOUR	CES DIRECTOR
IND d in the Oregon,	of 6486
LSG GROUNI TATE Carouni Salem, Ore Caro.e. A. M.	S ENC
978. 1486 STATE receiver Ralem, Rine.	e G stat
GON	pag 6
G. G. G. C.	No.
on No. G. PERM PERM OF OF OREC OF OREC day of	book Permi
PERMIT PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON of the State Engineer at Salem, Oregon, at E.O. o'clock at E.O. o'clock at E.O. o'clock A. M.	Approved: Recorded in book No. Ground Water Permits on Drainage Basin No.
Ipplication Permit No APPRO WATER Stands at A.	ved: corde id Wa
Appl Perm TO AF This in office of th on the 6 19.7.S, at Returned	Appron Rec Ground
	▼ 1° ♥ [\$##\$!