

RECEIVED

JUN 11 1975
STATE ENGINEER
SALEM, OREGON

Permit No. G- G 6494

APPLICATION FOR A PERMIT

CERTIFICATE NO. 48181

To appropriate the Ground Waters of the State of Oregon

I, Philip E. Wolf (Name of applicant)
of Rt. 1, Box 295 Gervais (Postoffice Address), county of Marion,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

~~Willamette River~~

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River (Name of stream)

tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
feet per second or 1600 gallons per minute.

3. The use to which the water is to be applied is Irrigating farm crops

4. The well or other source is located 730 ft. N and 28° W from the S.E.
corner of Section 6 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the ~~SE 1/4~~ SE 1/4 SE 1/4 of Sec. 6, Twp. 5 S, R. 2 W,
W. M., in the county of Marion

5. The 8" and 6" pipe line (Canal or pipe line) to be 9400 ft. miles
in length, terminating in the SE 1/4 SE 1/4 (Smallest legal subdivision) of Sec. 5, Twp. 5 S,
R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Pump Well #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a
diameter of 16 inches and an estimated depth of 310 feet. It is estimated that 310
feet of the well will require 25092 welded casing. Depth to water table is estimated 30
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Turbine pump

Give horsepower and type of motor or engine to be used 100 H.P. Electric

Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
55	2 W	6	SE 1/4 NW 1/4	8.1
"	"	6	SW 1/4 NE 1/4	0.5
"	"	6	NE 1/4 SW 1/4	26.9
"	"	6	NW 1/4 SE 1/4	9.8
"	"	6	NE 1/4 SE 1/4	8.0
"	"	6	SE 1/4 SW 1/4	14.1
"	"	6	SW 1/4 SE 1/4	22.0
"	"	6	SE 1/4 SE 1/4	22.0
"	"	5	NW 1/4 SW 1/4	8.0
"	"	5	NE 1/4 SW 1/4	7.5
"	"	5	NW 1/4 SE 1/4	8.1
"	"	5	NE 1/4 SE 1/4	5.6

(If more space required, attach separate sheet)

"	"	5	SW 1/4 SW 1/4	20.6
"	"	5	SE 1/4 SW 1/4	22.0
"	"	5	SW 1/4 SE 1/4	21.2
"	"	5	SE 1/4 SE 1/4	12.0

12.40

MUNICIPAL SUPPLY—

13. To supply the city of in county, having a present population of and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 57000⁰⁰
- 15. Construction work will begin on or before Nov. 1974
- 16. Construction work will be completed on or before June 1977
- 17. The water will be completely applied to the proposed use on or before Nov. 1977

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Philip E. Wolf
 (Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

RECEIVED
 AUG 4 1975
 WATER RESOURCES DEPT.
 SALEM, OREGON

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 22, 1975.

WITNESS my hand this 21st day of July, 1975.

JAMES E. SEXSON
 Director
 By [Signature]
 Thomas E. Shook ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.7 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from pump well.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 11, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March, 1976

James B. [Signature]
WATER RESOURCES DIRECTOR

Application No. G-6988
Permit No. G- G 6494

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11th day of June
1975, at 11:15 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page G 6494

STATE ENGINEER

Drainage Basin No. 2 page 143