RECEIVED
JUN 20 1975
STATE ENGINEER
SALEM, OREGON

Permit No. G- G 6504

APPLICATION FOR A PERMIT

Canceled - see Ltr. Vol. 30 P. 407-410

To Appropriate the Ground Waters of the State of Oregon

I, WEYERHAEUSER COMPANY, a Washington corporation,
(Name of applicant)
of Box C, Tacoma, Washington 98401, county of Pierce,
(Postoffice Address)
state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

January 18, 1900, State of Washington

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .01 cubic feet per second or 4.49 gallons per minute.

3. The use to which the water is to be applied is for irrigation

4. The well or other source is located 1670 ft. N (N. or S.) and 370 ft. E (E. or W.) from the SW corner of Section 7-T4S-R1E.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW¼ of SW¼ of Sec. 7, Twp. 4S, R. 1E, W. M., in the county of Clackamas.

5. The pipeline (Canal or pipe line) to be 980 feet ~~miles~~ in length, terminating in the NE¼ of SW¼ (Smallest legal subdivision) of Sec. 7, Twp. 4S, R. 1E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

8. The development will consist of a well (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 120 feet. It is estimated that 115 feet of the well will require steel (Kind) casing. Depth to water table is estimated 65 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ..... Estimated capacity, ... sec. ft.

10. If pumps are to be used, give size and type submersible turbine

Give horsepower and type of motor or engine to be used 10 horsepower electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

1260 feet from the Pudding River

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	1E	7	NW¼ of SW¼	23.8 acres
4S	1E	7	NE¼ of SW¼	2.4 acres
				26.2 acres

(If more space required, attach separate sheet)

Character of soil sandy silt

Kind of crops raised forest tree seedlings

G 6504

MUNICIPAL SUPPLY—

13. To supply the city of .....

in ..... *county, having a present population of* .....

and an estimated population of ..... *in 19*.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, $ 27,000

15. Construction work will begin on or before November 18, 1974

16. Construction work will be completed on or before November 29, 1974

17. The water will be completely applied to the proposed use on or before January 15, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ~~Permit 21132 May 8, 1957 Surface Water~~

~~Permit 25703 December 27, 1965 Surface Water~~

WEYERHAEUSER COMPANY

By: R. H. Rogerson

Land Title (Signature of applicant) Dept. Manager

Remarks: ~~Irrigation of the area described in Item 13 be jointly~~

~~from Wells # 1, 2, 3 and 4 and in separate depending on requirements.~~

STATE OF OREGON,
County of Marion, } *ss.*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 24, *19*75.

WITNESS my hand this 29th *day of* July, *19*75.

RECEIVED
SEP 24 1975
WATER RESOURCES DEPT.
SALEM, OREGON

JAMES E. SEXSON
Director

By Thomas E. Shook
ASSISTANT

G 6504

STATE OF OREGON, } ss.
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 3.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 20, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 77

Complete application of the water to the proposed use shall be made on or before October 1, 19 78.

WITNESS my hand this 24th day of March, 1976.

WATER RESOURCES DIRECTOR

Application No. G- 7002
Permit No. G- G 6504

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of April, 19 75, at 8:00 o'clock A M.

Returned to applicant:

Approved:

Recorded in book No. ____ of Ground Water Permits on page G 6504

STATE ENGINEER

Drainage Basin No. 2 page 1K3

$25.00