RECEIVED

JUN2 01975 STATE ENGINEER SALEM, OREGON

CERTIFICATE NO. 52597

Permit No. G. G 6507

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, WEYERHAEUSER COMPANY, a Washington corporation,	^
of Box C. Tacoma, Washington 98401 , county of Pierce	<u> </u>
state ofWashington, do hereby make application for a permit to following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIG	appropriate the HTS:
If the applicant is a corporation, give date and place of incorporation	
January 18, 1900, State of Washington	
1. Give name of nearest stream to which the well, tunnel or other source of water	development is
situated Pudding River	+
(Name of stream) tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is feet per second or193 gallons per minute.	
3. The use to which the water is to be applied isfor irrigation	:
4. The well or other source is located	
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	
being within the NW4 of NW4 of Sec. 18 Twp. 4S	., RI.E,
W. M., in the county ofClackamas	
5. The pipeline to be 1545 fee	txastes
in length, terminating in the	p. 4.S,
Olus one line 720 feet in length terminating in the SW's of SW R	of Sec.7-4S-1E
6. The name of the well or other works is Well #7	······································
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conscriptly when not in use must be described.	ervation of the
N/A	••••••
8. The development will consist of a_well	A - 5
diameter of 16 inches and an estimated depth of 184 feet. It is estimated	
feet of the well will requireSteel casing. Depth to water table is estimate	ed69

CANAL	SYSTEM	OR	PIPE	LINE-
-------	--------	----	------	-------

feet; depth of water (b) At
(b) At
feet; width on bottom feet; depth of water e feet fall per one thousand feet. (c) Length of pipe, ft; size at intake in; in size at intake in,; in size at intake in,; size at place of use in,; difference in elevation be and place of use, ft. Is grade uniform? Estimated compared to be used, give size and type submersible turbine (Give horsepower and type of motor or engine to be used 15 horsepower elect interest that is tream or stream channel, give the distance to the nearest point on each of such channel ifference in elevation between the stream bed and the ground surface at the source of development in the surface in elevation between the stream bed and the ground surface at the source of development in the surface in elevation between the stream bed and the ground surface at the source of development in the surface in elevation between the stream bed and the ground surface at the source of development in the surface in elevation between the stream bed and the ground surface at the source of development in the surface in the surface in the surface in the source of development in the surface in
feet fall per one thousand feet. (c) Length of pipe,
(c) Length of pipe,
intake in.; size at place of use in.; difference in elevation be the and place of use, ft. Is grade uniform? Estimated commence of the sec. ft. 10. If pumps are to be used, give size and type submersible turbine Give horsepower and type of motor or engine to be used 15 horsepower elect 11. If the location of the well, tunnel, or other development work is less than one-fourth mitural stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of development N/A
sec. ft. 10. If pumps are to be used, give size and typesubmersible_turbine
10. If pumps are to be used, give size and type submersible turbine Give horsepower and type of motor or engine to be used 15 horsepower elect 11. If the location of the well, tunnel, or other development work is less than one-fourth mitural stream or stream channel, give the distance to the nearest point on each of such channelifference in elevation between the stream bed and the ground surface at the source of development N/A
10. If pumps are to be used, give size and type submersible turbine Give horsepower and type of motor or engine to be used 15 horsepower elect 11. If the location of the well, tunnel, or other development work is less than one-fourth mitural stream or stream channel, give the distance to the nearest point on each of such chann lifference in elevation between the stream bed and the ground surface at the source of development N/A
Give horsepower and type of motor or engine to be used
11. If the location of the well, tunnel, or other development work is less than one-fourth mixural stream or stream channel, give the distance to the nearest point on each of such channelifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mixural stream or stream one-fourth mixural stream or stream or stream of such channels for the source of development work is less than one-fourth mixural stream or stream
11. If the location of the well, tunnel, or other development work is less than one-fourth mit ural stream or stream channel, give the distance to the nearest point on each of such chann difference in elevation between the stream bed and the ground surface at the source of development. N/A
ural stream or stream channel, give the distance to the nearest point on each of such chann ifference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed and the ground surface at the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed at the stream bed at the stream bed and the ground surface at the stream bed at the stream be
Range
Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated
4S 1E 18 NW¼ of NW¼ 22 acres
4S 1E 7 SW¼ of SW¼ 10.5 acres
32.5 acres

MUNICIPAL SUPPLY—	
13. To supply the city of	
in county, hav	ring a present population of
and an estimated population of	in 19
ANSWER QUESTIONS	8 14, 15, 16, 17 AND 18 IN ALL CASES
,	. 25 .000
Estimated cost of proposed work	s, \$.27.,000
15. Construction work will begin on	or before February 4, 1975
	• • • • • • • • • • • • • • • • • • •
16. Construction work will be compl	leted on or before March 21, 1975.
17. The water will be completely app	olied to the proposed use on or beforeIuly1,19.75
	upplemental to an existing water supply, identify any apadjudicated right to appropriate water, made or held by
applicant. Pormit 25100 Nove	mhon 14, 1962
Permit 1948G June	20 1954
	WEYERHAEUSER COMPANY
	WEYERHAEUSER COMPANY By: (Signature of applicant)
Remarks:	Land Title Department Manager
	1
facilities say the second	
	the state of the s
STATE OF OREGON,)	
County of Marion,	
This is to certify that I have examin	ned the foregoing application, together with the accompany
mane and data and return the same for	correction and completion
maps and data, and retarn the same jor	
In order to retain its priority this are	plication must be returned to the State Engineer, with cor
tions on or beforeSeptember 24	, 1975
ITNESS my hand this 28 th th	ay of
97	
v 22 th	Director Aragonam
	LYSSI X
₹	By Cool
	Throng E. Shook Assista

STATE OF OREGON, County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

T	he righ	t herein gra		4			of water u			ed to ber	reficial use
		cceedQ		, <u>, , , , , , , , , , , , , , , , , , </u>							
		propriation,		4 !							
Tì	ne use t	o which this	water	is to be a	pplied	is ir	igation.	•			
		gation, this d									
		t for each ac re for each a									
								••••••••••••		_	
S ATEL	·										
		ect to such 1	************			•			••••••		······
ne works The ine, adeq The	s snatt i v works vate to permi v a com	hall be cased nclude propo constructed determine ttee shall in plete record	er capp l shall : water stall ar	ing and c include a level ele id mainte	control n air li vation iin a w	valve to ine and p in the v veir, me	prevent toressure govell at all ter, or oth	the wast auge or times. her suit	e of groun an access p	d water. ort for n	neasuring
The	priorit	y date of thi	is perm	it isJ	me 20	1975			•••••		
Act	ual con	struction wo	rk shal	l begin o	n or be	efore!	March 24	1977	•••••	***************************************	and shall
ereafter	be pro	secuted with	h reasc	nable di	ligence	and be	complete	d on or	before Oc	tober 1,	19.77
		pplication of									
		my hand thi						·····		976	
							ane.	B	Sop.		FA
						WATER	RESOURCE	ES DIRE	CTOR	STATE O	MORNING C
Application No. G IOOS Permit No. G G 6507	PERMIT	TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the Old day of June	19.755, at 2'.00 o'clock A M.	Returned to applicant:		Approved:	Recorded in book No	STATE ENGINEER	Drainage Basin No2 page143