

RECEIVED

JUN 23 1975

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. ~~5312~~ 62203

Permit No. G-6509

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Gene Cereghino (Name of applicant)
of 10488 S. Township Rd. 97013, county of Clackamas
(Postoffice Address) Canby
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Parrott Creek (Name of stream)

tributary of Willamette R.

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute. 150 GPM from well #1 337 " " #2

3. The use to which the water is to be applied is Vegetable crop, irrigation

& Supplemental irrigation

4. The well or other source is located Well #1 1180 N 1900 W Well #2 1640 N and 1685 W from the SE corner of Sec 35 T3S R1E WM (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of Sec. 35, Twp. 3 S, R. 1 E W. M., in the county of Clackamas

5. The Pipeline less than one miles (Canal or pipe line) in length, terminating in the W 1/2 of SW 1/4 of Sec. 35, Twp. 3 S, R. 1 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is Cereghino

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Non-artesian

8. The development will consist of two wells having a diameter of 12 inches and an estimated depth of 315 & 40 feet. It is estimated that all feet of the well will require steel casing. Depth to water table is estimated 90 and 40 feet below land surface (Kind) (Feet)

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ _____
- 15. Construction work will begin on or before 1973
- 16. Construction work will be completed on or before 1974
- 17. The water will be completely applied to the proposed use on or before Completed

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. permit 35408

G.C. 12/5/75

Adolph Perregine
Dore Perregine
(Signature of applicant)

Remarks:

1 AC. N.E. 1/4 S.W. 1/4 of Sec. 35 T. 35 R. 1 E
6 AC. S.E. 1/4 S.W. 1/4 of Sec. 35 T. 35 R. 1 E
Area described above on permit # 35408 will be
secondary from wells on application # G-7009 also
shown on map

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____ correction and completion _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-

tion on or before September 24, 19 75.
December 22 75

WITNESS my hand this 21st day of July, 19 75.
October 75

RECEIVED

DEC 15 1975

WATER RESOURCES DEPT
SALEM, OREGON

JAMES E. SEXSON
Director
By *Thomas E. Shook*
THOMAS E. SHOOK
ASSISTANT

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED
SEP 24 1975

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.1 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Cereghino Wells No. 1 and No. 2, being 0.35 c.f.s. from Well No. 1 and 0.75 c.f.s. from Well No. 2.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 23, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March, 1976

James E. [Signature]
WATER RESOURCES DIRECTOR

Application No. G-7009
Permit No. G-6509

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of June, 1975, at 9:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Ground Water Permits on page G 6509

STATE ENGINEER
Drainage Basin No. 2 page 143

State Printing 9010

Fees: \$39.00
#225 Refund