## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

7]	county of Malheur,
nate ofOregon	
	give date and place of incorporation
1. Give name of nearest stream	n to which the we <b>ll</b> tunnel or other source of water development is
nituated Sheep Creek	
	7. tributary of Jordan Creek
	the applicant intends to apply to beneficial use is 3 cubic
3. The use to which the water	is to be applied is supplemental irrigation
	ocated ft. and ft. from the
corner of	(Section or subdivision)
4 wells are 35 feet as	part the most easterly pearing noc-10'E
	part the most easterly bearing N52010 E oferable, give distance and bearing to section corner)
1857 feet from the SW (If there is more than	corner of the SWESWE one we'll each must be described. Use exparate sheet if necessary)
1857 feet from the SW (If there is more than being within the SW15W2	one we'' each must be described. Use eparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.
1857 feet from the SW (If there is more than being within the SW15W2	one we'' each must be described. Use eparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.
being within the SWEW.  W. M., in the county of Malhei  5. The Irrigation dite	one we'' each must be described. Use eparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.
being within the SYLENG.  W. M., in the county of Malhei  5. The Irrigation dita  in length, terminating in the NYLENG.  and NWLSWL of  R. 46 W. M., the proposed lo	orner of the SW1 SW1 one we'' each must be described. Use eparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.  chas
being within the SWL WALLER  5. The Irrigation dita in length, terminating in the NWL and NWL SWL of  R. 46 , W. M., the proposed lo	corner of the SW1 SW2  one we'' each must be described. Use exparate sheet if necessary)  of Sec. 10, Twp. 30 S, R. 46 E.  chas
being within the SWAND MALLER STATE	corner of the SWISIA  one we'' each must be described. Use exparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.  chas to be one mile  chas of Sec. 9 , Twp. 30  (Smallest legal su'idivision) Sec. 10 Twp. 30  cation being shown throughout on the accompanying map.
being within the SYLENG.  W. M., in the county of Malhei  5. The Irrigation dita in length, terminating in the NYLENGER OF  R. 46, W. M., the proposed lo  R. 46  6. The name of the well or oth	corner of the SWISIA  one we'' each must be described. Use "sparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.  to be One mile  Canal or pipe line)  The of Sec. 9 , Twp. 30  (Smallest legal su'xdivision) Sec. 10 Twp. 30  cation being shown throughout on the accompanying map.  ter works is Wells No. 1, 2, 3 and 4.  DESCRIPTION OF WORKS  artesian, the works to be used for the control and conservation of the
being within the SYLENG.  W. M., in the county of Malhei  5. The Irrigation dita in length, terminating in the NYLENG.  and NYLENG of  R. 46  6. The name of the well or oth  7. If the flow to be utilized is supply when not in use must be described.	corner of the SWISIA  one we'' each must be described. Use "sparate sheet if necessary)  of Sec. 10 , Twp. 30 S. , R. 46 E.  to be ONE mile  Canal or pipe line)  The of Sec. 9 , Twp. 30  (Smallest legal subdivision) Sec. 10 Twp. 30  cation being shown throughout on the accompanying map.  ter works is Wells No. 1, 2, 3 and 4.  DESCRIPTION OF WORKS  artesian, the works to be used for the control and conservation of the
being within the SHEWE.  W. M., in the county of Malher  5. The Irrigation dita in length, terminating in the NWE and NWESWE of  R. 46, W. M., the proposed lo  R. 46, W. M., the well or oth  7. If the flow to be utilized is supply when not in use must be desc	corner of the SWSSWS cone we'll each must be described. Use operate sheet if necessary)  of Sec. 10
being within the SHEWE.  W. M., in the county of Malher  5. The Irrigation dita in length, terminating in the NWE and NWESWE of  R. 46, W. M., the proposed lo  R. 46, W. M., the well or oth  7. If the flow to be utilized is supply when not in use must be desc	corner of the SWISWE one we'll each must be described. Use separate sheet if necessary)  of Sec. 10, Twp. 30 S, R. 46 E.  IT.  to be
being within the SHEWE.  W. M., in the county of Malher  5. The Irrigation dita in length, terminating in the NWE and NWESWE of  R. 46 , W. M., the proposed lo  R. 46  6. The name of the well or oth  7. If the flow to be utilized is supply when not in use must be desc	corner of the SWISWE one we'll each must be described. Use separate sheet if necessary)  of Sec. 10, Twp. 30 S, R. 46 E.  IT.  to be

pate. At neur	gate. which on top (	at water in	e)	, , , , , , , , , , , , , , , , , , , ,
f	eet; depth of water	,	feet; grade	feet fall pe
and feet.				
(b) At	miles	from heads	ate: width on top (at water l	ine)
	feet; width on bot	ttom	feet; depth of wat	et
<b>?</b>	feet fall per	one thousas	nd feet.	
(c) Length	of pipe,	ft.; s	ize at intake, in	i.; in size at
intake	in.; siz	e at place of	use in.; diff	erence in elevation be
ce and place o	of use,	ft. 1	s grade uniform?	Estimated cap
	sec. ft.			•
10. If pum	ps are to be used, giv	size and t	ype Peerless Centri	rugal 850 g.p.m
Fairb	anks Morse 35	00 g.p.m.	· · · · · · · · · · · · · · · · · · ·	
Give horse	power and type of n	notor or eng	ine to be used one 5 H.I	e. and
	one & H.P.	lectric		
iral stream o difference in	or stream channel, elevation between t	give the die the stream b	ther development work is less stance to the nearest point o sed and the ground surface of	n each of such channe it the source of develo
iral stream o	or stream channel, elevation between the lot within 1/4	give the disthe stream b	stance to the nearest point of sed and the ground surface of	n each of such channe it the source of develo
iral stream of difference in	or stream channel, elevation between the lot within 1/4	give the disthe stream b	etance to the nearest point of the ground surface of the ground su	n each of such channe it the source of develo
difference in  12. Locati  Township N. or S.	or stream channel, elevation between the stream of the str	give the disthe stream b	ace of use	n each of such channe it the source of develo
12. Locati Township N. or S.	elevation between to the wind the stream channel, elevation between to the within 1/4 the stream of	give the disthe stream b	ace of use	Number Acres To Be Irrigated
difference in  12. Locati  Township N. or S.	elevation between to the within 1/4  ion of area to be irrectly and the ENM  46 ENM	give the disthe stream b	ace of use  Porty-acre Tract	Number Acres To Be Irrigated
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NET SET	Number Acres To Be Irrigated 38
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NET SET	Number Acres To Be Irrigated 38
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NW2 SW2  NW2 SE2	Number Acres To Be Irrigated  38  39
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NW2 SW2  NW2 SE2	Number Acres To Be Irrigated  38  39
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NW2 SW2  NW2 SE2	Number Acres To Be Irrigated  38  39
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NW2 SW2  NW2 SE2	Number Acres To Be Irrigated  38  39
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NW2 SW2  NW2 SE2	Number Acres To Be Irrigated  38  39
12. Locati Township N. or S.  30 S.	or stream channel, elevation between the stream of the str	give the distance of the stream be s	ace of use  Porty-acre Tract  NW2 SW2  NW2 SE2	Number Acres To Be Irrigated  38  39

	To supply the city of
h	county, having a present population of
end on est	timeted population of in 19 in
14.	Estimated cost of proposed works, \$ 1500.00
15.	Construction work will begin on or beforeimmediately
16.	Construction work will be completed on or before .30 days after permit landed
17.	The water will be completely applied to the proposed use on or before Jine 1, 1958
18. cation fo	If the ground water supply is supplemental to an existing water supply, identify any appli- r permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant	
	Joquinaco
	(Signature of applicant)
Re	marks: This application is for supplemental irrigation. These
lands	have a present water right (117.5 acres) as follows: NW1SW1 of
Sec. ]	O'(38.5); NEISER of Sec. 9 (39.5); NWISER of Sec. 9 (39.5) for
irriga	tion from Jordan Creek irrigated through Dimwiddie, King, Goodrich
Ditch	right 2 acre feet per acre prior to June 1 and 1/2 acre foot per
acre	during any calendar month after June 1 of each year. Adjudication
in nas	me of Graydon C. Crawford, trustee, by Decree of Circuit Court for
Orego	n, Malheur County, which decree entered of record in the Order
Recor	d of State Engineer, Salem, Oregon, with date of priority of 1872.
Derti	ficate of State Engineer dated 11/20/29, filed 11/27/29 and recorded
in Bk	F of Water Rights page 158 in office of Malheur County Clerk.
No 1r	rigation water in Jordan Creek after July 15th and this supplemental
irrig	ation water to be appropriated to be used each year subsequent to
July	15th.
STATE	OF OREGON, )
Cou	nty of Marion, ss.
7	This is to certify that I have examined the foregoing application, together with the accompanying
maps a	nd data, and return the same for
	In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions o	n or before
	WITNESS my hand this day of , 19

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed								
source of ap	<del>propri</del> ation, or its (	•		other water users, from	•			
The 1	use to which this w			ental irrigation				
If for	r irrigation, th <b>is</b> app	propriation shall be lim	ited to	1/80 of one cubi	c foot per second			
				ited to a diversion of not t				
		1		season of each year; .pro				
				with the amount secu				
				exceed the limitation				
noroln				<u>, , , , , , , , , , , , , , , , , , , </u>				
* *								
					,			
and shall b	be subject to such 1	reasonable rotation sys	tem as may	be ordered by the proper	state officer.			
the works The line, adequ	shall include prop works constructed uate to determine priority date of th	er capping and control  I shall include an air l water level elevation is permit is	valve to pr ine and pres in the well (	good practice and if the event the waste of ground sture gauge or an access pat all times.  September 9, 1	a water. oort for measuring 1957			
thereafter	be prosecuted wi	th reasonable diligenc	e and be co	empleted on or before Oc	tober 1, 19 <b>59</b>			
Con	nplete application	of the water to the pro	posed use sh	all be made on or before (	October 1, 19 60			
device.	and shall keep	stall and maintain a complete record his 25th day of	of the a	meter, or other suit mount of ground water 19	able measuring r withdrawn.  57.  Willy  STATE ENGINEER			
Application No. G- 754  Permit No. G- 653	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the \$\frac{\partial}{\partial} \tau \tau \tau \tau \tau \tau \tau \tau	Returned to applicant:	Approved: October 25. 1957 Recorded in book No. 3 of Ground Water Permits on page	LEAIS A. STANIET STATE INGINEER			

State Printing