RECEIVED
JUL 30 1975
WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED
AUG 7 1975
WATER RESOURCES DEPT.
SALEM, OREGON

CERTIFICATE NO. 52061

Permit No. G- G 6544

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, J. Randall Pope (Name of applicant)
of Pope Road, Merrill Oregon (Postoffice Address), county of K Lamath,
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lost River (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is ..... cubic feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is Farm Crops

4. The well or other source is located 42 ft. N (N. or S.) and 2304 ft. W (E. or W.) from the SE corner of Sec 29 T 40 S R 11 E. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW¼ of SE¼ of Sec. 29, Twp. 40 S, R. 11 E, W. M., in the county of K Lamath

5. The Sprinkler pipeline (Canal or pipe line) to be approx. ¾ miles in length, terminating in the SW¼ of NE¼ (Smallest legal subdivision) of Sec. 29, Twp. 40 S, R. 11 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is . Hollow Two

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 410 feet. It is estimated that 20 feet of the well will require 10" to 570', 8" to 830 Steel (Kind) casing. Depth to water table is estimated 106 (Feet)

G1—4M

SP*P291

G 6544

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 3960 ft.; size at intake 8 in.; in size at ..... ft. from intake ..... in.; size at place of use 6 in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ..... Estimated capacity, 1200 ~~sec. ft.~~ gal per minute

10. If pumps are to be used, give size and type Turbine 8" Column 10" bowls, 4X5 Centrifugal.

Give horsepower and type of motor or engine to be used 75 HP Electric & 30 HP Electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use 3 Miles East of Merrith 2 Miles North on Paddle Hollow Road

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 0S	11 E	29	SW 1/4 SE 1/4	39 A
"	"	"	NW 1/4 SE 1/4	39 A
"	"	"	SE 1/4 SW 1/4	27 A
"	"	"	NE 1/4 SW 1/4	27 A
"	"	"	SW 1/4 NE 1/4	39 A
"	"	"	SE 1/4 NW 1/4	27 A
				195 A

(If more space required, attach separate sheet)

Character of soil Mineral (Sandy)

Kind of crops raised Grain, Potatoes, alfalfa

G 6544

MUNICIPAL SUPPLY—

13. To supply the city of .....

in ..... county, having a present population of .....

and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, $ 18,000 ea

15. Construction work will begin on or before March 1975

16. Construction work will be completed on or before Oct 1975

17. The water will be completely applied to the proposed use on or before June 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. I.I.O A has a water right under Klamath Basin Improvement District.

Randall Pope
(Signature of applicant)

Remarks:

All Sprinkler Irrigated.
Sprinkle Lines will take off main pipeline shown on diagram.

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

.....
STATE ENGINEER

By .....
ASSISTANT

G 6544

STATE OF OREGON,)
County of Marion,) *ss.*

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.5 *cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from* Hollow Two Well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th *of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed* 3 *acre feet per acre for each acre irrigated during the irrigation season of each year;* provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 7, 1975

Actual construction work shall begin on or before March 24, 1977 *and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19*77.

*Complete application of the water to the proposed use shall be made on or before October 1, 19*78.

WITNESS my hand this 24th *day of* March, *19*76.

James E. Sexson

WATER RESOURCES DIRECTOR

FH
B

*Application No. G-*7647

Permit No. G- G 6544

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th *day of* August, *19*75, *at* 8:00 *o'clock* A *M.*

Returned to applicant:

Approved:

Recorded in book No. ..... *of Ground Water Permits on page* G 6544

STATE ENGINEER

Drainage Basin No. 14 *page* 40

#5040