WATER RESOURCES DEPT.
SALEM, OREGON

## Permit No. G- G 6561

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, JOHN M. KEMPER
of BEATTY (GEN'L DE!), country of 5LAMATH,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated WHISKEY CREEK (Name of stream)
tributary of Sprague Piver
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is IRNIGATION
4. The well or other source is located 40 ft. and looo ft. from the from the from the
corner of NW CORNER OF SECTION I Tup 375
4. The well or other source is located 24.40 ft. S and 1000 ft. E from the corner of NW CORNER OF SECTION I Tup 37.5  (Section or subdivision)  AND 40 ACRES 70 DE IRRIGATED  (If preferable, give distance and bearing to section corner)
being within the NW 4 41119 So of Hrythway (40) of Sec. Twp. 375, R. // E.,
W. M., in the county of KLAMA+H
5. The PIDE LINE to be 7 miles
in length, terminating in the NWL (SookHqway) of Sec. Twp. 37  (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
N/A
8. The development will consist of
diameter of 10 inches and an estimated depth of 137 feet It is estimated that 87
feet of the well will require

	iguie. wiain on to	p (ai waier	line)	·
	feet; depth of w	ater	feet; grade	feet fall per one
and feet.				
(b) At	mil	les from hed	adgate: width on top (at water li	ine)
	feet; width on b	oottom	feet; depth of wat	er feet;
Nor	- KNOWN YE	+ , BUT	PROBABLE INTO AS	Tollows -
(c) Length	of pipe, r.siz		sand feet.  PROBABLE IN 70 As, size at intake in; in fuse in; difference in; difference in; difference in; difference in; difference in;	KLOR)
ıntake	in.; siz	e at place o	j use	ence in elevation between
e and place (	of use, S	7: <u>?</u> ft.	. Is grade uniform? Restrum.	Estimated capacity,
	sec. ft.	t	type TO BE DETERM	INES.
10. If pump	os are to be used, g	jive size and	type	.,,
		·		
Give horse	power and type o	f motor or	engine to be used25	HP
11 If the l	ocation of the well	I tunnel or	other development work is less	than one-fourth mile from
11. 1) bloc b			istance to the nearest point on	
ural stream	or stream channel	i, give ine a	detailed to the meanest point on	each of such channels and
ural stream ifference in e	elevation between	the stream	bed and the ground surface at t	the source of development
ural stream ifference in e	elevation between	the stream	bed and the ground surface at t	the source of development
ural stream ifference in e	elevation between	the stream	bed and the ground surface at t	the source of development
ural stream ifference in e w NAT	elevation between 12AL > TR RE SEVE,	the stream  EAU  DRY  AR	bed and the ground surface at two thin to Mile  Run off Clin	the source of development  OF Well —  Woods Enou
ural stream ifference in a NAN ENE 12	elevation between  12AL STR.  RE SEVE.  H DF	the stream  FAM  DRY  AK	bed and the ground surface at two its in the surface at the contract of the surface at the surfa	the source of development  OF Well—  NNOIS EROC  F SELELOPER
ural stream ifference in a NAN ENE NAN A DEP	elevation between  12AL STR.  RE SEVE.  H DF	the stream  FAM  DRY  AK	bed and the ground surface at two its in the surface at the contract of the surface at the surfa	the source of development  OF Well—  NNOIS EROC  F SELELOPER
ural stream ifference in a NAN ENE NAN A DEP	elevation between  12AL STR.  RE SEVE.  H DF	the stream  FAM  DRY  AK	bed and the ground surface at two thin to Mile  Run off Clin	the source of development  OF Well—  NNOIS EROC  F SELELOPER
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	relevation between  PAL STR  RE SEVE  TH DE  n of area to be irr  Range E or W. of	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the within the Mile RUN OFF CHA DEAN SOURCE Place of use AT LARY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the within the Mile RUN OFF CHA DEAN SOURCE Place of use AT LARY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  NATO  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEX NWY	the source of development  OF WILL  NWOIS EROL  F SELELOPER  Number Acres
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEW NWY  SWINNY  SWINNY  SWINNY  SWINNY  SWINNY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEX NWY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEW NWY  SWINNY  SWINNY  SWINNY  SWINNY  SWINNY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEW NWY  SWINNY  SWINNY  SWINNY  SWINNY  SWINNY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  NATO  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEW NWY  SWINNY  SWINNY  SWINNY  SWINNY  SWINNY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEW NWY  SWINNY  SWINNY  SWINNY  SWINNY  SWINNY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  NATO  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the lace of use AT LARY  Forty-acre Tract  NEW NWY  SWINNY  SWINNY  SWINNY  SWINNY  SWINNY	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the surface of use AT LAZY  Forty-acre Tract  IN NIW 4-LYING SO, OF HAWIY  SWINNING  SWINNING  SELY NNY  S	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a  NATO  A DEP  12. Locatio  Township N. or S.	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the surface of use AT LAZY  Forty-acre Tract  IN NIW 4-LYING SO, OF HAWIY  SWINNING  SWINNING  SELY NNY  S	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated
ural stream ifference in a ward of the street of the stree	Re Seven  n of area to be irr  Range E. or W. of Willamette Meridian	the stream  FRA  DRY  RA  3'  A  rigated, or p	bed and the ground surface at the control of the surface of the surface of use AT LAZY  Forty-acre Tract  IN NIW 4-LYING SO, OF HAWIY  SWINNING  SWINNING  SELY NNY  S	the source of development  OF WILL  NWOLS EROL  F SELECOPER  Number Acres To Be Irrigated

By Thomas E. Shook Assistant

STATE OF OREGON, PERMIT County of Marion, This is to certify that I have examined the faregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from Lazy K. The use to which this water is to be applied is irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ....3... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring . line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is ... August 28, 1975 Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...77.... Complete application of the water to the proposed use shall be made on or before October 1, 19....78 WITNESS my hand this .....24th day of ..... 19.76 RESOURCES DIRECTOR This instrument was first received in the office of the State Engineer at Salem, Oregon APPROPRIATE THE GROUND WATERS OF THE STATE  $\mathcal{D}$ Ground Water Permits on page Application No. G-.... Permit No. G- G at 8:00 o'clock

Drainage Basin No. 11. page ...40

Recorded in book No.

 ${f Approved}$ 

Returned to applicant

on the 2811h