## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Andy E. Allen (Name of applicant)
of 176 South Stage Road, Medford , county of Jackson ,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Little Butte Creek (Name of stream)
tributary of nogue River
2. The amount of water which the applicant intends to apply to beneficial use is v.13 cubic feet per second or 58.5 gallons per minute.
3. The use to which the water is to be applied is irrigation
4. The well or other source is located Ship ft. S. and 384 ft. E. from the Wa
corner of Section 1 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
If there is to be the new we'll each must be described. Use separate sheet if necessary
being within the SW4 NN, SW4 of Sec. 1 Twp. 30 S., R. 1 W.
W. M., in the county of Jackson
5. The mineline to be 800 feet
in length, terminating in the SW NN4 SW4 of Sec. 1, Twp. 50 S.
R. 1 W W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Allen Well
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
· · · · · · · · · · · · · · · · · · ·
enter de la companya de la companya La companya de la co
8. The development will consist of One Well having a Give number of well tunnels, etc.)
diameter of 6 inches and an estimated depth of 00 feet. It is estimated that 20
feet of the well will require Steel casing. Depth to water table is estimated 19 feet

c:	LAZL	SYSTEM	OR	DID!	I.INF	

9. (a) Give	dimensions at eacl	n point of can	ut where muceriang change	-
eadgate. At headg	gate: width on top	(at water line	)	feet; width on bottom
je	et; depth of water	<b>r</b>	feet; grade	feet fall per one
ousand feet.	*	·		`e.
(b) At	mile	s from headga	te: width on top (at water l	line)
	feet; width on bo	ottom	feet; depth of wat	er feet;
rade	feet fall pe	r one thousand	l feet.	
(c) Length	of pipe, 800	ft.; si:	re at intake. 3.0 ir	n.; in size at 400 ft
om intake	2.0 in.; siz	ze at <b>pla</b> ce of 1	use 2.0 in.: diff	ference in elevation betweer
take and place of	fuse 3.0.	ft. Is	grade uniform? Yes	Estimated capacity
	. sec. ft.			
10. If pump	s are to be used, g	ive size and ty	pe 1.5 inch su	ibmersible pump
	**			
Give horser	sower and tupe of	motor or engir	ne to be used 3.0	i.P. electric motor
Give norsep	ou er und type of	motor or engin		
atural stream of he difference in (	r stream channel, elevation between	give the dist the stream be	ance to the nearest point o	n each of such channels and the source of developmen
atural stream of the difference in a None - Litt	r stream channel, elevation between le Butte cre	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of use	n each of such channels and the source of development to North.  Number Acres
atural stream of the difference in a None - Litt	r stream channel, elevation between le Butte Gre	give the dist the stream be eek 1s app	ance to the nearest point of d and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.
atural stream on the difference in the difference in the None - Litt	r stream channel, elevation between le Butte re	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of use	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the difference in the None - Litt  12. Location Township N. or S.	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the difference in the None - Litt  12. Location Township N. or S.	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the difference in the None - Litt  12. Location Township N. or S.	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the differenc	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the difference in the None - Litt  12. Location Township N. or S.	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the differenc	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the differenc	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
atural stream on the difference in the difference in the the the difference in the	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
natural stream on the difference in the difference in the None - Litt  12. Location Township N. or S.	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	n each of such channels and the source of development to North.  Number Acres To Be Irrigated
natural stream on the difference in the difference in the None - Litt  12. Location Township N. or S.	r stream channel, elevation between le Butte re on of area to be irre Range E or W of Williamette Meridian	give the dist the stream be eck is app rigated, or pla	ance to the nearest point of and the ground surface of roximately 1 mile	Number Acres To Be Irrigated

STATE ENGINEER

m estimated population of	in 19	٠		
• •	•			
14. Estimated cost of proposed works, \$		data a	f iménance (	of par
15. Construction work will begin on or b				
16. Construction work will be completed				
17. The water will be completely applied	to the proposed use on o	r before .	October 1	, 1960
18. If the ground water supply is supp m for permit, permit, certificate or adju	lemental to an existing dicated right to approp	water, suj riate wate	pply, identify an er, made or held	y appli- by the
icent. None.		••••••••	······	
		T.		
	Gade	16.	Chele	
		dignature of a	pplicat)	
Remarks:		••••••		
	•••••			
			•	
		•••••••••••••••••••••••••••••••••••••••		
	······································	••••••		
		••••••		*****
	•			
······		······································		
				······································
				· · · · · · · · · · · · · · · · · · ·
				*******
ATE OF OREGON, )				
County of Marion,				
	Al . formacing application	n togatha	w suith the gases	
This is to certify that I have examined				
ps and data, and return the same for				
	······································	••••••		
In order to retain its priority, this app	lication must be returned	to the St	ate Engineer, wi	th correc

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		·		er which can be applied to benefi	
source of a	ppropriation, or its	equivalent in case of re	otation wi	th other water users, from Allen	Well
	•			gation	
If fo	r irrigation, this ap	propriation shall be lin	nited to	1/80 of one cubic foo	t per second
or its equit	valent for each acre	e irrigated and shall b	e further l	imited to a diversion of not to exc	eed21
acre feet p	er acre for each ac	ere irrigated during th	e i <del>rri</del> gatio	n season of each year;	
			••••	•	
				······································	
				······································	
	•••••		****		
and shall	be subject to such 1	reasonable rotation sys	stem as mo	ny be ordered by the proper state	officer.
The	well shall be case	d as necessary in acco	rdance w	ith good practice and if the flor	w is artesian
The	works constructed		line and p	prevent the waste of ground wat ressure gauge or an access port fo Il at all times	
The	priority date of the	is permit is	in the we	September 24, 1957	
Act	ual construction we	ork shall begin on or b	efore	October 25. 1958	and shall
thereafter	be prosecuted wi	th reasonable diligend	ce and be	completed on or before October	1, 1959
			••••		
	•			shall be made on or before Octob	
device,	and shall keep	a complete record	i of the	, meter, or other suitable amount of ground water with the second state of the second state of the second s	measuring thdrawn.
WI	TNESS my hand th	his25th day of		Luin a. Stanle	, 24
	·			ST	FIE ENGINEER
		gon,		<i>و</i> و	5
	UND	ed in A. Ore M.		73	ENGINE
767	E GROUND STATE	receiv Salem f.e.m.			STATE 1
Application No. G-76.		This instrument was first received in the ce of the State Engineer at Salem, Oregon. The Lift day of Suptember		n pagi	\$ 0 S
No. 6	PERMIT PRIATE THE US OF THE OF OREGON	was ingine of S	nt:	vved: October 25, 1957 corded in book No. id Water Permits on	- S/
ation : No.	PERN APPROPRIATE WATERS OF T	ment tate E day	plica	oved: October 25. corded in boo	358
Application Permit No.	P. APPROPR WATERS	instru the Si th	l to ap	d: Lober ded i	3
-4. Ω <sub>1</sub>	25	This instrument was first received in the office of the State Engineer at Salem, Oregon on the 24th day of Septembel.  1957, at 1.00.0'clock P.M.	Returned to applicant	Approved: October 25, 1957 Recorded in book No. 3 Ground Water Permits on page	1
İ	i.	l ge g	Ret	Ap	: 1

State Printing 1