

RECEIVED

"CERTIFICATE NO. 54825"

NOV - 6 1975
WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G- G 6598

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, George W Sickler
(Name of applicant)
of 7171 Holland Loop Rd, county of Josephine,
CAVE JUNETTES
state of OREGON 97523, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated ALTHOUSE CR.
(Name of stream)

tributary of ILLINOIS

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 135 gallons per minute. 35 gpm from Sump 1 & 100 gpm from Sump 2

Letter dated 1-6-76

3. The use to which the water is to be applied is IRG. OF A VINEYARD &

GRASS PASTURE

4. The well or other source is located 370' S AND 950' E FROM THE NW
100' ft. N. and 50' ft. E. from the SW
CORNER OF NE 1/4 NW 1/4 OF SECTION (NE 1/4) Twp. 40 S R7 W
corner of SE 1/4 SW 1/4 OF SECTION 33 Twp 39 S R7 W W.M
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

being within the NE 1/4 NW 1/4 of Sec. 33, Twp. 39 S, R. 7
SE 1/4 SW 1/4
W. M., in the county of JOSEPHINE

5. The See REMARKS to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is ONE AND TWO

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 SUMP WELLS having a
(Give number of wells, tunnels, etc.)
① diameter of 8' x 8' x 35' inches and an estimated depth of _____ feet. It is estimated that _____
② feet of the well will require _____ casing. Depth to water table is estimated 6
(Kind) (Feet)

4138

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type ① 3 HP GAS 1 1/2

② 2 HP ELCC. 1 1/2

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Sec 4 T403	R7 W		NE 1/4 NW 1/4	14
33 39 S	R7 W		SE 1/4 SW 1/4	3

(If more space required, attach separate sheet)

Character of soil CLAY TO LOAM

Kind of crops raised VINEYARD + GRASS PASTURE

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2000.00
- 15. Construction work will begin on or before JAN 1 1975
- 16. Construction work will be completed on or before JAN 1 1976
- 17. The water will be completely applied to the proposed use on or before MAY 1 1976
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. CERTIFICATE 2716

George W. Diller
(Signature of applicant)

Remarks: VINEYARD To Be I.R.C. BY TANK TRUCK IN TO
BASIN AROUND THE PLANT
2 AC. BY PORT. SPRINKLER SYS "GRASS PASTURE"

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two sumps, being 0.06 c.f.s. from Sump No. 1 and 0.15 c.f.s. from Sump No. 2

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 6, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March, 1976

James E. [Signature]
WATER RESOURCES DIRECTOR

Application No. G-7151
Permit No. G- G 6598

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 6 day of November,
1975, at 8 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page G 6598

STATE ENGINEER

Drainage Basin No. 15 page 106

4332