

RECEIVED

DEC 21975

WATER RESOURCES DEPT.
SALEM, OREGON

"CERTIFICATE NO. 57269"

WDLF 1979 A20

Permit No. G-6609

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Elmer Gooding (Name of applicant)
of Star Rt Box 32 St. Paul (Postoffice Address), county of Marion,
state of Ore 97137, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 3.06 cubic
feet per second or gallons per minute.

3. The use to which the water is to be applied is supplemental irrig.

4. The well or other source is located 12.00 ft. N (N. or S.) and 17.50 ft. E (E. or W.) from the S.E.
corner of Clay D.L.C. 60 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 N.W of Sec. 21, Twp. 4S, R. 2W,
W. M., in the county of Marion

5. The (Canal or pipe line) to be miles
in length, terminating in the (Smallest legal subdivision) of Sec. Twp.,
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a
diameter of 16 inches and an estimated depth of 178 feet. It is estimated that 178
feet of the well will require steel (Kind) casing. Depth to water table is estimated 13.5 ft. (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 75 horse

Give horsepower and type of motor or engine to be used electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	2W	17	SE ¹ / ₄ SE ¹ / ₄	0.6
		20	NE ¹ / ₄ NE ¹ / ₄	33.0
			NW ¹ / ₄ NE ¹ / ₄	23.5
			SW ¹ / ₄ NE ¹ / ₄	39.6
			SE ¹ / ₄ NE ¹ / ₄	38.6
			NE ¹ / ₄ NW ¹ / ₄	3.7
			SE ¹ / ₄ NW ¹ / ₄	5.0
			NE ¹ / ₄ SW ¹ / ₄	0.4
			NE ¹ / ₄ SE ¹ / ₄	3.0
			NW ¹ / ₄ SE ¹ / ₄	3.2
		21	SW ¹ / ₄ NE ¹ / ₄	14.0
			SW ¹ / ₄ NW ¹ / ₄	35.3
			SE ¹ / ₄ NW ¹ / ₄	35.6
			NE ¹ / ₄ SW ¹ / ₄	4.1
			NW ¹ / ₄ SW ¹ / ₄	4.0
			NW ¹ / ₄ SE ¹ / ₄	1.3

(If more space required, attach separate sheet)

Total 244.9 ac.

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
 in county, having a present population of
 and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....
 15. Construction work will begin on or before
 16. Construction work will be completed on or before July '76
 17. The water will be completely applied to the proposed use on or before ~~Oct '77~~
 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Certificates 35371, & 42224

Elmer Gooding
 (Signature of applicant)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

7. 1900

STATE OF OREGON,

County of Marion,

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.06 cubic feet per second measured at the point of diversion from the well 3.06 or source of appropriation, or its equivalent in case of rotation with other water users, from a well a well

The use to which this water is to be applied is supplemental irrigation Suppl Irrig

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second 1/80 or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the avail- able supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 2, 1975 Dec 2, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 77

Complete application of the water to the proposed use shall be made on or before October 1, 19 78

WITNESS my hand this 24th day of March, 19 76

James E. Dean
WATER RESOURCES DIRECTOR FH
B

Application No. G- 7170Permit No. G- 6609

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 2nd day of December,

1975, at 2:35 o'clock P M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____

Ground Water Permits on page G 6609

STATE ENGINEER

Drainage Basin No. 2 page 146

94
50