

RECEIVED

CERTIFICATE NO. 51075

RECEIVED

DEC - 3 1975

Permit No. G-6610

DEC 23 1975

WATER RESOURCES DEPT.
SALEM, OREGON

APPLICATION FOR A PERMIT

WM. DIST
PERMITS PAS. UNIT

To appropriate the Ground Waters of the State of Oregon

I, Michele Caster Ph 9-0906
(Name of applicant)
of 511 Hidden Valley Rd Grants Pass, county of Josephine
(Postoffice Address)

state of _____, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Applegate River
(Name of stream)

tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 22 cubic feet per second or 96.5 gallons per minute. PRIMARY IRRIGATION 3.5 AC.

3. The use to which the water is to be applied is Supplemental

Irrigation of 19.5 acres

4. The well or other source is located 680' ft. S and 780' ft. W from the NE corner of Section 13
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferred, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 13, Twp. 37S, R. 6W, W. M., in the county of Josephine

5. The Pipe line to be 1200' miles in length, terminating in the NE 1/4 NE 1/4 of Sec. 13, Twp. 37S, R. 6W, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 drilled well having a diameter of 6" inches and an estimated depth of 135 feet. It is estimated that feet of the well will require 11.5' casing. Depth to water table is estimated 12' beneath land surface
(Give number of wells, tunnels, etc.)
(Kind) (Feet)

4360

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4000⁰⁰
- 15. Construction work will begin on or before well is completed
- 16. Construction work will be completed on or before and works are in
- 17. The water will be completely applied to the proposed use on or before November 1, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permit G-1624

Michelle C. Costin
(Signature of applicant)

Remarks:

This property has never been served by the
Coastal Pass Irrigation District - (unable to reach prop.)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with correction on or before February 24, 1976

WITNESS my hand this 22nd day of December, 1975

James E. Sexton
Director
By Vestal R. Garner
Vestal R. Garner

RECEIVED

DEC 29 1975

WATER RESOURCES DEPT.
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 3, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March 1976

[Signature]
WATER RESOURCES DIRECTOR FH S

Application No. G- 6-7171

Permit No. G- 6610

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of March 1976, at 8 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of Ground Water Permits on page G 6610

STATE ENGINEER

Drainage Basin No. 15 page 106