

RECEIVED

DEC 4 1975

CERTIFICATE NO. 52596

WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G- G 6611

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Weyerhaeuser Company, a Washington Corporation
(Name of applicant)
of Box C, Tacoma, Washington 98401
(Postoffice Address), county of Pierce

state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

January 18, 1900, State of Washington

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .41 cubic feet per second or 193 gallons per minute.

3. The use to which the water is to be applied is for irrigation

4. The well or other source is located 400 ft. N and 1030 ft. E from the SW corner of Section 7-T4S-R1E
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 7, Twp. 4S, R. 1E, W. M., in the county of Clackamas

5. The pipeline to be 1530 feet in length, terminating in the NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 18, Twp. 4S, plus one line 1250 feet in length terminating in the SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of R. 1E, W. M., the proposed location being shown throughout on the accompanying map. Section 7-T4S-R1E

6. The name of the well or other works is Well No. 12

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

8. The development will consist of a well having a diameter of 16 inches and an estimated depth of 125 feet. It is estimated that 124 feet of the well will require steel casing. Depth to water table is estimated 55

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type submersible turbine

Give horsepower and type of motor or engine to be used 30 horsepower electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	1E	18	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	22.0 Acres
4S	1E	7	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	10.5 Acres
				32.5 Acres

(If more space required, attach separate sheet)

Character of soil Sandy Silt

Kind of crops raised Forest Tree Seedlings

MUNICIPAL SUPPLY—

13. To supply the city of N/A
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 21,000
- 15. Construction work will begin on or before August 12, 1975
- 16. Construction work will be completed on or before September 2, 1975
- 17. The water will be completely applied to the proposed use on or before October 1, 1975
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

WEYERHAEUSER COMPANY

By: R. H. Mogensen
Land Title Department Manager

Remarks: _____

See Applications G7000 through G7005

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

G 6611

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.41 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 12.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 4, 1975

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 24th day of March, 1976.

James E. ...
WATER RESOURCES DIRECTOR

Application No. G-7172
Permit No. G- G 6611

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4th day of December,
1975, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6611
Ground Water Permits on page

STATE ENGINEER
Drainage Basin No. 2 page 146

430 70