RECEIVED

SALEM, OREGON

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

and the second second	Genneth H. Coppin		ne of applicant)	e de la companya de l	.
7	reintenti tit oobbrit				~~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~
and the second		(Nan	ne or approxime, The contract of the contract	***	
,	tt. #2 Box 10	Eche	, county of .	Unetilla	*
	(Postoffice A	Age of		4 M	\$ 401
ate of	regon y	7802, do here	by make application f	or a permit to	o appropriate t
llowing descr	ibed ground waters	of the state of Ore	gon, SUBJECT TO E	XISTING RI	GHTS:
If the and	nlicant is a cornoratio	on aine date and n	lace of incorporation		
If the app	picani is a corporation	on, give dute and p			~ (3
	••••••		and the second s		Water to the second
and Secretary and the Secretar					
1. Give 1	name of nearest stree	ım to which the w	ell, tunnel or other so	ource of water	r development
- 44A				The second of th	1 (1)
tuated	Umatilla River	(Name o	of stream)		·
\$1 Ver	41.3/2	ń	tributary of	Columbia Pi	L
W. S. 1 (1) 1 (1)			irioutary of		
2. The a	mount of water whic	h the applicant int	ends to apply to bene	ficial use is	8.92 cut
et per second	or 4005 gall	ons per minute.	on, each well		y
	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		The second secon	a signafat yang salah salah salah	
3. The u	se to which the wate	er is to be applied	is Primary Irriga	tion from V	vell No. 1
Quanta-	ental Irrigation	from Wall No	3	andre de la companya	The state of the s
		1 No. 1: 2550	1350	i and in the British and the second of the British and the British and the second of	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
4 The m		- · · · · · · · · · · · · · · · · · · ·	S and	44 W 4.	nom the NE
8 () - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Wel	1 No. 2 1250	(N. or S.) 90	(36. or W.)	Old the .Am.
rner of Sec. 2	ALOC OF MC W.		- Television 1981 1981 1981 1981 1981 1981 1981 198	Paralesia	an Andrews
-	MA.o.JAIaKaK.7.Ko				
	M	(Section or su	ıbdivision)	***************************************	
e July		(Section or su	in the Allegan Sa		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
C. Debug. C. Aparita D. C. Aparita	The state of the property of t	(Section or su eferable, give distance and	bearing to section corner)	6. 7. 7	
e 1995. 198 4: 20. september - 1986. 1985.	(If there is more than	(Section or su eferable, give distance and a one well, each must be de	bearing to section corner)		
ing within the	(If there is more than	(Section or su eferable, give distance and a one well, each must be de	bearing to section corner)		. R. 29E
	(If profit there is more than No. 1 SW 1 NE 1 N	eferable, give distance and none well, each must be de co. 2 NE 1 NE 1	bearing to section corner)		. R. 29E
	(If there is more than	eferable, give distance and none well, each must be de co. 2 NE 1 NE 1	bearing to section corner)		. R. 29E
M., in the co	(If there is more than No. 1 SW NE NE No. 1 No.	eferable, give distance and none well, each must be de co. 2 NE 1 NE 1	bearing to section corner) secribed. Use separate sheet if a confidence of Sec. 24 ,	Twp. 3N	•
M., in the co	(If profession of the line of	(Section or sueferable, give distance and none well, each must be de O. 2 NE 1 NE 1	bearing to section corner) secribed. Use separate sheet if a	Twp. 3N	mile
M., in the co	(If profession of the line of	(Section or sueferable, give distance and none well, each must be de O. 2 NE 1 NE 1	bearing to section corner) secribed. Use separate sheet if a	Twp. 3N	mile
M., in the co	(If profit there is more than the No. 1 SW NE	(Section or sueferable, give distance and none well, each must be do o 2 NE 3 NE 3	bearing to section corner) secribed. Use separate sheet if a secribed. of Sec. 24 , decrease to be separate sheet if a secribed. to be separate sheet if a secribed.	Twp. 3N	mile
M., in the co	(If profit there is more than the No. 1 SW NE	(Section or sueferable, give distance and none well, each must be do o 2 NE 3 NE 3	bearing to section corner) secribed. Use separate sheet if a	Twp. 3N	mile
M., in the co 5. The length, termin	(If profite is more than the No. 1 SW 1 NE 1 Ne No. 1 SW 2 NE 2 Ne	(Section or sue describe, give distance and none well, each must be de O. 2 NE + NE + NE + NE + O. (Smallest legal subdivision ocation being show	bearing to section corner) secribed. Use separate sheet if a conference of Sec	Twp. 3N Tup. Tu	wpnile
M., in the co 5. The length, termin	(If profite is more than the No. 1 SW 1 NE 1 Ne No. 1 SW 2 NE 2 Ne	(Section or sue describe, give distance and none well, each must be de O. 2 NE + NE + NE + NE + O. (Smallest legal subdivision ocation being show	bearing to section corner) secribed. Use separate sheet if a secribed. of Sec. 24 , decrease to be separate sheet if a secribed. to be separate sheet if a secribed.	Twp. 3N Tup. Tu	wpnile
5. The length, terming	(If profite is more than the No. 1 SW 1 NE 1 Ne No. 1 SW 2 NE 2 Ne	eferable, give distance and none well, each must be de co. 2 NE 1 NE 1 Co. 2 NE 1 NE 1 Co. (Smallest legal subdivision ocation being shown ter works is	bearing to section corner) secribed. Use separate sheet if a conference of Sec	Twp. 3N Tup. Tu	wpnile
5. The length, terming	(If profite is more than the No. 1 SW 1 NE 1 Ne No. 1 SW 2 NE 2 Ne	(Section or sue describe, give distance and none well, each must be de O. 2 NE + NE + NE + NE + O. (Smallest legal subdivision ocation being show	bearing to section corner) secribed. Use separate sheet if a conference of Sec	Twp. 3N Tup. Tu	wpnile
M., in the constant of the con	(If proceed in the control of the well or other with the control of the well or other with the control of the well or other with the control of the well or other well or other with the control of the well or other with the control of the well or other we	(Section or so eferable, give distance and a one well, each must be do to 2 NET NET	bearing to section corner) secribed. Use separate sheet if a conference of Sec	Twp. 3N, Traccompanying	mile wp y map.
M., in the constant of the con	(If provided in the latest section of the well or other than the latest section of the well or other latest section of the well of the well of the well or other latest section of the well of the well of the well or other latest section of the well of the wel	(Section or so eferable, give distance and a one well, each must be do to 2 NET NET	bearing to section corner) secribed. Use separate sheet if a of Sec. 24 , decided to be separate sheet if a secribed. Use separate sheet if a secribed to be secribed. Use separate sheet if a secribed to be secribed to be secribed. Use separate sheet if a secribed to be secri	Twp. 3N, Traccompanying	mile wp y map.
M., in the constant of the manner of the following the constant of the constant	(It proves the provest of the proposed learning of the well or other learning to the well or other low to be utilized is a timuse must be described.	(Section or so eferable, give distance and none well, each must be de to 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown ar works is	bearing to section corner) secribed. Use separate sheet if a construction of Sec	Twp. 3N, Traccompanying	mile wp y map.
M., in the constant of the manner of the following the constant of the constant	(If proceed in the control of the well or other with the control of the well or other with the control of the well or other with the control of the well or other well or other with the control of the well or other with the control of the well or other we	(Section or so eferable, give distance and none well, each must be de to 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown ar works is	bearing to section corner) secribed. Use separate sheet if a construction of Sec	Twp. 3N, Traccompanying	mile wp y map.
5. The length, terming	(If there is more than No. 1 SW NET New No. 1 SW NET NET New	(Section or so eferable, give distance and none well, each must be do to 2 NET NET (Smallest legal subdivision ocation being shown are works is	bearing to section corner) secribed. Use separate sheet if a corner of Sec. 24 , a corner of Sec	Twp. 3N , Traccompanying Coppinger N ntrol and cons	mile wp. y map. No. 2 servation of the
5. The length, terming	(If there is more than No. 1 SW NET New No. 1 SW NET NET New	(Section or so eferable, give distance and none well, each must be do to 2 NET NET (Smallest legal subdivision ocation being shown are works is	bearing to section corner) secribed. Use separate sheet if a construction of Sec	Twp. 3N , Traccompanying Coppinger N ntrol and cons	mile wp. y map. No. 2 servation of the
5. The length, terming	(If there is more than No. 1 SW NET NET Neutry of	(Section or so eferable, give distance and none well, each must be do to 2 NET NET (Smallest legal subdivision ocation being shown are works is	bearing to section corner) secribed. Use separate sheet if a corner of Sec. 24 , a corner of Sec	Twp. 3N , Traccompanying Coppinger N ntrol and cons	mile wp. y map. No. 2 servation of the
M., in the constant of the manner of the following the manner of the following when not the following the followin	(If provided is more than the land of the well or other than the land to be utilized is at in use must be described in the land to be utilized is at in use must be described in the land to the land to be utilized is at in use must be described in the land to be utilized is at in use must be described in the land to the land to be utilized is at in use must be described in the land to be utilized is at in use must be described in the land to the land to be utilized is at in use must be described in the land to be utilized in the	(Section or so eferable, give distance and none well, each must be do o. 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown are works is	bearing to section corner) secribed. Use separate sheet if a construction of Sec. 24 , a construction of Sec	Twp. 3N Traccompanying Coppinger N ntrol and cons	mile wp. map. No. 2 servation of th
M., in the constant of the manner of the following the manner of the following when not the following the followin	(If provided is more than the land of the well or other than the land to be utilized is at in use must be described in the land to be utilized is at in use must be described in the land to the land to be utilized is at in use must be described in the land to be utilized is at in use must be described in the land to the land to be utilized is at in use must be described in the land to be utilized is at in use must be described in the land to the land to be utilized is at in use must be described in the land to be utilized in the	(Section or so eferable, give distance and none well, each must be do o. 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown are works is	bearing to section corner) secribed. Use separate sheet if a construction of Sec. 24 , a construction of Sec	Twp. 3N Traccompanying Coppinger N ntrol and cons	mile wp. map. No. 2 servation of th
M., in the constant of the manner of the man	(If there is more than No. 1 SW NE	(Section or so eferable, give distance and none well, each must be de to 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown ar works is	bearing to section corner) secribed. Use separate sheet if a corner of Sec	Twp. 3N Traccompanying Coppinger N ntrol and cons	mile wp. map. No. 2 servation of the having
M., in the constant of the manner of the man	(If there is more than No. 1 SW NE	(Section or so eferable, give distance and none well, each must be de to 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown ar works is	bearing to section corner) secribed. Use separate sheet if a construction of Sec. 24 , a construction of Sec	Twp. 3N Traccompanying Coppinger N ntrol and cons	mile wp. map. io. 2 servation of the having #1 137 d that #2 215
M., in the constant of the manner of #1 1 meter of #2.	(It proves the provided in the well or other will consider the well on the well or other well on the w	(Section or so eferable, give distance and none well, each must be do o. 2 NE 1 NE 1 (Smallest legal subdivision ocation being shown ther works is	bearing to section corner) secribed. Use separate sheet if a corner of Sec	Twp. 3N Traccompanying Coppinger N ntrol and cons trol and cons It is estimate	mile wp. map. io. 2 servation of the having #1 137 d that #2 215 #1 137

earlier for a particular to the first of the party	adgate: width on	top (at water	line)	feet; width on bottom
		The second second		feet fall per one
thousand feet.				jeet jan per one
		miles from hea	ndgate: width on top (at wate	r line)
stavati matuatu iliin		7 '	feet; depth of u	
	feet fal			
용상되었다고 회원 방법이 하다			size at intakein	: in size at
			f use in.; diff	and the state of t
The state of the s			Is grade uniform?	그 그 사람들은 사람들이 되었다면 하는 것이 되었다면 하는 것이 없는 것이 없다면 하는 것이 없다면 하는 것이다.
		l, give size and	type Turbine	
	30. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.			
Give hors	epower and tupe	of motor or	engine to be used Electric	
1.384	The second se		- Spir.	
V				****************
11. If the natural stream he difference in	location of the wo	ell, tunnel, or o vel, give the di	other development work is les stance to the nearest point or bed and the ground surface a	n each of such channels and
11. If the natural stream he difference in	location of the wa or stream chann elevation between	ell, tunnel, or o tel, give the di en the stream i	stance to the nearest point or bed and the ground surface a	n each of such channels and the source of development
11. If the natural stream he difference in	location of the wa	ell, tunnel, or o del, give the di en the stream i	stance to the nearest point or bed and the ground surface a	n each of such channels and it the source of development
11. If the natural stream he difference in	location of the wa	ell, tunnel, or o del, give the di en the stream i	stance to the nearest point or bed and the ground surface a	n each of such channels and it the source of development
11. If the natural stream he difference in	location of the water or stream channel elevation between on of area to be in Range	ell, tunnel, or of the disent the stream is	stance to the nearest point or bed and the ground surface a	n each of such channels and it the source of development Number Acres To Be Irrigated
11. If the natural stream he difference in 12. Locati	location of the water of the water channel elevation between the control of the water channel on of area to be in the control of the water control of the water channel of the wa	ell, tunnel, or of the disent the stream is	stance to the nearest point or bed and the ground surface a ace of use	Number Acres To Be Irrigated 160 100c and
11. If the natural stream he difference in 12. Locati Township N. or S.	on of area to be i	ell, tunnel, or del, give the dien the stream in the strea	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract	n each of such channels and it the source of development Number Acres To Be Irrigated
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160 100c and
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E 30E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160 100c acces 160 100c acces 160 150c acces 160 160 150c acces 160 160 160 acces 160 160 acces 160 160 160 160 acces 160 160 160 160 160 160 160 160 160 160
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160 100c acces 160 100c acces 160 150c acces 160 160 150c acces 160 160 160 acces 160 160 acces 160 160 160 160 acces 160 160 160 160 160 160 160 160 160 160
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E 30E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160 100c acces 160 100c acces 160 150c acces 160 160 150c acces 160 160 160 acces 160 160 acces 160 160 160 160 acces 160 160 160 160 160 160 160 160 160 160
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E 30E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160 100c acces 160 100c acces 160 150c acces 160 160 150c acces 160 160 160 acces 160 160 acces 160 160 160 160 acces 160 160 160 160 160 160 160 160 160 160
11. If the natural stream he difference in 12. Locati Township N. or S. 3N	on of area to be i Range E. or W. of Willamette Meridian 29E 29E 30E	ell, tunnel, or of the disent the stream is stream in the stream in the stream is stream in the stream in the stream is stream in the stream in the stream in the stream in the stream is stream in the stream i	stance to the nearest point or bed and the ground surface a ace of use Forty-acre Tract NE 1/4 SE 1/4	Number Acres To Be Irrigated 160 100c acces 160 100c acces 160 150c acces 160 160 150c acces 160 160 160 acces 160 160 acces 160 160 160 160 acces 160 160 160 160 160 160 160 160 160 160

Character of soil Light Loam (... Kind of crops raised ...

MUNICIPAL SUPPLY—						
13. To supply the city	of	************		***************************************	******	
in	county, havi	ng a present	population of	*	*************	งตั้งคลทร่องน่องนี้เกี่ยงนั้ง
and an estimated population		A. 5.				l ei .
					1 - 1	Z
and the second s	ER QUE TIONS			L CASES		
14. Estimated cost of p	proposed works	, \$ 125,000	0,00			
15. Construction work	will begin on o	r beforeOct	tober 1, 19	76		
16. Construction work	will be comple	eted on or bef	ore Octobe	ra 1, 1977	gerija Berlija Janga	* · ·
17. The water will be o					C/	1978
. *			-			
18. If the ground water cation for permit, permit, ce	er supply is su ertificate or ad	pplemental to ljudicated rig	o an existing ht to approp	water supply, riate water, n	identify rade or h	any appli eld by the
applicant.			*******************			
***************************************	***************************************				: :	
			74.	1/20	•	
				Signature of applica	at)	***************************************
Remarks:		************************				******************
	***************************************		***************************************	**********************		
	*****************************		•	***************************************	:	
A	· · · · · · · · · · · · · · · · · · ·					•
						•
· · · · · · · · · · · · · · · · · · ·		***************************************		ν <u>γε</u> το .		
	,	,				***************
	· v			***************************************		
			***************************************	************************		*************
				± .		
	,		*******************		:	
	······································		••••••	••••••		•••••••••••••••••••••••••••••••••••••••
			••••••••	***************************************	· · · · · · · · · · · · · · · · · · ·	
	••••••	•	•••••	**********	·····	
••••••						***********
STATE OF OPECON \						
STATE OF OREGON, County of Marion,					!	
County of Marion,						
This is to certify that I	have examined	l the foregoin	g application,	together with	the accor	mpanying
maps and data, and return the	same for	***************************************		•••••		

In order to retain its pri	Ority this anni	cation meat	o potumed 4.	the State For	nimaan sus	th comes
			e returned to	ine state eng	nneer, wu	n correc-
tions on or before	4	, 19	e Me n	**************************************		
WITNESS my hand this	day	of	***************************************			9
en e			en e			
		and the second				
				***************************************		######################################
					STATE	engineer
		Ву	••••••••••••••••••••••••••••••	***************************************		SSISTANT

G 6626
STATE OF OREGON,) PERMIT
County of Marion, ss.
This is to certify that I have examined the foregoing application and do hereby grant the s SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:
The right herein granted is limited to the amount of water which can be applied to beneficial
and shall not exceed8.92 cutic feet per second measured at the point of diversion from the
or source of appropriation, or its equivalent in case of rotation with other water users, from Coppin
Wells No. 1 and No. 2.
The use to which this water is to be applied is irrigation from Well No. 1 with any de-
ficiency to be made up by appropriation from Well No. 2.
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
acre feet per acre for each acre irrigated during the irrigation season of each year;
the trigution season of each year;
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesic the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is December 29, 1975
Actual construction work shall begin on or before March 24, 1977 and sha
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.77
Complete application of the water to the proposed use shall be made on or before October 1, 19.78
WITNESS my hand this 24th day of March 19.76
James destre
WATER RESOURCES DIRECTOR
Oregon, of GG26

Application No. G. 7195

Permit No. G. G 6626

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

PERMIT

This instrument was first receive office of the State Engineer at Salem, on the 5th day of threeh.

Returned to applicant:

Approved:

Recorded in book No.

Ground Water Permits on page G

Drainage Basin No. 7 page ____