RECEIVED

JANS 1976
WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G- G 6633

APPLICATION FOR A PERMIT

CERTIFICATE NO. 48/59

To Appropriate the Ground Waters of the State of Oregon

I, Thomas J. Harper (Name of applicant)
of
(Postoffice Address), county of
state of Oregon 97448, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River
situated Willamette River (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or464 gallons per minute.
3. The use to which the water is to be applied isirrigation
4. The well or other source is located 1680 ft. S and 1200 ft. E from the NW (N. or S.)
corner of Section 14 (Section or subdivision)
72 materials who distance of the
(if preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SWNW of Sec. 14 Twp. 16S , R. 4W
W. M., in the county of Lane
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
or live name of the west of other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of One well having a
liameter of 5" inches and an estimated depth of feet. It is estimated that
eet of the well will require casing. Depth to water table is estimated
Driven Well

CA	NAT.	SYSTEM	OB	PIPE	TINE
-	шаг	SISIEM	\mathbf{on}	FIFE	

	feet; depth of	water	feet; grade	feet fall m
usand feet.	•		, , ,	poor jant p
(b) At.	n	riles from hea	dgate: width on top (at water l	ine)
***************************************	feet; width on	bottom	feet; depth of wa	ter
de	feet fall	per one thous	and feet.	
(c) Leng	gth of pipe,	ft.; s	size at intakein.; i	n size at
n intake	in.; s	ize at place of	use in.; differ	ence in elevation be
ke and plac	ce of use,	ft.	Is grade uniform?	Estimated cap
•••••••••	•			
10. If pu	mps are to be used,	give size and	type 4" Centrif.	
Give hor	sepower and type	of motor or e	engine to be used 25 h.p.	electric
	***************************************	******************		
11. If the	location of the ave	ll, tunnel, or o	ther development work is less t	han one-fourth mile
tural strear	n or stream channe	el give the dis	tance to the negrest point on a	each of euch channel
tural strear	n or stream channe	l, give the dis	stance to the nearest point on e ed and the ground surface at t	each of such channel he source of develop
itural strear difference i	n or stream channe	el, give the dis n th <mark>e strea</mark> m b	tance to the nearest point on e ed and the ground surface at t	he source of develop
itural strear difference i	n or stream channe n elevation between	el, give the dis n th <mark>e strea</mark> m b	tance to the nearest point on e ed and the ground surface at t	each of such channel. he source of develop
itural strear difference i	n or stream channe n elevation between	el, give the dis n th <mark>e strea</mark> m b	tance to the nearest point on e ed and the ground surface at t	he source of develop
itural strear difference i	n or stream channe n elevation between	el, give the dis n th <mark>e strea</mark> m b	tance to the nearest point on e ed and the ground surface at t	he source of develop
itural stream difference in 50' dist	n or stream channe n elevation between ant - 10' dif	el, give the dis n the stream b	tance to the nearest point on e ed and the ground surface at t	he source of develop
tural stream difference in 50' dist	n or stream channe n elevation between ant - 10' dif	el, give the dis n the stream b	tance to the nearest point on e ed and the ground surface at t n elevation.	he source of develop
difference is to dist. 12. Locat Township N. or S.	n or stream channe n elevation between ant - 10' dif ion of area to be ir Range E. or W. of	el, give the dis n the stream b ference i	tance to the nearest point on eled and the ground surface at to nelevation.	he source of develop
tural stream difference in io' dist	n or stream channer elevation between ant - 10' difference difference distribution of area to be in the street of the street distribution of area to be in the street distribution of a street distribution of area to be in the street distribution of a stree	el, give the dis n the stream b ference i rigated, or pla	tance to the nearest point on e ed and the ground surface at t n elevation. ce of use	Number Acres To Be Irrigated
tural stream difference in the stream of the	n or stream channer of elevation between ant - 10 difference of area to be in the control of the	el, give the dis n the stream b ference i rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. ce of use NWNW	Number Acres To Be Irrigated
tural stream lifference in io dist. 12. Locat Township N. or S.	n or stream channer elevation between ant - 10' difference discounty of area to be in Range E. or W. of Willamette Meridian 4W	el, give the dis n the stream b ference i rigated, or pla Section 14	tance to the nearest point on eled and the ground surface at to n'elevation. ce of use Forty-acre Tract NWNW NENW	Number Acres To Be Irrigated 0.45 1.42
tural stream difference in o dist 12. Locat Township N. or S.	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla	ce of use NWNW NENW SWNW	Number Acres To Be Irrigated 0.45 1.42 6.08
tural stream difference in o dist 12. Locat Township N. or S. 16S "" ""	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. To ty-acre Tract NWNW NENW SWNW SENW	Number Acres To Be Irrigated 0.45 1.42 6.08 19.53 3.58
tural stream difference is 10° dist. 12. Locat Township N. or S. 16S "	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. Torty-acre Tract NWNW NENW SENW SWNE	Number Acres To Be Irrigated 0.45 1.42 6.08 19.53 3.58
tural stream difference is 10° dist. 12. Locat Township N. or S. 16S "	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. Torty-acre Tract NWNW NENW SENW SWNE	Number Acres To Be Irrigated 0.45 1.42 6.08 19.53 3.58
tural stream difference is 50° dist. 12. Locat Township N. or S. 16S "	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. Torty-acre Tract NWNW NENW SENW SWNE	Number Acres To Be Irrigated 0.45 1.42 6.08 19.53 3.58
tural stream difference is 10° dist. 12. Locat Township N. or S. 16S "	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. Torty-acre Tract NWNW NENW SENW SWNE	Number Acres To Be Irrigated 0.45 1.42 6.08 19.53 3.58
tural stream difference is 10° dist. 12. Locat Township N. or S. 16S "	n or stream channer elevation between ant - 10' difference ant - 10' dif	rigated, or pla Section	tance to the nearest point on eled and the ground surface at to n'elevation. Torty-acre Tract NWNW NENW SENW SWNE	Number Acres To Be Irrigated 0.45 1.42 6.08 19.53 3.58

MUNICIPAL SUPPLY—	
13. To supply the city of	······································
in county, having a pa	resent population of
and an estimated population of	. in 19
, see	16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$1.0	000.00
15. Construction work will begin on or befor	e 1972
	or beforeJune 1976
17. The water will be completely applied to t	the proposed use on or before August 1976
	ental to an existing water supply, identify any app
eation for permit, permit, certificate or adjudicate	ted right to appropriate water, made or held by t
pplicant	
	Thomas College
	(Signature of applicants)
Remarks:	
······································	
•	
,	
STATE OF OREGON, ss.	
County of Marion,	
	oregoing application, together with the accompanying
aps and data, and return the same for	<u> </u>
To and a second to the second	and the material of the Contest Touring and the common test of the contest of the
In order to retain its priority, this application	must be returned to the State Engineer, with corre
ons on or before,	19
\mathcal{M}	
WIMNEGO	**
WITNESS my hand this day of	, 19
WITNESS my hand this day of	
WITNESS my hand this day of	, 19

STATE OF OREGON	
County of Marion,	} ss

PERMIT

	This	is	to certify	that I	have	examined	the	foregoing	application	n and d	o herebu	grant	the	same
SUB	JECT	TO	EXISTIN	IG RIG	HTS (and the fol	llowin	ng limitat	ions and co	ndition	s:	g		· · · · · · · · · · · · · · · · · · ·

This is to certify the SUBJECT TO EXISTING 1	it I have examined the RIGHTS and the follo	re foregoing ap wing limitation	plication a s and cond	nd do hereby itions:	grant the same,
	rted is limited to the o				
and shall not exceed0.3	9cubi feet per	second measure	ed at the po	oint of diversio	n from the well
or source of appropriation, o	or its equivalent in cas	se of rotation w	ith other u	vater users, fro	ma.well
The use to which this		is irrigation	m		
	;				
If for irrigation, this a					
or its equivalent for each ac					
acre feet per acre for each a	cre irrigated during th	ie i rrigation sea	son of each	year;	•••••••••••
		***************************************	••••••••		
		*****	••••••••••	••••••	•••••••••••••••••••••••••••••••••••••••
		•••••		***************************************	***************************************
	•••••				•••••
	····		***************************************	•••••	
		***************************************	••••		
and shall be subject to such r	easonable rotation sus	tem as may be	ordered bu	the proper sto	ite officer
The well shall be cased the works shall include properties of the works constructed line, adequate to determine. The permittee shall install keep a complete record. The priority date of this	er capping and control shall include an air l water level elevation stall and maintain a u of the amount of gro	valve to prever ine and pressur in the well at veir, meter, or ound water with	nt the wast e gauge or all times. other suit ndrawn.	e of ground w an access port able measurin	ater. for measuring g device, and
Actual construction wo	rk shall begin on or be	eforeMarcl	h 24, 197	.7	and shall
thereafter be prosecuted with					
Extended to Oct. 1 1980 Complete application of					
WITNESS my hand thi	s24th day of	March		,, 19	7.6.
		Qu.	real	Leses	F.H
		WATER RESOUR	RCES DIRE	CTOR	Marian B
Application No. G. 120b. Permit No. G. G 6633 TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the TH day of Anter Manager.	Returned to applicant:	Approved:	Recorded in book No. Ground Water Permits on page	Drainage Basin No. 2 page 146