

RECEIVED

JAN 15 1976

WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G-6643

CERTIFICATE NO. 42216

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Schmoe, Kilgore & Kilgore, a Copartnership
(Name of applicant)
of Route 1, Box 57A, Bonanza
(Postoffice Address), county of Klamath
state of Oregon 97623, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lost River
(Name of stream)

tributary of Tulelake

2. The amount of water which the applicant intends to apply to beneficial use is 1.71 cubic feet per second or 767 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. and ft. from the corner of N 45° 37' E 1285 feet from the S.W. Corner of Section 8, T. 41 S., R. 14 E., W. M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 - SW 1/4 of Sec. 8, Twp. 41 S., R. 14 E., W. M., in the county of Klamath

5. The Main Ditch to be 1.1 miles in length, terminating in the NE 1/4 - NW 1/4 of Sec. 8, Twp. 41 S., R. 14 E., W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Kilgore Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N.A.

8. The development will consist of One Well having a diameter of 16 inches and an estimated depth of 210 feet. It is estimated that 50 feet of the well will require steel casing. Depth to water table is estimated 10 below ground surface.
(Kind)
(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4 feet; width on bottom 2 feet; depth of water 2 feet; grade 1.5 feet fall per one thousand feet.

(b) At Same miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type 8" Johnston Deep well turbine with belt head for tractor drive

Give horsepower and type of motor or engine to be used Tractor driven, 30 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development N.A.

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
41 S.	14 E.	8	NW $\frac{1}{4}$ - NE $\frac{1}{4}$	4.3
			NE $\frac{1}{4}$ - NW $\frac{1}{4}$	39.9
			SE $\frac{1}{4}$ - NW $\frac{1}{4}$	40.0
			NE $\frac{1}{4}$ - SW $\frac{1}{4}$	35.2
			NW $\frac{1}{4}$ - SW $\frac{1}{4}$	4.3
			SW $\frac{1}{4}$ - SW $\frac{1}{4}$	11.3
			NW $\frac{1}{4}$ - SE $\frac{1}{4}$	1.7
			Total	136.7 Acres

(If more space required, attach separate sheet)

Character of soil Clay Loam

Kind of crops raised Legumes and pastures grasses.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....7,000.00.....
- 15. Construction work will begin on or before Completed
- 16. Construction work will be completed on or before Completed
- 17. The water will be completely applied to the proposed use on or before ...presently applied

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant.

..... Schmoer, Kilgore & Kilgore

By: *Schmoer* Mrs. Silas H. Kilgore
(Signature of Applicant)

Remarks:

* Charles Kilgore
* Silas Kilgore

..... The well was drilled in about 1948 by Fred Hilton Jr. who no
longer resides in Oregon. There is no log of the well available.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.7 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Kilgore Well No. 3.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 15, 1976.

Actual construction work shall begin on or before March 24, 1977 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Extended to Oct. 1 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 24th day of March, 19 76.

James E. Johnson
WATER RESOURCES DIRECTOR STATE ENGINEER ^{FH} _S

Application No. G-7230
Permit No. G-G 6643

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15 day of January,
19 76, at 8 o'clock A M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Ground Water Permits on page G 6643

STATE ENGINEER

Drainage Basin No. 17 page 40