

RECEIVED

JAN 29 1976

WATER RESOURCES DEPT.  
SALEM, OREGON

CERTIFICATE NO. 54448

Permit No. G- G 6649

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, Larry Williams  
(Name of applicant)  
of Route 1, Box 131, Gaston  
(Postoffice Address), county of Washington  
state of Oregon 97119, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Carpenter Creek  
(Name of stream)

tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is .060 cubic feet per second or 29 gallons per minute.

3. The use to which the water is to be applied is irrigation of seedling fruit tree nursery

4. The well or other source is located 1690 ft. N and 835 ft. W from the SE corner of Section 12, also being 895 feet S 71° 16' W and 30 feet S 18° E from the NE Corner of the William B. Chatfield DLC #43  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

NE 1/4 SE 1/4 (If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the William B. Chatfield DLC #43 of Sec. 12, Twp. 1S, R. 4W, W. M., in the county of Washington

5. The N/A (Canal or pipe line) to be N/A miles in length, terminating in the NE quarter of the SE quarter Sec. 12, Twp. 1S, R. 4W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is the Larry Williams Irrigation Well

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not artesian

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 155 feet. It is estimated that 52 feet of the well will require steel (Kind) casing. Depth to water table is estimated at 45-50 (Feet) feet--water bearing gravel; 105-108 feet--water bearing gravel and sand; and 145-155 feet water bearing sand. Static level of well is 12 feet.

4815

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) N/A feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At N/A miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, N/A ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type N/A

Give horsepower and type of motor or engine to be used N/A

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

well is over 1/4 mile from nearest stream

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 1S, 4W, 12, NE 1/4 of SE 1/4, 4.75

(If more space required, attach separate sheet)

Character of soil sandy

Kind of crops raised seedling fruit trees, nursery stock

MUNICIPAL SUPPLY—

13. To supply the city of N/A  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3000
- 15. Construction work will begin on or before November of 1975 by Ira Trussell
- 16. Construction work will be completed on or before November 11, 1975
- 17. The water will be completely applied to the proposed use on or before July 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

*Ira Trussell*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Larry Williams Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 29, 1976

Actual construction work shall begin on or before March 24, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 24th day of March, 1976

*[Signature]*  
WATER RESOURCES DIRECTOR

Application No. G-7245  
Permit No. G-6649

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 day of January, 1976, at 11 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6649  
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 147