



Permit No. G-665

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, The First National Bank of Portland, a national banking corporation (Name of applicant) of P. O. Box 3457 (Postoffice Address), county of Multnomah

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

July 4, 1865 Portland, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is Air Conditioning

4. The well or other source is located 650 ft. N and 1150 ft. W from the corner of S. E. Corner Sect. 33 TIN RIE WM (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the SE1/4 of SE1/4 of Sec. 33, Twp. 1 N, R. 1 E W. M., in the county of Multnomah

5. The None - Well to A.C. equip. - 100' max. to be miles in length, terminating in the of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Water is used for air conditioning system refrigeration unit condensers. Water is shut off automatically when condensing unit stops.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 460 feet. It is estimated that 460 feet of the well will require with steel casing. Depth to water table is estimated 88

CANAL SYSTEM OR PIPE LINE— **None**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type **Peerless Vertical Turbine**

Give horsepower and type of motor or engine to be used **20 h.p. electric**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use **None**

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	<del>Number of acres</del> <del>to be irrigated</del> <b>Use</b>
1 N	1 E	33	SE 1/4 of SE 1/4	AIR CONDITIONING (Condenser cooling)

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of None  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$10,000.00
- 15. Construction work will begin on or before Well initially drilled in 1940.
- 16. Construction work will be completed on or before Cleaned and tested November 1955
- 17. The water will be completely applied to the proposed use on or before June 1, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

THE FIRST NATIONAL BANK OF PORTLAND

BY [Signature]  
Asst. Vice President  
(Signature of applicant)

Remarks: Well initially drilled in 1940 for air conditioning usage for building other than present building. Building plans abandoned after well was drilled. Present building plans included well as drilled. Well cleaned and tested November 1955. Waste water from condensing units disposed of through waste well drilled October 1956.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 9, 1957

WITNESS my hand this 9th day of August, 1957

LEWIS A. STANLEY  
STATE ENGINEER

By [Signature]  
James W. Carver, Jr., Assistant  
ASSISTANT

STATE OF OREGON, }  
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is air conditioner

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 25, 1957

Actual construction work shall begin on or before November 29, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 29th day of November, 1957

*Lewis A. Stanley*  
STATE ENGINEER

Application No. G- 710  
Permit No. C- 665

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of July, 1957, at 5:00 o'clock P.M.

Returned to applicant:

Approved:

November 29, 1957  
Recorded in book No. 3 of 665  
Ground Water Permits on page

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 3 page 24