RECEIVED SEP 18 1974 STATE ENGINEER SALEM OREGON

Permit No. G. G. 6668

APPLICATION FOR A PERMIT

CHATIFICATE NO. 48480

To Appropriate the Ground Waters of the State of Oregon

1. Haral Kraimer
of RTI Box 84 mt angl (Name of applicant) (Postoffice Address) (Postoffice Address)
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Jella Cr (Name of stream)
(Name of Stream)
2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or gations per minute.
3. The use to which the water is to be applied is Rudding B Drightton of
4. The well or other source is located
corner of Acction of SELSEL SECT TES RIE WM. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the 5 E 4 of S E 4 of Sec. 7 Twp. 65, R. 1 E,
W. M., in the county of Marin
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of feet. It is estimated depth of feet. It is estimated that
feet of the well will require Stee casing. Depth to water table is estimated
. राष्ट्रस

CA	ħ	ĴΑ	T.	S	VS'	rea	K C)R	PI	PE	L	INF	<u></u>

	feet; depth of u	vater	feet; grade	feet fall per one
ousand feet.	•			
(b) At	mi	les from head	igate: width on top (at water lin	re)
			feet; depth of wate	
ade	feet fall p	er one thous	and feet.	
(c) Length	of pipe,	ft.; s	ize at intake in.; in	size at ft.
om intake	in.; siz	e at place of	use in.; differe	nce in elevation between
take and place	of use,	ft.	Is grade uniform?	Estimated capacity,
******************	. sec. ft.			
10. If pum	ps are to be used,	give siz e a nd	type Day well	turbine
				5 hp
		'	engine to be used	
natural stream e difference in	or stream channe elevation between	l, give th e di the stream l	other development work is less to stance to the nearest point on exped and the ground surface at the standard of the left	ach of such channels and ne source of development
natural stream le difference in the sure of the sure	or stream channe elevation between y during	l, give the di the stream l 800 / 1	stance to the nearest point on e	ach of such channels and he source of development - Cruhi-f - Cruh chan 2 + crub chan
natural stream the difference in the sure drawn and	or stream channe elevation between y during	l, give the di the stream l 800 / 1	stance to the nearest point on even and the ground surface at the surface at the surface at the surface at the surface of well	ach of such channels and he source of development - Cruhi-f - Cruh chan 2 + crub chan
natural stream te difference in the sure of the sure	or stream channe elevation between the land on of area to be in Range E or W. of	the stream to th	stance to the nearest point on even and the ground surface at the surface of use	ach of such channels and he source of development Cruhil Lence in Number Acres
natural stream the difference in the way elevation Township N. or S.	or stream channe elevation between ell is the stream of area to be in the stream of area to be in the stream elevation of area to be in the stream elevation of area to be in the stream elevation e	the stream to th	stance to the nearest point on even and the ground surface at the surface of use	ne source of development Crucking Livence in Number Acres To Be Irrigated
natural stream e difference in the way elevat 12. Locatio Township N. or S.	or stream channe elevation between the stream of the strea	the stream to th	stance to the nearest point on even and the ground surface at the surface of use	ne source of development Crucking Livence in Number Acres To Be Irrigated
natural stream e difference in the way elevation 12. Location Township N. or S.	or stream channe elevation between Light Stream y	the stream to th	stance to the nearest point on even and the ground surface at the surface of use	ne source of development Crucking Livence in Number Acres To Be Irrigated
natural stream e difference in the way eleved 12. Locatio Township N. or S.	or stream channe elevation between Light Stream y	the stream to th	stance to the nearest point on even and the ground surface at the surface of use	ne source of development Crucking Livence in Number Acres To Be Irrigated
natural stream the difference in the way elevation Township N. or S.	or stream channe elevation between Light Stream y	the stream to th	stance to the nearest point on even and the ground surface at the surface of use	ach of such channels and he source of development Crucking Livence in Number Acres To Be Irrigated 36 40 36
natural stream e difference in the way elevation 12. Location Township N. or S.	or stream channe elevation between the stream between the street to be in the street t	l, give the dia the stream? 8.03	stance to the nearest point on even and the ground surface at the surface of use	ach of such channels and he source of development Crucking Livence in Number Acres To Be Irrigated 36 40 36
natural stream e difference in the sure of the sure o	or stream channe elevation between the level of the level	l, give the di the stream to 8.03	stance to the nearest point on end and the ground surface at the surface at the surface at the surface of use Forty-acre Tract SETYSETY NWT SW T NWT SW T NWT NETTY NWT NETTY SW NWT SET NWT	Number Acres To Be Irrigated 36 40 36 40 36 80
natural stream e difference in the sure of the sure o	or stream channe elevation between the level of the level	l, give the dia the stream? 8.03	stance to the nearest point on end and the ground surface at the surface at the surface at the surface of use Forty-acre Tract SETYSETY NWT SW T NWT SW T NWT NETTY NWT NETTY SW NWT SET NWT	Number Acres To Be Irrigated 36 40 36 222 222
natural stream e difference in the sure of the sure o	or stream channe elevation between the level of the level	l, give the dia the stream? 8.03	stance to the nearest point on end and the ground surface at the surface at the surface at the surface of use Forty-acre Tract SETYSETY NWT SW T NWT SW T NWT NETTY NWT NETTY SW NWT SET NWT	Number Acres To Be Irrigated 36 40 36 222 222
natural stream le difference in the sure of the sure	or stream channe elevation between the level of the level	l, give the dia the stream? 8.03	stance to the nearest point on end and the ground surface at the surface at the surface at the surface of use Forty-acre Tract SETYSETY NWT SW T NWT SW T NWT NETTY NWT NETTY SW NWT SET NWT	Number Acres To Be Irrigated 36 40 36 222 222

CHRIS L. WHEELER STATE ENGINEER

By Thomas E. Shook Assistant

STATE OF OREG	SS.	PERMIT	G 6668
This is to ce	rtify that I have exan	nined the foregoing applica he following limitations and	tion and do hereby grant the same, I conditions:
		_	ich can be applied to beneficial use
a rowelly fusier			the point of diversion from the well
			ther water users, from
The use to wi	hich this water is to be	applied is irrigation	
If for irrigation	on, this appropriation s	hall be limited to1/80t	h of one cubic foot per second
or its equivalent for	each acre irrigated an	d shall be further limited t	o a diversion of not to exceed23
acre feet per acre fo	or each acre irrigated d	uring the irrigation season	of each year;

		······································	
		••••••	·······
	······································		······································
and shall be subject	to such reasonable rote	ation system as may be orde	red by the proper state officer.
The well shall the works shall inclu The works con line, adequate to de The permittee	l be cased as necessary ude proper capping and nstructed shall include etermine water level e e shall install and main	in accordance with good p l control valve to prevent th an air line and pressure ga devation in the well at all t	ractice and if the flow is artesian se waste of ground water. uge or an access port for measuring imes. er suitable measuring device, and
The priority d	ate of this permit isS	eptember 18, 1974	
Actual constru	ıction work shall begin	on or beforeApril	16, 1977 and shall
thereafter be prosec	uted with reasonable	diligence and be completed	on or before October 1, 19.77
Complete appl	ication of the water to	the proposed use shall be m	ade on or before October 1, 1978
WITNESS my	hand this16th	lay ofApril	
		James &	S DIRECTOR STATE MODIFIES
	in the regon,		6688 inera

Application No. G- Walk 3 Permit No. G. GESS TO APPROPRIATE THE GROUN WATERS OF THE STATE OF OREGOIN

This instrument was first received

office of the State Engineer at Salem, O on the 18th day of Olegalember 1974, at 4.05. o'clock P. M.

Returned to applicant:

Recorded in book No.

Approved:

Ground Water Permits on page _____

fees. 1650