

RECEIVED
SEP 18 1974
STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 6669**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Harold Kramer (Name of applicant)
of RT/Box 84 Mt Angel (Postoffice Address), county of Marion,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Yellow Cr (Name of stream)

tributary of Puttling River

2. The amount of water which the applicant intends to apply to beneficial use is 1.3 cubic
feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is supplemental irrigation

4. The well or other source is located 400 ft. S (N. or S.) and 1000 ft. W (E. or W.) from the NE
corner of sect 3 (Section or subdivision)
(1,080 ft) S 68° W of NE corner of section 3
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE 1/4 of NE 1/4 of Sec. 3, Twp. 6S, R. 1W,
W. M., in the county of Marion

5. The _____ (Canal or pipe line) to be _____ miles
in length, terminating in the _____ (Smallest legal subdivision) of Sec. _____, Twp. _____,
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.)
having a diameter of 12 inches and an estimated depth of 395 feet. It is estimated that 340
feet of the well will require steel (Kind) casing. Depth to water table is estimated 30 (Feet)
below land surface

CANAL SYSTEM OR PIPE LINE—

G 6669

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *Foyne & Bolter - 12 stage turbine*

Give horsepower and type of motor or engine to be used *60 HP General Electric*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

distance to Zoller Co from well is 200 ft elevation difference between channel and top of well casing 4.5 ft

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	1 W	2	NW 1/4 of NW 1/4	8.1
"	"	2	SW 1/4 of NW 1/4	3.9
"	"	2	NE 1/4 of NW 1/4	7.6
"	"	2	SE 1/4 of NW 1/4	2.4
6 S	1 W	3	NE 1/4 of NE 1/4	40.8
			SE 1/4 of NE 1/4	40.8
				102 ²

(If more space required, attach separate sheet)

Character of soil *Amity*

Kind of crops raised *Row Crop*

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$..... 18,000

15. Construction work will begin on or before Completed

16. Construction work will be completed on or before Completed

17. The water will be completely applied to the proposed use on or before here by in use

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. this filing is supplemented to permits # 30332
& 33612 OK

Harold Kraemer
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

G 6669

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.28 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 18, 1974

Actual construction work shall begin on or before April 16, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 16th day of April, 1976

James B. Lewis
WATER RESOURCES DIRECTOR F.H.
S

Application No. G-6669
Permit No. G-6669

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18th day of September,
1974, at 4:05 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. G 6669 of
Ground Water Permits on page 2

STATE ENGINEER

Drainage Basin No. 2 page 139

Fees: \$ 43.00