

RECEIVED

SEP 23 1974
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 50754
76038, 76039,
& 76040 76234

Permit No. G- **6670**

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 904

To Appropriate the Ground Waters of the State of Oregon

I, View Point Ranches by Robert A. Baesler
Box 240 (Name of applicant)
of Christmas Valley, county of Lake
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated none
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 5,400 gallons per minute. or 1,350 from each well.

3. The use to which the water is to be applied is for IRRIGATION of hay and grass.

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of _____
(N. or S.) (E. or W.)
See Remarks for the location of the 4 wells.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the _____ of Sec. _____, Twp. _____, R. _____, W. M., in the county of _____

5. The _____ (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Fall 1974 Development; Wells 14, 15, 16 and 17.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of four (4) Wells having a diameter of 14 inches and an estimated depth of 400 feet. It is estimated that 120 feet of the well will require Steel casing. Depth to water table is estimated 120
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 6670

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 12" THC 5 Stage Bowl Assembly 60 foot setting on each well.

Give horsepower and type of motor or engine to be used 150 HP Electric on each well. VHS.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	19 E	21	NE $\frac{1}{4}$ SW $\frac{1}{4}$	6.4
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	34.4
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	27.6
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	11.5
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	35.8
			28	NW $\frac{1}{4}$ NW $\frac{1}{4}$
		28	NE $\frac{1}{4}$ NW $\frac{1}{4}$	36.4
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	29.7
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	36.9
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	22.7
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0

(If more space required, attach separate sheet) See attached sheet

Character of soil Sandy Loan.. PH 8.5 to 9.0

Kind of crops raised Irrigated grass and rye mixed with alfalfa

VIEW POINT RANCHES

Area Code: 503-576-2265

CHRISTMAS VALLEY, OREGON 97638

RECEIVED

SEP 23 1974

STATE ENGINEER
SALEM, OREGON

September 19, 1974

12. Location of area to be irrigated, continued:

T 27 S; R 19 E; Sec 28	SW $\frac{1}{4}$ NE $\frac{1}{4}$	28.7
	SE $\frac{1}{4}$ NE $\frac{1}{4}$	37.6
	NW $\frac{1}{4}$ SW $\frac{1}{4}$	4.1
	NE $\frac{1}{4}$ SW $\frac{1}{4}$	15.2
	NW $\frac{1}{4}$ SE $\frac{1}{4}$	6.9
	NE $\frac{1}{4}$ SE $\frac{1}{4}$	21.6
Sec 27	SE $\frac{1}{4}$ SE $\frac{1}{4}$	36.7
	NW $\frac{1}{4}$ NW $\frac{1}{4}$	34.6
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	5.7
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	40.0
	SE $\frac{1}{4}$ NW $\frac{1}{4}$	10.6
	NW $\frac{1}{4}$ SW $\frac{1}{4}$	36.7
Sec 33	NE $\frac{1}{4}$ SW $\frac{1}{4}$	2.3
	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0
Sec 34	SE $\frac{1}{4}$ SW $\frac{1}{4}$	13.1
	NE $\frac{1}{4}$ NE $\frac{1}{4}$	18.4
Sec 34	NW $\frac{1}{4}$ NW $\frac{1}{4}$	30.8
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	4.3
Total Acres		720.6

Application No. G 6669
Permit No. G 6670

W
LR

BEEF — Protein From Grass

VP
LH

MUNICIPAL SUPPLY—

13. To supply the city of in county, having a present population of and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....200,000.00
- 15. Construction work will begin on or before July 1, 1974
- 16. Construction work will be completed on or before February 28, 1975
- 17. The water will be completely applied to the proposed use on or before February 28, 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This is new development.

VIEW POINT RANCHES BY Robert A Baesler
(Signature of applicant)

Remarks:

Location of Well no 14: 960 feet North and 1,590 feet west of the Southeast Corner of Section 21 and being within the SW1/4SE1/4 of Sec 21; T27S; R19E.

Location of well no 15: 1,782 feet south and 3,183 ft west of the Southeast Corner of Section 21 and being within the SE1/4NW1/4 of Sec 28; T27S; R19E.

Location of Well no 16: 1,600 feet south and 230 ft east of the North west corner of section 27 and being within the SW1/4NW1/4 of Sec 27; T 27S; R19E.

Location of Well no 17: 518 feet north and 230 feet east of the Southwest corner of Section 27 and being within the SW1/4SW1/4 of Section 27; T27S, R 19E... All in Lake County.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 30, 1974.

WITNESS my hand this 29th day of October, 1974.

CHRIS L. WHEELER
STATE ENGINEER
By Thomas E. Shook
ASSISTANT

RECEIVED
NOV 12 1974
STATE ENGINEER
SALEM, OREGON

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 9.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Valley Wells No. 14, 15, 16, and 17, being 2.25 c.f.s. from each well.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 23, 1974.

Actual construction work shall begin on or before April 16, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 16th day of April 1976.

James P. [Signature]
WATER RESOURCES DIRECTOR

FH
DB

Application No. G-6669
Permit No. G-6670

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 23rd day of September,
1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page G 6670

STATE ENGINEER

Drainage Basin No. 43 page 61

20 1975