RECEIVED

JUN4 1975 STATE ENGINEER SALEM. OREGON

Permit No. G. G 6686

CERTIFICATE NO. 46201

APPLICATION FOR A PERMIT

14ED, See 14116C. Rec., VOI. 6 ray 374

To Appropriate the Ground Waters of the State of Oregon

I, BARKER WILLAMETTE LUMBER CO., INC.
of P.O. Box 806 Eugene, county of Lane
(Fusionite Address)
state of Oregon 9740/, do hereby make application for a permit to appropriate th following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1-23-1951 Eugene, Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development i
situated Amazon Creek (Name of stream)
tributary of Long Tom River
2. The amount of water which the applicant intends to apply to beneficial use is1782 cubic feet per second or80 gallons per minute.
3. The use to which the water is to be applied is Maintain water level in log
storage pond intermittant use
4. The well or other source is located ft. and ft. ft. from the
corner of South 34° 24° West 1927.8 feet from the Northeast corner (Section or subdivision)
SWINE Section 27, Twp, 17 S - Rge, 4 W. (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the
W. M., in the county ofLane
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works isB. W. #1.
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of l well having a
(Give number of wells, tunnels, etc.)
iameter of
eet of the well will requiresteel casing. Depth to water table is estimated(Feet)

		£		feet; width on bottom			
	feet; depth of	water	feet; grade	feet fall per one			
usand feet.							
(b) At	<i>1</i>	niles from hea	dgate: width on top (at water	r line)			
	feet; width or	n bottom	feet; depth of u	vaterfeet;			
le	feet fall	l per one thous	and feet.	4			
			size at intakein.	: in size atft			
			use in.; diff				
			Is grade uniform?				
-		•					
	· /	give size and	type 2-1/2" submersib	le turbine			
The same of the sa	wie io de useu	, give size und	rypea.a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.				
7 A 78	•	•••••••••••••••••••••••••••••••••••••••					
Give nors	sepower and type	of motor or e	engine to be used7-1/2	HP 440V 3 phase			
tural stream	ı or stream chann	el, give the dis	stance to the nearest point or ed and the ground surface a	s than one-fourth mile from n each of such channels and t the source of development			
tural stream lifference in	or stream chann televation betwee	el, give the dis	stance to the nearest point or	n each of such channels and t the source of development			
tural stream lifference in	or stream chann elevation betwee	el, give the dis	stance to the nearest point or sed and the ground surface a	n each of such channels and t the source of development			
tural stream lifference in 12. Locati	i or stream chann i elevation betwee ion of area to be i	el, give the dis	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	or stream chann elevation between the stream chann to be two of the stream channed and the stream channel to be in	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or sed and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			
tural stream lifference in 12. Locati Township N. or S.	ion of area to be in the second secon	el, give the disen the stream b	stance to the nearest point or ped and the ground surface and the gr	n each of such channels and tithe source of development			

ereser'

MUN	IICIPAL SUPPLY—	:			
	13. To supply the city of				,
in	c	ounty, having a	present populat	ion of	
and (in estimated population of	<u>'.</u>	in 19		
	ANSWER C	ESTIONS 14, 15	, 16, 17 AND 18	IN ALL CASES	
	14. Estimated cost of prop	osed works, \$	5,000.00		•
	15. Construction work will	l begin on or bef	ore 5-25-1975	5	
	16. Construction work wil	l be completed o	n or before	7-10-1975	
	17. The water will be comp	-			
	18. If the ground water s			•	¥
catio	n for permit, permit, certif				
appli	cant				
			Backer	Shece	uter Tos.
4	Remarks:		By. (uelia X	Deans
•••••					
•••••				***************************************	••••••
•••••				••••••••••••	
•••••			•••••		
•••••		••••••	•••••		
•••••		· · · · · · · · · · · · · · · · · · ·			
			•••••		
		,		•••••	
•••••		•		•••••	
					·
~~		••••••••••••		***************************************	
STA:	TE OF OREGON, ss.				
C	ounty of Marion,)				
	This is to certify that I had				
maps	and data, and return the sar	ne for			
•	In order to retain its priorit	y, this application	on must be retur	ned to the State	Engineer, with cor
ions	on or before	14	., 19		• •
	•	•			
	WITNESS my hand this	day of		***************************************	19
					,, 20
					CHAME ENGLAND
					SIMIE ENGINI

STATE	OF	OREGON,)	
Coun	ty o	f Marion,	}	SS.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SOBIL	ECT TO	EXISTING .	RIGHTS	and the	e follo	wing limi	tations and	d conditio	ns:	- •		_,
•	The righ	nt herein gra	nted is li	mi te d to	o the d	imount of	water wh	ich can b	e applied	l to ben	eficial u	se
and sh	all not e:	xceed0.18		cubic fe	et per	second m	easured at	the point	of divers	sion fror	n the we	ell
		propriation,		- 71								
No. 1												
7	The use 1	to which this						•				
		igation, this a										
		it for each ac										
		re for each a								4		
		•••••••										
		•••••										
						•						•
		ject to such r										
the work	cs snau i	shall be cased include prope	er cappin	ig and c	ontrol	valve to 1	orevent th	e maste o	faround	unator		
	re work:	s constructed o determine	l shall in	clude a1	n air l	ine and pr	essure gai	ige or an	access po	rt for m	easuring	1
Th	ie permi	ittee shall in:	stall and	mainta	in a u	eir, mete	r, or othe	r suitable	e measur	ing dev	ice, and	!
Shutt. Net	sp u con	iplete record	oj the c	imount	oj gro	una wate	r withdrai	vn.			,	,
Th	e priori	ty date of thi	s permit	is	••••••	June 4,	1975		••••••		•	ı
Ac	tual con	struction wo	rk shall	begin oı	n or be	efore	May 17,	1977		a	nd shall	
		osecuted with										
Co	mplete d	application of	f the wat	er to th	e prop	osed use s	hall be mo	ide on or	before Od	ctober 1,	19 79	
		my hand thi						·····		.76		
				*** **		On	me	سرجم	Lex	200		וא ביו
				**************************************		WATER	RESOURCE	S DIRECT	OR	SPATE-EN	ICINDUR.	يف
			the	, on,		1		'	ਦ છ	_#		
ا ا		ONI	n i	Oreg					6686	GINEE	\$3	
88		GROUND [ATE	eivec	G em,	M					TE EN		
3899 9899	<u>-</u>		rec	t Sal	Q				5 9	STA	page	
5.6	MI	ATE THI OF THE	first	ger a	٠ <u>٠</u>				n pac		e 8	
Vo. C	PERM	IATE OF ORE	was	ngra of	o'clock	nt:			its o		70.	
Application No. G-6269	PE	A-3 -	rent	day		olica		2	erm		Basin No.	
licati nit N	. *	APPROPE WATERS OF	itrun	7	at 11.15	o apı			u in ter F		Ba.	
Applico Permit		f	This instrument was first received in the	# 7 m	, at L	red to	›ed:	Donnadod in Lect W	i Wa		Drainage	
		TO	Thi	on the 44h day of Jac.	1975,	Returned to applicant:	Approved:	D _O O	Ground Water Permits on page		Dra	
il		ļ	7	g 8	19	∥ હ્યું ં	A		රි			