

RECEIVED

JUN 2 0 1975

STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 6689**

APPLICATION FOR A PERMIT

CERTIFICATE NO. 47848

To Appropriate the Ground Waters of the State of Oregon

I, Oregon State Parks and Recreation Branch
(Name of applicant)
of 300 State Highway Building Salem, county of Marion
(Postoffice Address)
state of Oregon 97310, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Champoeg Creek
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.018 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is General Park Use

4. The well or other source is located 765 ft. N and 2,430 ft. E from the SW corner of Section 1
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SW 1/4 of Sec. 1, Twp. 4S, R. 2W, W. M., in the county of Marion

5. The pipeline to be 0.57 miles in length, terminating in the NW 1/4 of SW 1/4 of Sec. 1, Twp. 4S, R. 2W, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Champoeg Park Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 6 inches and an estimated depth of 183 feet. It is estimated that 183 feet of the well will require Steel casing. Depth to water table is estimated 22 feet.
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3,000 ft.; size at intake 4 in.; in size at 3,000 ft. from intake 4 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 42 ft. Is grade uniform? Yes Estimated capacity, 0.018 sec. ft.

10. If pumps are to be used, give size and type 4 inch submersible pump

Give horsepower and type of motor or engine to be used 2HP, 220 volt, 3 phase

Electric Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is 550' east of Champoeg Creek, and approximately 50' above the creek bed.

12. Location of ~~area to be irrigated~~ place of use Champoeg State Park

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres
4S	2W	2	NE 1/4, SE 1/4	
4S	2W	1	SW 1/4, NW 1/4	
4S	2W	1	NW 1/4, SW 1/4	
4S	2W	1	NE 1/4, SW 1/4	
4S	2W	1	SE 1/4, SW 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised


MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$28,000
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before completed
- 17. The water will be completely applied to the proposed use on or before completed

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.



Assistant State
Parks Superintendent
(Signature of applicant)

Remarks: Operating pressure is obtained by booster pumps driven by 3 HP, 220 volt,
3 phase electric motors.

The water applied for will be used for potable and sanitary purposes
in an overnight camp and a picnic area.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT



STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.018 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Champeog Park Well No. 3

The use to which this water is to be applied is General Park use

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 20, 1975

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 17th day of May, 1976

James E. Jensen WATER RESOURCES DIRECTOR

Application No. G-6999 Permit No. G-6689

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of June, 1975, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of G 6689 Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 143

FH S