FEB 2 3 1976
WATER RESOURCES DEPT!
SALEM, OREGON

Permit No. G- G 6717

APPLICATION FOR A PERMIT

RECEIVED

MAR 1 2 1976

WATER RESOURCES DEPT. SALEM, OREGON

To Appropriate the Ground Waters of the State of Oregon

I, Kenneth Date Edwards
of BT Box 134 I 2 Pendheton Oregon, county of Clos ATILLA, (Postoffice Address)
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated UMATITHA RIVEN (Name of stream)
tributary of Cohumbia Riven
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4460 5 /880 P
4. The well or other source is located 150 ft. and ft. W from the
corner of SecTion Section or subdivision) (E. or W.)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the Self of Sec. B., Twp. 2 N., R. 33.,
W. M., in the county of UMATILLA
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of ONG Wells, tunnels, etc.)
diameter of
feet of the well will require
STATIC WATER Level 30 FT.

CANAL.	SYSTEM	OR	PIPE	LINE
	OICILIM	$\mathbf{v}_{\mathbf{r}}$	1111	7777477

	eaagate: wiath on to	op (at water	r line)	feet; width on botto
······································	feet; depth of u	vater	feet; grade	feet fall per or
housand feet.				
(b) At	mi	les from he	adgate: width on top (at wate	r line)
•••••••	feet; width on l	bottom	feet; depth of u	vater fec
rade	feet fall p	er one thou	sand feet.	
(c) Lengt	th of pipe,60	0 ft.;	size at intake	.; in size at
rom intake	2 in.; siz	e at place o	f use3/4 in.; dif	ference in elevation betwe
			. Is grade uniform?	
				•
	•	nive size and	1 type 5 4 5 4	binersible
		,		
Cina hom	anounce and tone	f matan an	anaina ta ha wasal	
Give nors	sepower and type o	n motor or	engine to be used	
			······································	
			other development work is les	•
			istance to the nearest point o bed and the ground surface a	
			,	
		•••••••		•
1		•		
		•		
12. Locat	ion of area to be irr	igated, or p	lace of use	
12. Locate	ion of area to be irr Range E. or W. of Willamette Meridian	igated, or p	lace of use	Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of	Section	Forty-acre Tract	To Be Irrigated
Township	Range E. or W. of Willamette Meridian	÷1.		
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section S (If more space :	Porty-acre Tract ME 14 S.W/4	5.5 A.G.

MUNICIPAL SUPPLY—
13. To supply the city of
in county, having a present population of
and an estimated population of in 19
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$ 3500.
15. Construction work will begin on or before Nox 1975
16. Construction work will be completed on or before April 1976
17. The water will be completely applied to the proposed use on or before April 1976
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant Existing WeLL does NOT produce SUFFICENT
WATER FOR house + LAWA during summer Months, 1 reason For New Weth Beneath Edwards
reason For New Weth Benneth Edwards
(Signature of applicant)
Remarks:
STATE OF OREGON,)
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
naps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with correc-
ions on or before
ions on or dejore, 19
WITNESS my hand thisday of
STATE ENGINEER

By

ASSISTANT

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not exceed	0.07 cube feet per s	second measured at the p	on be applied to beneficial use point of diversion from the well water users, from 1.well
The use to which			
or its equivalent for each	ch acre irrigated and shall b	imited to 1/80th	of one cubic foot per second iversion of not to exceed .3
	· · · · · · · · · · · · · · · · · · ·		
The well shall be the works shall include to the works constrution, adequate to determ The permittee shall keep a complete reaction. The priority date of Actual construction thereafter be prosecuted.	cased as necessary in accor proper capping and control ucted shall include an air linine water level elevation all install and maintain a wecord of the amount of group of this permit is	dance with good practic valve to prevent the wane and pressure gauge of in the well at all times. The rectangle of the water withdrawn. MARCH 12, 1976 fore May 17, 1977 and be completed on of osed use shall be made of	ce and if the flow is artesian ste of ground water. r an access port for measuring itable measuring device, and and shall or before October 1, 19.78
6 -4 F-7 F	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the AZ day of ALLIGHU, 1976, at 8 o'clock A.M.	Returned to applicant: Approved:	Recorded in book No. of Ground Water Permits on page G G717 STATE ENGINEER Drainage Basin No. Z. page 29