

Permit No. G-G 6727

CERTIFICATE NO. 48704

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 114

To Appropriate the Ground Waters of the State of Oregon

I, Leonard H. Williams
(Name of applicant)
of P. O. Box 109; Hermiston, county of Umatilla
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla River
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 2 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is supplementary irrigation on irrigated pasture to Wells number land 2 covered in applications numbered G-5304 and G-5599.

4. The well or other source is located 1322 ft. S and 2600 ft. W from the NE corner of Section 29, T4N, R 28 E.W.M.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the NE 1/4 of Sec. 29, Twp. 4N, R. 28 E.
W. M., in the county of Umatilla

5. The pipeline to be 1 1/2 miles
(Canal or pipe line)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 29, Twp. 4N,
(Smallest legal subdivision)
R. 28 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well Number 3.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Well Number 3 having a
(Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 130 feet. It is estimated that 114
feet of the well will require 12" steel welded casing. Depth to water table is estimated 45'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

Well is connected into pipeline already installed and described in application numbers

10. If pumps are to be used, give size and type G-5304 and G-5599.....

Western 5 stage turbine pump

Give horsepower and type of motor or engine to be used 75 hp electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

supplementary

12. Location of area to be irrigated, or place of use Sections 28 & 29, T4N, R 28 E.W.M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	28E	28	SW 1/4 NW 1/4	33.00
4N	28E	28	SE 1/4 NW 1/4	38.50
4N	28E	28	NE 1/4 SW 1/4	1.75
4N	28E	29	NE 1/4 NE 1/4	39.00
4N	28E	29	NW 1/4 NE 1/4	39.00
4N	28E	29	SW 1/4 NE 1/4	10.00
4N	28E	29	SE 1/4 NE 1/4	20.50
4N	28E	29	NE 1/4 NW 1/4	37.50
4N	28E	29	NW 1/4 NW 1/4	12.50
4N	28E	29	SE 1/4 NW 1/4	0.75
				232.5000

(If more space required, attach separate sheet)

Character of soil Sandy

Kind of crops raised Hay & Pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$8,000.00
- 15. Construction work will begin on or before July 1, 1972
- 16. Construction work will be completed on or before September 1, 1972
- 17. The water will be completely applied to the proposed use on or before September 1, 1972
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Leonard A. Williams by Paul Bala
(Signature of applicant)

Remarks: This application is supplementary to No. G-5304 and G-5599, ..

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 14....., 19.72..

WITNESS my hand this 14 day of September, 1972.

RECEIVED
OCT 3 1972
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Thomas E. Shook*
Thomas E. Shook ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 3.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein; provided further that the depth of the well be limited to the depth of the alluvial gravels and shall not penetrate the basalt.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 25, 1972

Actual construction work shall begin on or before June 23, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 23rd day of June 1976

James E. Sepp
WATER RESOURCES DIRECTOR FK
B

Application No. G- 5879
Permit No. G- G 6727

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 25th day of August
1972, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Ground Water Permits on page G 6727

STATE ENGINEER
Drainage Basin No. 7 page 70

4370

Sheet 0.05