

RECEIVED

JAN 2 1976

WATER RESOURCES DEPT.
SALEM, OREGON

"CERTIFICATE NO. 57217"

Permit No. G- G 6736

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

1. Cecil Lodge (Name of applicant)
of Banks, Ore. Box 181 R2 (Postoffice Address), county of Washington,
state of Ore, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Bosch Creek (Name of stream)

tributary of E Dairy Creek

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 30 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 30 ft. N and 477 ft. E from the SW corner of Sec 19 T2N R3W (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 - SW 1/4 of Sec. 19, Twp. 2N, R. 3W, W. M., in the county of Washington

5. The Main Line (Canal or pipe line) to be 1300' in length, terminating in the SW 1/4 - SW 1/4 of Sec. 30 T2N R3W (Smallest legal subdivision), Twp. 2N, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Lodge

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 215 feet. It is estimated that 200 feet of the well will require 10m (Kind) casing. Depth to water table is estimated 210 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1300 ft.; size at intake 2" in.; in size at 500 ft. from intake 2" in.; size at place of use 2" in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? yes Estimated capacity, 30 gal P.M.

10. If pumps are to be used, give size and type 2 H.P. submersible

Give horsepower and type of motor or engine to be used 2 H.P. submersible

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N.	3 W	19	5-W ¹ / ₄ , 5W ¹ / ₄	1.4
2 N.	3 W	30	7N-W ¹ / ₄ , 7NW ¹ / ₄	8.5
				<u>9.9</u>

(If more space required, attach separate sheet)

Character of soil clay loam
 Kind of crops raised small fruit + vegetables, hay pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3,000
- 15. Construction work will begin on or before Sept 1973
- 16. Construction work will be completed on or before Sept 1977
- 17. The water will be completely applied to the proposed use on or before Sept 1977

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Carl Lidge
(Signature of applicant)

Remarks: *The well was drilled to a depth of 56' in 1947. During Aug 1972 it was drilled down to the depth shown on page 1*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 2, 1976

Actual construction work shall begin on or before June 23, 1977 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Extended to Oct. 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 23rd day of June, 19 76

James E. [Signature]
WATER RESOURCES DIRECTOR

Application No. G-7202

Permit No. G- G 6736

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of January, 1976, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. G 6736 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 146

3000